## FRIGIDAIRE



ntroduction	2
mportant Safety information	.3
-eatures	.5
nstallation	6
Controls and Settings	.7

Storage Features	8.
Storing food and Saving Energy	.9
Care and Cleaning1	С
Troubleshooting1	12
Limited Warranty	17

## Welcome to our family

Thank you for bringing Frigidaire into your home! We see your purchase as the beginning of a long relationship together.

This manual is your resource for the use and care of your product. Please read it before using your appliance. Keep it handy for quick reference. If something doesn't seem right, the troubleshooting section will help you with common issues.


FAQs, helpful tips and videos, cleaning products, and kitchen and home accessories are available at www.frigidaire.com.

We are here for you! Visit our website, chat with an agent, or call us if you need help. We may be able to help you avoid a service visit. If you do need service, we can get that started for you.

Let's make it official! Be sure to register your product.

Keep your product info here so it's easy to find

Model Number	
Serial Number	
Purchase Date	



Serial Number Location (lower right side of cabinet)



#### **Installation Checklist**

#### **Doors**

- ☐ Handles are secure and tight (some models)
- Door seals completely to cabinet on all sides
- Door is level from side to side across the top

#### Leveling

- ☐ Appliance is level, side-to-side and tilted ¼" (6 mm) front-to-back
- ☐ Cabinet is setting solid on all corners

#### **Electrical Power**

- ☐ House power turned on
- Appliance plugged in

#### **Final Checks**

- Shipping material removed
- Registration card sent in

#### IMPORTANT SAFETY INFORMATION



#### **WARNING**

Please read all instructions before using this appliance.

#### **Safety Definitions**

This is the safety alert symbol. It is used to alert of potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury or death.



#### **DANGER**

DANGER indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.



#### **WARNING**

WARNING indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.



#### **CAUTION**

CAUTION indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.



#### **IMPORTANT**

IMPORTANT indicates installation, operation or maintenance information which is important but not hazard-related.



#### **WARNING**

WARNING! CALIFORNIA RESIDENTS Cancer and Reproductive Harm www.P65Warnings.ca.gov



#### **DANGER**



DANGER Risk of fire or explosion. Flammable refrigerant used. Do not use mechanical devices to defrost appliance. Do not puncture refrigerant tubing.

DANGER Risk of fire or explosion. Flammable refrigerant used. To be repaired only by trained service personnel. Do not puncture refrigerant tubing.



#### **CAUTION**



CAUTION Risk of fire or explosion. Flammable refrigerant used. Consult repair manual/owner's guide before attempting to service this product. All safety precautions must be followed.

CAUTION Risk of fire or explosion. Dispose of property in accordance with federal or local regulations. Flammable refrigerant used.

CAUTION Risk of fire or explosion due to puncture of refrigerant tubing. Follow handling instructions carefully. Flammable refrigerant used.

#### **Child Safety**

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

Destroy or recycle the carton, plastic bags, and any exterior wrapping material immediately after the refrigerator is unpacked. Children should **NEVER** use these items to play. Cartons covered with rugs, bedspreads, plastic sheets or stretch wrap may become airtight chambers, and can quickly cause suffocation.

#### **Safety Instructions**

- DO NOT store or use gasoline, or other flammable liquid within or in the vicinity of this appliance. Read Product Label for warnings regarding flammability and other hazards.
- DO NOT store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- DO NOT operate the refrigerator in the presence of explosive fumes.
- Avoid contact with any moving parts of automatic ice maker.
- Remove all staples from the carton.
   Staples can cause severe cuts, and also destroy finishes if they come in contact with other appliances or furniture.

## Proper Disposal of your Appliance Risk of child entrapment

Child entrapment and suffocation are not problems of the past. Junked or abandoned appliances are still dangerous – even if they will sit for "just a few days". If you are getting rid of your old appliance,

#### IMPORTANT SAFETY INFORMATION

please follow the instructions below to help prevent accidents.

We strongly encourage responsible appliance recycling/disposal methods. Check with your utility company or visit <a href="www.energystar.gov/recycle">www.energystar.gov/recycle</a> for more information on recycling your old appliance.

#### Before you throw away your old appliance:

- Remove door.
- Leave shelves in place so children may not easily climb inside.
- Have refrigerant removed by a qualified service technician.





#### WARNING

These guidelines must be followed to ensure that safety mechanisms in this appliance will operate properly.

#### Electrical information


- Plug the appliance into its own dedicated 115 Volt, 60 Hz., 15 Amp, AC only electrical outlet. The power cord of the appliance is equipped with a 3-prong grounding plug for your protection against electrical shock hazards. Plug it directly into a properly grounded 3-prong receptacle. Install the receptacle in accordance with local codes and ordinances. Consult a qualified electrician. Avoid connecting the appliance to a Ground Fault Interrupter (GFI) circuit. Do not use an extension cord or adapter plug.
- If the power cord is damaged, an authorized service technician should replace it to prevent any risk.
- Never unplug the appliance by pulling on the power cord. Always grip the plug firmly, and pull straight out from the receptacle to prevent damaging the power cord.
- Unplug the appliance before cleaning and before replacing the AC LED light bulb to avoid electrical shock. Use only a 5-watt or less AC LED light bulb.
- Performance may be affected if the voltage varies by 10% or more. Operating the appliance with insufficient power can damage the compressor. Such damage is not covered under your warranty.

- Do not plug the unit into an electrical outlet controlled by a wall switch or pull cord to prevent the appliance from being turned off accidentally.
- WARNING: Do not use electrical appliances inside the food storage compartments of the appliance unless they are recommended accessories for use within this model.



#### **IMPORTANT**

Turning the appliance controls to "off" will disable your appliance's cooling system, but does not disconnect the power to the light bulb and other electrical components. To turn off power to your appliance you must unplug the power cord from the electrical outlet.






#### **IMPORTANT**

#### CFC/HCFC Disposal

Your old appliance may have a cooling system that used CFCs or HCFCs (chlorofluorocarbons or hydrochlorofluorocarbons). CFCs and HCFCs are believed to harm stratospheric ozone if released to the atmosphere. Other refrigerants may also cause harm to the environment if released to the atmosphere.

If you are throwing away your old appliance, make sure the refrigerant is removed for proper disposal by a qualified technician. If you intentionally release refrigerant, you may be subject to fines and imprisonment under provisions of environmental legislation.

#### \*Features may vary according to model



Α	Wire Basket
В	Appliance Control (Internal)
С	Adjustable Shelves

D	LED Light Bulb	
Е	Door Bins	

#### → IMPORTANT

#### Cleaning your Appliance

Remove tape and glue residue from surfaces before turning on the appliance. Rub a small amount of liquid dish soap over the adhesive with your fingers. Rinse with warm water and dry with a soft cloth.

Do not use sharp instruments, rubbing alcohol, flammable fluids, or abrasive cleaners to remove tape or glue. These products can damage the surface of your appliance.

After you remove all of the package materials, clean the inside of your appliance before using it. See the **CARE & CLEANING** section in this manual.

See important information about cleaning glass shelves and covers in the **STORAGE FEATURES** section of this manual.

#### **INSTALLATION**

This Use & Care Guide provides general operating instructions for your model. Use the appliance only as instructed in this Use & Care Guide. Before starting the appliance, follow these important first steps.

#### Location

- Choose a place that is near a grounded electrical outlet. Do Not use an extension cord or an adapter plug.
- If possible, place the appliance out of direct sunlight and away from the range, dishwasher or other heat sources.
- Install the appliance on a floor that is level and strong enough to support a fully loaded appliance.



#### **WARNING**

DO NOT install the appliance where the temperature will drop below 0°F (-18°C) or rise above 110°F (43°C). The compressor will not be able to maintain proper temperatures inside the unit.



#### **CAUTION**

Do not block the lower front of your appliance. Sufficient air circulation is essential to operate your appliance properly.


#### Installation

#### Installation clearances

Allow the following clearances for ease of installation, proper air circulation, and plumbing and electrical connections:

Sides, Top & Back

3 in. (75 mm)



#### L

#### **NOTE**

If your appliance is placed with the door hinge side against a wall, you may have to allow additional space for the handle so the door can be opened wider.


#### Leveling

The appliance must have all bottom corners resting firmly on a solid floor. The floor must be strong enough to support a fully loaded unit.

#### **№** NOTE

It is **VERY IMPORTANT** for your appliance to be level in order to function properly. If the unit is not leveled during installation, the door may be misaligned and not close or seal properly, causing cooling, frost or moisture problems.

**To level:** Adjust the bottom feet by turning counterclockwise to shorten and clockwise to lengthen. Use a carpenter's level to level the appliance from front to back. Adjust the leveling feet in front, ½ bubble higher, so the door closes easily.



### Guidelines for final positioning of your appliance:

- All 4 corners of the cabinet must rest firmly on the floor.
- The cabinet should be level at the front and rear.
- · The door should be level.

#### **CONTROLS AND SETTINGS**

#### **Cool Down Period**

To ensure safe food storage, allow the appliance to operate with the door closed for at least 8 hours before loading it with food.



**Appliance Control** 

#### **Appliance Control**

Once powered on, the display screen will be fully lit for 3 seconds, and the unit will run according to the desired setting:

Control Settings			
Q.	Press Lock/Unlock for 3 seconds to unlock the control panel. All LEDs will blink for 2 seconds when the control panel is unlocked. The control panel will automatically lock after 15 seconds of no operation.		
COLDEST	Press 🖟 until <b>COLDEST</b> lights up for the coldest setting.		
COLDER	Press 🚅 until <b>COLDER</b> lights up for the colder setting.		
COLD	COLD Press C until COLD lights up for the cold setting.		
REF/FRZ	While unlocked, press \$\bigcup_{\circ}\$ for 3 seconds. <b>REF/FRZ</b> will light up for the Freezer setting. Press \$\bigcup_{\circ}\$ for another 3 seconds for <b>REF/FRZ</b> to light up for the Refrigerator setting.		

#### STORAGE FEATURES

#### **Shelf Adjustment**

Easily adjust appliance shelves to suit individual needs. Before adjusting the shelves, remove all food.

**To adjust shelves,** lift the front of the shelf and pull forward.

**To replace shelves,** insert the rear of the shelf into any pair of shelf rails and carefully push the shelf back into position, making sure the shelf clips go in the notch in the liner.

#### **Door Storage**


Door bins and shelves conveniently store jars, bottles, and cans. You can quickly select frequently used items.

#### To remove the door bin:

- 1. Push in on each side of the door bin to release it from the locking tabs.
- 2. Lift up on the bin and pull it straight out.


#### To install the door bins:

- 1. Push the bin back and down into the locking tabs.
- 2. The bin sides will lock into the tabs.



#### Freezer Basket (some models)

The freezer basket is ideal for large items or items that do not store well on the shelves.



#### STORING FOOD AND SAVING ENERGY

#### **Refrigerator Storage Tips**

- Operate the appliance in Refrigerator Mode to store a variety of fresh fruit, vegetables, beverages, and other food stored for a short term.
- Do not place cooked food in the refrigerator until it has cooled to room temperature.
- Seal food containers completely before storing food.

#### **Freezer Storage Tips**

- Operate the appliance in Freezer Mode to store meat and other frozen food for a longer term.
- Be sure to consume frozen food within its suggested period of time.



- The appliance should be located in the coolest area of the room, away from heat producing appliances or heating ducts, and out of direct sunlight.
- Let hot foods cool to room temperature before placing in the unit. Overloading the appliance forces the compressor to run longer. Foods that freeze too slowly may lose quality or spoil.
- Be sure to wrap foods properly and wipe containers dry before placing them in the unit. This cuts down on frost build-up inside the unit.
- Shelves and baskets should not be lined with aluminum foil, wax paper, or paper toweling. Liners interfere with cold air circulation, making the freezer less efficient.
- Organize and label food to reduce door openings and extended searches. Remove as many items as needed at one time, and close door as soon as possible.

# 10 CARE AND CLEANING

#### **Protecting your investment**

Keeping your appliance clean maintains appearance and prevents odor build-up. Wipe up any spills immediately and clean the appliance at least twice a year. When cleaning, take the following precautions:

- Never use CHLORIDE or cleaners with bleach to clean stainless steel.
- Do not wash any removable parts in a dishwasher.
- Always unplug the electrical power cord from the wall outlet before cleaning.
- Remove adhesive labels by hand. Do not use razor blades or other sharp instruments which can scratch the appliance surface.
- Do not remove the serial plate.

Do not use abrasive cleaners such as window sprays, scouring cleansers, brushes, flammable fluids, cleaning waxes, concentrated detergents, bleaches or cleansers containing petroleum products on plastic parts, interior doors, gaskets or cabinet liners. Do not use paper towels, metallic scouring pads, or other abrasive cleaning materials or strong alkaline solutions.

#### L

#### **NOTE**

If you set your temperature controls to turn off cooling, power to lights and other electrical components will continue until you unplug the power cord from the wall outlet.



#### **CAUTION**

- Pull the appliance straight out to move it. Shifting it from side to side may damage flooring.
- Damp objects stick to cold metal surfaces. Do not touch refrigerated surfaces with wet or damp hands.

#### Changing the LED Light

Call a qualified servicer to replace or maintain the LED bulb.

#### **CARE AND CLEANING**

Care & Cleaning Tips			
Part	What To Use	Tips and Precautions	
Interior & Door Liner	<ul><li>Soap and water</li><li>Baking soda and water</li></ul>	Use 2 tbsp of baking soda in 1 qt of warm water. Be sure to wring excess water out of sponge or cloth before cleaning around controls, light bulb or any electrical part.	
Door Gasket	Soap and water	Wipe gaskets with a clean soft cloth.	
(Stainless • Stain	Soap and water     Stainless Steel	Never use CHLORIDE or cleaners with bleach to clean stainless steel.	
	Cleaners	Clean stainless steel front and handles with non- abrasive soapy water and a dishcloth. Rinse with clean water and a soft cloth. Use a non-abrasive stainless steel cleaner. These cleaners can be purchased at www.frigidaire.com or major department stores. Always follow manufacturer's instructions. Do not use household cleaners containing ammonia or bleach.	
		<b>NOTE:</b> Always clean, wipe and dry with the grain to prevent scratching. Wash the rest of the cabinet with warm water and mild liquid detergent. Rinse well, and wipe dry with a clean soft cloth.	

# 12 TROUBLESHOOTING

Let us help you troubleshoot your concern! This section will help you with common issues. If you need us, visit our website, chat with an agent, or call us. We may be able to help you avoid a service visit. If you do need service, we can get that started for you!

#### 1-800-374-4432 (United States) Frigidaire.com

1-800-265-8352 (Canada) Frigidaire.ca

Common Occurrences	Before calling for service, review this list. It may save you time and expense. This list includes common occurrences that are not the result of defective workmanship or materials in this appliance.
Appliance does not run.	<ul> <li>Ensure plug is tightly pushed into electrical outlet.</li> <li>Check/replace fuse with a 15-amp time-delay fuse. Reset circuit breaker.</li> </ul>
	<ul> <li>The appliance control is turned to "OFF".</li> <li>Appliance may be in defrost cycle. Wait 20 minutes and check again.</li> </ul>
Appliance temperature is unsatisfactory.	Check freezer temperatures and adjust the temperature control as needed.
Appliance temperature is warmer than preferred.	Set control to a colder setting until appliance temperature is satisfactory. Allow 24 hours for the temperature to stabilize.
Appliance is noisy or vibrates.	<ul> <li>The cabinet is not level.</li> <li>Adjust the lower legs by turning counterclockwise to shorten and clockwise to lengthen. See "Leveling" in the INSTALLATION section.</li> <li>Floor is weak.</li> </ul>
Odors in appliance.	<ul> <li>Interior needs to be cleaned.</li> <li>Foods that produce odors should be covered or wrapped.</li> </ul>
Cabinet light not working.	<ul> <li>Ensure plug is tightly pushed into electrical outlet.</li> <li>Call a qualified servicer to replace or maintain the LED bulb.</li> </ul>

Your appliance is covered by a one year limited warranty. For one year from your original date of purchase, Electrolux will pay all costs for repairing or replacing any parts of this appliance that prove to be defective in materials or workmaship when such appliance is installed, used and maintained in accordance with the provided instructions.

#### Exclusions

#### This warranty does not cover the following:

- Products with original serial numbers that have been removed, altered or cannot be readily determined.
- Product that has been transferred from its original owner to another party or removed outside the USA or Canada.
- Rust on the interior or exterior of the unit.
- 4. Products purchased "as-is" are not covered by this warranty.
- 5. Food loss due to any Appliance or freezer failures.
- 6. Products used in a commercial setting.
- Service calls which do not involve malfunction or defects in materials or workmanship, or for appliances not in ordinary household use or used other than in accordance with the provided instructions.
- 8. Service calls to correct the installation of your appliance or to instruct you how to use your appliance.
- Expenses for making the appliance accessible for servicing, such as removal of trim, cupboards, shelves, etc., which are not a part of the appliance when it is shipped from the factory.
- 10. Service calls to repair or replace appliance light bulbs, air filters, water filters, other consumables, or knobs, handles, or other cosmetic parts.
- Surcharges including, but not limited to, any after hour, weekend, or holiday service calls, tolls, ferry trip charges, or mileage expense for service calls to remote areas, including the state of Alaska.
- 12. Damages to the finish of appliance or home incurred during installation, including but not limited to floors, cabinets, walls, etc.
- 13. Damages caused by: services performed by unauthorized service companies; use of parts other than genuine Electrolux parts or parts obtained from persons other than authorized service companies; or external causes such as abuse, misuse, inadequate power supply, accidents, fires, or acts of God.

#### DISCLAIMER OF IMPLIED WARRANTIES; LIMITATION OF REMEDIES

CUSTOMER'S SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR OR REPLACEMENT AS PROVIDED HEREIN. CLAIMS BASED ON IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO ONE YEAR OR THE SHORTEST PERIOD ALLOWED BY LAW, BUT NOT LESS THAN ONE YEAR. ELECTROLUX SHALL NOT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES SUCH AS PROPERTY DAMAGE AND INCIDENTAL EXPENSES RESULTING FROM ANY BREACH OF THIS WRITTEN LIMITED WARRANTY OR ANY IMPLIED WARRANTY. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR LIMITATIONS ON THE DURATION OF IMPLIED WARRANTIES, SO THESE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WRITTEN WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.

#### If You Need Service

Keep your receipt, delivery slip, or some other appropriate payment record to establish the warranty period should service be required. If service is performed, it is in your best interest to obtain and keep all receipts. Service under this warranty must be obtained by contacting Electrolux at the addresses or phone numbers below.

This warranty only applies in the USA and Canada. In the USA, your appliance is warranted by Electrolux Major Appliances North America, a division of Electrolux Home Products, Inc. In Canada, your appliance is warranted by Electrolux Canada Corp. Electrolux authorizes no person to change or add to any obligations under this warranty. Obligations for service and parts under this warranty must be performed by Electrolux or an authorized service company. Product features or specifications as described or illustrated are subject to change without notice.

USA 1-800-374-4432 Frigidaire 10200 David Taylor Drive Charlotte, NC 28262



Canada 1.800.265.8352 Electrolux Canada Corp. 5855 Terry Fox Way Mississauga, Ontario, Canada I 5V 3F4

## FRIGIDAIRE.

# welcome home


Our home is your home. Visit us if you need help with any of these things:



owner support



accessories accessories





្យ ទ្រ registration

(See your registration card for more information.)

Frigidaire.com 1-800-374-4432

Frigidaire.ca 1-800-265-8352