SYLVANIA LIMITED WARRANTY

FUNAL CORP, will repair this SYLVANIA product, free of charge in the USA in the event of defect in materials or workn ship as follo

DURATION: PARTS:

FUNAI CORP. will provide parts to replace defective parts without charge for one (1) year from the date of original retail purchase. Two (2) years for Picture Tube. Certain parts are excluded LABOR:

from this warranty. FUNAI CORP. will provide the labor without charge for a period of ninety (90) days from the date of original retail purchase

LIMITS AND EXCLUSIONS:

This warranty is extended only to the original retail purchaser. A purchase receipt or other proof of original retail purchase will be required together with the product to obtain service under this warranty. This warranty shall not be extended to any other person or transferee.

This warranty is void and of no effect if any serial numbers on the product are altered, replaced, defaced, missing or if service was attempted by an unauthorized service center. This SYLVANIA Limited warranty does not apply to any the product not purchased and used in the United States.

This warranty only covers failures due to defects in material or workmanship which occurs during normal use. It does not cover damage which occurs in shipment, or failures which are caused by repairs, alterations or product not sup-plied by FUNAI CORP, or damage which results from accident, misuse, abuse, mishandling, misapplication, alter-ation, faulty installation, improper maintenance, commercial use such as hotel, rental or office use of this product or damage which results from fire, flood, lightning or other acts of God.

damage which results from fire, flood, lightning or other acts of God. THIS WARRANTY DOES NOT COVER PACKING MATERIALS, ANY ACCESSORIES (EXCEPT REMOTE CONTROL), ANY COSMETIC PARTS, COMPLETE ASSEMBLY PARTS, DEMO OR FLOOR MODELS. FUNAI CORP. AND ITS REPRESENTATIVES OR AGENTS SHALL IN NO EVENT BE LIABLE FOR ANY GENERAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR OCCASIONED BY THE USE OF OR THE INABILITY TO USE THIS PRODUCT. THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND OF ALL OTHER LIABILITIES ON THE PART OF FUNAI, ALL OTHER WARRANTIES INCLUDING THE WARRANTY OF MERCHANTABILITY, AND FIT-NESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED BY FUNAI AND ITS REPRESENTA-TIVES IN THE UNITED STATES. ALL WARRANTY INSPECTIONS AND REPAIRS MUST BE PERFORMED BY FUNAI AUTHORIZED SER-VICE CENTER. THIS WARRANTY IS VALID WHEN THE UNIT IS CARRIED-IN TO FUNAI AUTHORIZED SERVICE FACILITY.

THE PRODUCT MUST BE ACCOMPANIED BY A COPY OF THE ORIGINAL RETAIL PURCHASE RECEIPT. IF NO PROOF OF PURCHASE IS ATTACHED, THE WARRANTY WILL NOT BE HONORED AND REPAIRS COSTS WILL BE CHARGED

IMPORTANT:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE, IF, AT ANY TIME DURING THE WARRANTY PERIOD, YOU ARE UNABLE TO OBTAIN SATISFACTION WITH THE REPAIR OF THIS PRODUCT, PLEASE CONTACT FUNAI CORP.

ATTENTION:

FUNAL CORP. RESERVES THE RIGHT TO MODIFY ANY DESIGN OF THIS PRODUCT WITHOUT PRIOR NOTICE.

To locate your nearest SYLVANIA Authorized Service Center or general service procedure, please call 1-800-968-3429 or write to the following:

FUNAL CORPORATION Customer Service

100 North Street; Teterboro, NJ 07608

Tel :1-800-968-3429

PLEASE DO NOT SHIP YOUR UNIT TO THE TETERBORO ADDRESS.

0EMN01944

Printed in Malaysia L6201UB

ANTENNA/CABLE CONNECTIONS

Owner's Manual



SST4272

FEATURES

- Tinted, Bright Black Matrix Picture Tube
- 181 Channel Selection- All VHF/UHF channels plus up to 125 cable channels.
- PLL Frequency Synthesized Tuning- The latest PLL frequency synthesized electronic tuning system provides free and easy channel selection, and lets you tune directly to any channel using the channel number buttons (0~9 and +100-key) on the remote control.
- **On-Screen Function Display.**
- **Full-Function Remote Control**
- Sleep Timer
- Closed Caption Decoder- You may view specially labeled (cc) TV programs, movies, news, prerecorded tapes, etc. with either a dialogue caption or text display added to the program.
- Auto Shut Off Function- If there is no air signal input from the antenna terminal and no user operation for 15 minutes, the TV will turn itself off automatically.
- V-CHIP- Enables parents to prevent their children from watching inappropriate material on TV.

PRECAUTIONS


- Place your TV in a room with adequate ventilation.
- Keep your TV set away from sources of direct heat, such as heat registers or direct sunlight.
- Do not place your TV on soft surfaces, such as rugs or blankets.
- Leave enough room for air to circulate around the bottom, top and back of the set.

The serial number of this product may be found on the back of the TV. No others have the same serial number as yours. You should record the number and other vital information here and retain this book as a permanent record of your purchase to aid identification in case of theft.

-	<i>v</i> 1		
Date of Purchase		Dealer Phone No.	
Dealer Purchase from		Model No.	
Dealer Address		Serial No.	

This Owner's Manual is made of recycled paper.

IF YOU NEED ADDITIONAL ASSISTANCE FOR SET-UP OR OPERATING AFTER READING OWNER'S MANUAL, PLEASE CALL TOLL FREE 1-800-968-3429



CLOSED CAPTION

This TV can receive C1 and C2 Caption and Text.

Caption Mode

(1) Closed Caption Characters can be displayed on the TV screen only when the received broadcast signal contains Caption Signals.

(2) Paint-on mode: Displays input characters on the screen immediately.

- Pop-on mode: Once characters are stored in memory, they are displayed all at once.
- Roll-up mode: Displays the characters continuously by scrolling (max. 4 lines)

Note: If CAPTION C1 or C2 is selected but a Closed Caption signal is not included, characters will not be displayed.

Text Mode

(1) Displays the text on the screen by scrolling (max. 7 lines)

(2) If the received broadcast signal does not contain caption or text signals, no change will occur.

Notes:

- (1) When your TV receives a special effects playback signal (i.e., Search, Slow, Still) from a VCR's video output channel (CH3 or CH4), your TV may not display the correct caption or text.
- (2) Captions and texts may not match the TV voice exactly.
- (3) Interference may cause the closed caption system not to function properly.
- (4) The caption or text characters will not be displayed while the menu display or functions display is shown.


(5) If you see this screen:



If your TV displays a black box on the screen, this means that your TV is set to TEXT mode. To clear screen, select CAPTION C1, C2 or CAPTION [OFF].

WARNING:

TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK. DO NOT EXPOSE THIS APPLI-ANCE TO RAIN OR MOISTURE.



The important note is located on the rear of the cabinet.

IMPORTANT SAFEGUARDS

- Read instructions-All the safety and operating instructions should be read before the appliance is operated.
 Retain Instructions-The safety and operating instructions should be retained for future reference.
 Heed Warnings-All warnings on the appliance and in the operating instructions should be adhered to.
 Follow Instructions-All operating and use instructions should be followed.
 Cleaning-Unplug TV from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
 EXCEPTION: A product that is meant for uninterrupted service and, that for some specific reason, such as

ed service and, that for some specific reason, such as the possibility of the loss of an authorization code for a CATV converter, is not intended to be unplugged by the user for cleaning or any other purpose, may exclude the reference to unplugging the appliance in the cleaning description otherwise required in item 5. Attachments-Do not use attachments not recommended by the TV manufacturer as they may cause hazards. Water and Moisture-Do not use this TV near water, for


- example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement, or near a swimming pool, and the like.
- sories-Do not place this TV on an unstable cart. 8. Acces stand, tripod, bracket, or table. The TV may fall, caus ing serious injury to someone, and serious damage to the appliance. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer, or sold with the TV. Any mounting of the appliance should follow the man

ufacturer's instructions and should DODT


use a mounting accessory recom-mended by the manufacturer. An appliance and cart combination should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the appliance and cart combination to overturn.

OPERATING CONTROLS AND FUNCTIONS

- FRONT PANEL -



- REMOTE CONTROL -




- 1. VIDEO (in) jack- Connect to the video output jack of a video camera or VCR. NOTE: The AUDIO and VIDEO jacks on the front panel are given priority over those on the rear panel. Suppose that the connections are already made with the rear-panel jacks and additionally with the front-panel jacks. In this case too, the input via the front ones is automatically selected.
- 2. AUDIO L (in) jack- Connect to the left channel audio output jack of a video camera or VCR

NOTE: The rear-panel AUDIO L (IN) jack is for mono input. The sound is heard from both speakers. Use this jack for monaural audio equipment to be hooked up.

- AUDIO R (in) jack- Connect to the right channel audio output jack of a video camera or VCR
- 4. MENU button- Press to display the menu on the TV screen.
- **VOLUME** ▲/▼ **buttons-** Press to control the volume level. Press to determine the setting mode from the

menu on the TV screen. (only the VOL \blacktriangle hutton)


Press to select or adjust from a particular menu. (for example: Language Selection, Channel Presetting, Closed Caption Selection, Picture Adjustment, V-CHIP Set Up)



- 12. Power-Cord Protection-Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the
- appliance.13. Outdoor Antenna grounding-If an outside antenna or cable system is connected to the TV, be sure the antenand or cable system is grounded so as to provide some protection against voltage surges and built-up static charges. Article 810 of the National Electrical Code, ANSI/NFPA No. 70, provides information with respect to proper grounding of the mast and supporting struc-ture, grounding of the lead-in wire to an antenna dis-charge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding elec trodes, and requirements for the grounding electrode. (Fig. A) 14. Lightning-For added protection for this TV receiver
- during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. wall outlet and disconnect the antenna or cable syste This will prevent damage to the TV due to lightning and power-line surges.
- 15. Power Lines-An outside antenna system should not be located in the vicinity of overhead power lines or other electric light of power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal. 16. Overloading-Do not overload wall outlets and extension
- cords as this can result in a risk of fire or electric shock.
 17. Object and Liquid Entry-Never push objects of any kind into this TV through openings as they may touch dangerous voltage points or short out parts that could result in a fire or electric shock. Never spill liquid of any kind on the TV.

- 18. Servicing-Do not attempt to service this TV yourself as opening or removing covers may expose you to dan-gerous voltage or other hazards. Refer all servicing to qualified service personnel.
- qualified service personnel.19. Damage Requiring Service-Unplug this TV from the wall outlet and refer servicing to qualified service personnel under the following conditions:a. When the power supply cord or plug is damaged or
- frayed. b. If liquid has been spilled, or objects have fallen into the TV.
- If the TV has been exposed to rain or water d. If the TV does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions, as improper adjustment of other controls may result in damage and
- will often require extensive work by a qualified techni-cian to restore the TV to its normal operation. e. If the TV has been dropped or damaged in any way. f. When the TV exhibits a distinct change in performance-this indicates a need for service
- Replacement Parts-When replacement parts are required, be sure the service technician uses replace-ment parts specified by the manufacturer that have the
- ment parts specified by the manufacturer that have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, injury to persons or other hazards.
 21. Safety Check-Upon completion of any service or repairs to this TV, ask the service technician to perform routine safety checks to determine that the TV is in proper operating condition.
 22. Heat-This TV product should be situated away from heat sources such as redictors best registers stoves or
- heat sources such as radiators, heat registers, stoves, or other products (including amplifiers) that produce heat.

- REAR PANEL -



6. CHANNEL ▲/▼ buttons- Press to select memorized channel NOTE: You MUST PRESET channels BEFORE using CHANNEL ▲/▼ button.

(See CHANNEL PRESETTING) Press to select the setting mode from the menu on the TV screen. Press to select item you want to adjust in

- the picture control mode. 7. POWER (PWR) button- Press to turn the
- TV ON and OFF. 8. Infrared Sensor Window- Receives the
- infrared control signals from the remote control unit. 9. CHANNEL NUMBER button- Press two
- digits to directly access the desired channel. Remember to press a "0" before a single digit channel

+100 button- Press to select cable channels higher than 99


- 10.MUTE button- Press the MUTE button to turn off the sound portion of the TV program. (Volume level display turns LIGHT RED from LIGHT BLUE.) Press the MUTE button again or press the VOL(ume) \blacktriangle or \checkmark button to restore sound.
- 11. CHANNEL RETURN button- Press this button to go back to the previously viewed channel. For example, pressing the CHAN-NEL RETURN button once will change channel display from CH 3 (present channel) to CH 10 (previously viewed channel), and pressing it a second time will return from CH 10 to CH 3.

- 12.DISPLAY button- Press to display the channel number on the screen. If you press it again, the channel number will disappear.
- 13.SLEEP button- Press the SLEEP button to display the sleep timer and start the function. The shut off time can be determined by the number of times you press the button. (0, 10, 20, 30,..90, 0 minutes)
- 14.GAME button- Press to set the Game mode and external input mode at the same time. Press the GAME button again to exit this mode.
- 15.ANT(enna). IN jack- Connect to an antenna, cable system, or satellite system.
- 16.AC cord- Connect to a standard AC outlet (120V/60Hz).

NOTE: Unwrap the AC cord completely from the backcover before plugging the cord into an AC outlet.

INSTALLING THE BATTERIES

- 1) Slide the battery compartment cover back on the remote unit.
- 2) Insert 2 "AA" penlight batteries into battery compartment in the direction as indicated by the polarity (+ / -) markings. Batteries installed with incorrect polarity may damage the remote unit.
- 3) Replace the cover.





THIS SYMBOL INDICATES THAT DAN-

GEROUS VOLTAGE CONSTITUTING A RISK OF ELECTRIC SHOCK IS PRE-SENT WITHIN THIS UNIT.

THERE ARE IMPORTANT OPERATING

AND MAINTENANCE INSTRUCTIONS

THIS SYMBOL INDICATES THAT


THE APPLIANCE

enverser.

- Ventilation-Slots and openings in the cabinet and the back or bottom are provided for ventilation and to ensure reliable operation of the TV and to protect it from overheating, these openings must not be blocked or covered. The openings should never be blocked by placing the TV on a bed, sofa, rug, or other similar surface. This TV should never be placed near or over a radiator or heat register. This TV should not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufac-
- turer's instructions have been adhered to a manufacturer's instructions have been adhered to .
 10. Power Sources-This TV should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your appliance dealer or local power company. For TVs intended to operate from battery power, or other sources, refer to the operating instructions.
- 11. Grounding or Polarization-This TV is equipped with a polarized alternating-current line plug(a plug having one blade wider than the other). This plug will fit into the power outlet only one way. This is a safety feature. If you are unable to insert the plug fully into the outlet, try reversing the plug. If the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug.

IN THE LITERATURE ACCOMPANYING

LANGUAGE SELECTION



6) Press the MENU button to exit the menu.

CHANNEL PRESETTING

NOTE: You MUST PRESET channels BEFORE using CHANNEL ▲ or ▼ button.

- To preset a channel or to change a preset channel, follow the procedure below.
- 1) Press the POWER button to turn on the TV.
- 2) Press the MENU button so that the menu display appears
- on the TV screen. 3) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- 4) Press the CH(annel) \blacktriangle or \triangledown button to point to "AUTO MEMO". Then, press the VOL(ume) \blacktriangle button.
- The tuner scans and memorizes all active channels in your area • The TV distinguishes between standard TV channels and cable (CATV)
- channels · When AUTO MEMO action is completed, the lowest memorized channel reappears on the screen.
- When you press the CH(annel) ▲ or ▼ button after selecting AUTO MEMO, the tuner will stop at the memorized channels only.
- The TV may memorize TV channels as CATV channels if the reception conditions are poor. If this happens, try the AUTO MEMO action again when reception conditions are better.

[ADD/DELETE FUNCTION]

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle or \checkmark button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- 3) Press the VOL(ume) ▲ button so that "ADD/DELETE" is selected. 4) Use the CH(annel) \blacktriangle or \triangledown button to select the channel you wish to put

into memory or to erase from memory. Note: The display will return to the normal screen automatically in about 10 seconds


Perform "ADD/DELETE" function while this display appears on the screen. • Press the VOL(ume) \blacktriangle or \triangledown button to light up the channel number

- in LIGHT BLUE if you wish to add the channel into memory Press the VOL(ume) \blacktriangle or \checkmark button to light up the channel number
- in LIGHT RED if you wish to erase the channel from memory.
- 5) Press the MENU button to exit the menu.

STEREO SOUND SYSTEM

This function suppresses noise, restores the dynamic range and electronically expends the stereo signal to create a more specious sound effect. 1) Press the MENU button so that the menu display appears on the TV

- screen. 2) Press the CH(annel) \blacktriangle or \triangledown button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- 3) Press the CH(annel) \blacktriangle or \blacktriangledown button so that "STEREO" is selected.
- 4) Press the VOL(ume) \blacktriangle or \blacktriangledown button to select the stereo mode on or off. Stereo sound is effective when "STEREO" is on.



RESUME FUNCTION

If the power fails or is disconnected while the TV is powered on, the TV will turn on automatically when the power resumes.

OPERATIONS

WATCHING A TV PROGRAM

- 1) Press the POWER button to turn on the TV.
- 2) Select the desired channel with the CH(annel) \blacktriangle or \checkmark button.
- 3) Adjust the volume to the desired listening level using the VOL(ume) \blacktriangle or \blacktriangledown button.
- 4) Adjust picture controls for a natural looking image. (See "PICTURE ADJUSTMENT".)

SETTING THE SLEEP TIMER

The sleep timer function allows you to have the power automatically turn off after a set time period. 1) Press the POWER button to turn on the TV and press the SLEEP button on the remote control 2) You may change the sleep time by pressing the SLEEP SLEEP 10 button on the remote control repeatedly. The timer can be set up to 90 minutes, 10 minutes each time the SLEEP To cancel the sleep timer:

button is pushed. (The timer display counts up and sleep timer will be displayed on the screen when you press the SLEEP button on remote control.)

Note: When you disconnect the unit from the AC outlet, or if you have a power failure, the	Э
sleep time will be lost.	

CLOSED CAPTION SELECTION

You may view specially labeled (cc) TV programs, movies, news, prerecorded tapes, etc. with either a dialogue caption or text display added to the program.

 \leftrightarrow : Press the VOL(ume) \blacktriangle or \checkmark button.

1) Press the MENU button so that the menu display appears on the TV screen. 2) Press the CH(annel) \blacktriangle or \triangledown button to point to "CAPTION"

Press the SLEEP button repeated-

ly until "SLEEP 0" is displayed.

- 3) Press the VOL(ume) \blacktriangle or \blacktriangledown button to select the mode you wish.
- 4) When done, press the MENU button to exit the menu.



PICTURE ADJUSTMENT

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the VOL(ume) **A** button so that "PICTURE" is selected.
- 3) Select the feature you wish to adjust with the CH(annel) \blacktriangle or \triangledown button and adjust it with the VOL(ume) \blacktriangle or \blacktriangledown button.

GAME MODE

the most suitable position for TV Set to the GAME. [+] : ON [-] : OFF

BRIGHT Adjust until the darkest parts of the picture are

- as bright as you prefer. [+] : increase brightness [-] : decrease brightness
- CONTRAST Adjust to increase or decrease contrast.
- [+] : increase contrast [-] : decrease contrast
- COLOR Adjust to be brilliant or pale color.
- [+] : be brilliant color [-] : be pale color
- TINT
- Adjust to obtain natural skin tones [+] : greenish tone [-] : reddish tone

Notes:

- "+" is achieved by pressing the VOL(ume) ▲ button and "-" by pressing the VOL(ume) ▼ button.
- In the above steps, the picture adjustment display will disappear from the TV screen

automatically after about 10 seconds if you do not press any buttons. Press the MENU and VOL(ume) \blacktriangle button so that "PIC-TURE" is selected. Then, press the CH(annel) \blacktriangle or \lor button repeatedly until the display returns to the screen. If you adjust any picture control after you

- If you adjust any picture control after you set the Game mode to [ON], the Game mode to [ON] is set to [OFF] automatically

[USING THE GAME BUTTON]

You may also set the Game mode and external For may also set the Game mode and external input mode at the same time by pressing the GAME button on the remote control. "GAME" appears on the TV screen.
To exit the Game mode and external input

- mode, press the GAME button on the remote control again.
- To cancel the Game mode only, adjust the picture control. In this case, "VIDEO" instead of "GAME" appears on the TV screen. If you press the GAME button when the TV VIDEO" instead
- is off, the TV turns on and will be in the Game mode and external input mode automatically.

\iff : Press the CH(annel) \blacktriangle or \checkmark button. [-] GAME MODE [+] OFF ON [·] BRIGHT [+] [-] CONTRAST [+] [-] COLOR [+] [·] TINT [+] 0000000∎0000000

V-CHIP SET UP

V-CHIP enables parents to prevent their children from watching inappropriate material on TV

V-CHIP reads the ratings for programming (except for news and sports programs, unedited movies on premium cable channels, and Emergency Broadcast System signals), then denies access to programming if the program's

rating meets or exceeds the limitations you select. In this case, "PROTECTED PROGRAM by ..." mes-

sage appears on the TV screen.

To block certain ratings, follow the steps below.

- Programming may be rated by the Motion Picture Association of America (MPAA) or according to the Television Parental Guidelines. In order to block any inappropriate programming, set your limits in both places (MPAA RATING and TV RATING).
- You cannot access the menu when the "PRO-TECTED PROGRAM by ..." message appears. In this case, change to an unblocked channel, then press the MENU button.

PICTURE CHANNEL SET [ENGLISH]ESPAÑOL V-CHIP SET UP CAPTION [OFF] ADD/DELETE AUTO MEMO STEREO [[ON]





ADD/DELETE

AUTO MEMO STEREO (

PICTURE CHANNEL SET [ENGLISH]ESPAÑOL VICUD SET UD

-CHIP SET UF

CAPTION [OFF]

[ON]

•

OPERATIONS (Continued)

IDAA DATING SET HDI

[MPAA RATING SET UP]	[TV RA]				
1) Press the MENU button so that	1) Press th				
display appears on the TV scree 2) Press the CH(annel) \blacktriangle		display 2) Press th			
Then, press the VOL(ume) \triangle button.	NEL SET ISH] ESPAÑOL P SET UP	or ▼ bu "V-CHI Then, p VOL(u			
3) Press the CH(annel) ▲ or ▼ button to point to "MPAA RATING". Then, press the VOL(ume) ▲ button.		3) Press th or ▼ bu "TV RA Then, p VOL(un			
4) Press the CH(annel) ▲ or ▼ button to point to your desired item. Then, press the VOL(ume) ▲ button to select [BLOCK] or [VIEW].	[VIEW] [VIEW] [VIEW] [VIEW] [VIEW] [VIEW]	4) Press th or ▼ bu your de item.Th VOL(un select []			
<selection> <rating category<br="">Explanations> • G: General Audience • PG: Parental Guidance suggest • PG-13: Unsuitable for children um • R: Restricted; under 17 requir ing parent or adult guardia • NC-17: No one under 17 admitted • X: Mature audience only</rating></selection>	der 13 es accompany	<pre><selection Explanation TV-Y: TV-Y7: TV-G: TV-PG: TV-14: TV-MA:</selection </pre>			

- When you select the rating category and turn it to [BLOCK], the higher rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically.
- When you turn "G" to [BLOCK] or [VIEW], the all ratings will turn to [BLOCK] or [VIEW] automatically.
- When you turn "X" to [VIEW], then all ratings will turn to [VIEW] automatically.
 5) Press the MENU button to exit the menu.

[TV RATING SET UP]

ess the MENU button so that the menu splay appears on the TV screen.



- When you select the rating category and turn it to [BLOCK], the higher rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically. When you turn "TV-Y" to [BLOCK] or
- [VIEW], then all ratings will turn to [BLOCK] or [VIEW] automatically.
- When you turn "TV-MA" to [VIEW], then all ratings will turn to [VIEW] automatically

When you select TV-Y7, TV-PG, TV-14, or TV-MA and you press the VOL(ume) \blacktriangle button, the sub-ratings will appear on the TV screen.

If you select the rating category (example: TV-PG) and turn it to [BLOCK] or [VIEW], the sub-ratings (example: V for Violence) will turn [BLOCK] or [VIEW] automatically. You can set the sub-ratings to [BLOCK] or [VIEW] individually when the rating category is set to [BLOCK]. To set the sub-ratings individually, follow the steps below.

When you select [TV-Y7]: Press the CH(annel) \blacktriangle or \checkmark button to select "FV" (Fantasy Violence). Then, press the VOL(ume) \blacklozenge button to select [BLOCK] or

[VIEW].

TV-Y7	[BLOCK]
►FV	[BLOCK]

When you select [TV-PG], [TV-14] or [TV-MA]: Press the CH(annel) \blacktriangle or \triangledown button to select "D" (Suggestive Dialog), "L"(Coarse Language), "S"(Sexual Situation), or (Violence).

TV-PG	[BLOCK
►D	(BLOCK
L	(BLOCK
S	(BLOCK
V	(BLOCK

Then, press the VOL(ume) \blacktriangle button to select [BLOCK] or [VIEW].

	[VIEW] ()[VIEW] [BLOCK] (DLSV)[BLOCK]
TV-14	(DLSV)[BLOCK] (LSV)[BLOCK]

MAINTENANCE

CABINET CLEANING

- Wipe the front panel and other exterior surfaces of the TV with a soft cloth immersed in lukewarm water and wrung dry.
- Never use a solvent or alcohol. Do not spray insecticide liquid near the TV. Such chemicals may cause damage and discoloration to the exposed surfaces.

SUPPLIED ACCESSORIES

Remote control unit (N0132UD) Batteries ("AA" x 2)

GENERA Television sys

Audio input:

Stereo Sound System

2 speakers

SPECIFICATIONS

Owner's Manual

Sound output:

1W. 8 ohm x2

GENERAL SI	PECIFICATIONS		
Television system:	NTSC-M	OTHER SPEC	IFICATIONS
	TV Standard	Remote control:	Digital encoded
Closed Caption			infrared light system
System:	§15.119/FCC	Operating	
Channel coverage	-	temperature:	5°C to 40°C
VHF:	2~13		(41°F~104°F)
UHF:	14 ~ 69	Power requirements:	AC120V, 60Hz
CATV:	2 ~ 13, A ~ W,	Power consumption	
	W+1 ~ W+84,	(Maximum):	110W
	A-5 ~ A-1, 5A	Picture tube:	27"
Tuning System	181 channel	Dimensions:	H : 22-1/16" (560mm)
	frequency synthesized		W: 26" (660mm)
	tuning system		D: 19-11/16" (500mm)
Channel access:	Direct access keyboard,	Weight:	77.2 lbs. (35kg)
	programmable		
	scan and up/down		
Terminals			cations are subject to
Antenna input:	VHF/UHF/CATV	0	ice and without our
	75 ohm unbalanced	legal obligation.	
	(F-type)		ancy between languages,
Video input:	RCA connector x 2	the default languag	e will be English.

TROUBLESHOOTING GUIDE

Sometimes a performance problem can be easily solved by checking seemingly apparent but often overlooked possibilities. Before arranging for service, check these items. It could save you time and money.

1 00	· · · · ·										~					
QUICK SERVICE CHECK LIST		PROBLEM	Remote Control Doesn't Work	Bars On Screen	Picture Distorted	Picture Rolls Vertically	No Color	Poor Reception on Some Channels	Weak Picture	Lines or Streaks in Picture	Ghosts in picture	Picture Blurred	Sound OK, Picture Poor	Picture OK, Sound Poor	No Picture or Sound	
POSSIBLE REMEDY			~	E	1	4	2				-					
Try a new channel, if OK, then possible station troul	ole.				×	Х	Х	×	×	X	×	X	X	×	×	
Is TV plugged in? Power at outlet?			×												×	
Is TV's POWER button on?															×	
Is antenna connected to terminal on the back of the s	et?	_					\times	×	\times		\times		×		\times	
If outside antenna is being used, check for broken w	ire.			Х	×	×	\times		\times	X	\times	×	\times		×	
Check for local interference.				х		Х		×		Х	Х		×	X		
Turn off with POWER button and then turn it on after	er about a minute.	_													×	
Adjust COLOR control.		_					×									
Adjust CONTRAST & BRIGHT control.									\times				×			
Check batteries in Remote Control.			Х													
Closed Caption Problem					Р	ossi	ible	Rei	med	ly						
My TV is showing captions that are	You are watch	hin	ig a	live	e br	oad	lcas	t an	d sp	pelli	ing (errc	ors 1	nad	e by	/ the
misspelled.	closed caption	nin	ig p	rod	ucti	on	con	ipar	ny n	nay	pas	s th	irou	gh⊣	inco	orrec
	ed. A prereco															is
	because of the	e n	om	nal	tim	e av	aila	able	for	edi	ting	g the	e ca	ptic	ns.	
My TV will not show the text in its entirety	ty Captions that are delayed a few seconds behind the actual dialogue							ogue								
or there is a delay of what is being said.	are common t															
, L	nies can displ															
	If a dialogue	exc	eed	is th	nati	rate	, se	lecti	ive (edit	ing	is u	sed	to i	nsu	re th
	the captions r	em	ain	up	-to-4	date	: wî	th tl	ne c	urre	ent '	ΓV	scre	en	diale	ogue
My captions are scrambled with white	Interference caused by building, power lines, thunderstorms, etc.															
boxes on the TV screen.	may cause sci	ran	nbl	ed c	or ir	cor	npl	ete (capt	ion	s to	app	sear			
My program guide listed a TV show as	Broadcasters	Broadcasters may at times use a time compression process to the														
being closed captioned	actual program	m s	so t	hat	add	litio	nal	adv	erti	sing	g tir	ne (can	be y	give	n.

Since the decoder cannot read the compressed information, captions

The videotape was either an illegal copying or the tape duplicating

You are in the TEXT mode. Select CAPTION mode or CAPTION

company accidentally left out the captioning signals during the

As an ENERGY STAR[®] Partner, our company has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency. ENERGY STAR[®] is a U.S. registered mark

[OFF].

will be lost.

copying process

but none of the captions were displayed.

My prerecorded videotape does not show any captions. The tape box mentions it

My TV screen shows a black box on certain

being closed captioned.

channels.

(1 x Front / 1 x Rear)

RCA connector x 4

(2 (L/R) x Front / 2 (L/R) x Rear)

PICTURE TUBE CLEANING

Wipe the picture tube of the TV with a soft cloth. Before cleaning the picture tube, disconnect the power cord.

appear next to the rating category in the TV RATING menu. 5) Press the MENU button to exit the menu.

Note: When you select [TV-MA], "D" does not appear on the TV screen.

• The sub-ratings which set to [BLOCK]