

Installation Instructions

Four-Wire Laundry System Washer•Dryer - 240 Volt

IMPORTANT: Read and save these instructions.

IMPORTANT:

 Installer: Leave Installation Instructions with the homeowner.
Homeowner: Keep Installation Instructions for future reference.
Save Installation Instructions for local electrical inspector's use.

Before you start...

Check location where washer/dryer will be installed. Proper installation is your responsibility. The washer/dryer must not be installed or stored in an area where it will be exposed to water and/or weather. Make sure you have everything necessary for correct installation.

Location should be large enough to fully open dryer door 90°. (See Panel E for `Recessed and closet installation instructions" and "Product dimensions.")

Check utilities: Proper electrical supply must be available. See "Electrical requirements", Panel A.

Dryer may be exhausted

No. 279823. See "Exhaust requirements," Panel B.

Standpipe drain system

needs a 5 cm (2 in)

diameter standpipe

gallons) per minute.

be at least 71.1 cm

(28 in) high and no

(48 in) from floor.

Floor drain system requires a siphon break, Part No.

285320, available

parts distributor.

ON PANEL E.

from your authorized

SEE RECESSED AND CLOSET

INSTALLATION INSTRUCTIONS

higher than 121.9 cm

with a minimum carryaway capacity of

64.4 litres (14.2 Imperial

Top of standpipe must

10.2 cm (4 in)

metal exhaust

duct is required.

from rear or left or right side.

Exhausting through the side

requires Side Exhaust Kit Part

Important : Observe all governing codes and ordinances.

Check code requirements. Some codes limit or do not permit the installation of washer/dryer in garages, closets, mobile homes and sleeping quarters. Contact your local building inspector.

Grounded electrical outlet within (1.5m) 5 ft of the center rear of cabinet is required. See "Electrical requirements," Panel A.

0 (

 $\mathbb{O}\mathbb{O}$

Drain hose

may also be

installed to a

laundry tub

system.

or floor drain

See Panel D





Electric Shock Hazard

It is the customer's responsibility:

To contact a qualified electrical installer.

To assure that the electrical installation is adequate and in conformance with the Canadian Electrical Codes, and all local codes and ordinances.

Failure to follow these instructions can result in death or electrical shock.

Hot and cold water faucets must be within 1.2 meters (4 feet) of the back of the washer/dryer and provide water pressure of 34 to 690 kPa (5-100 psi).

Water heater: Set to deliver 60°C (140°F) water to the washer.

Laundry tub drain system needs a 75.7 litres (16.7 Imperial gallons) laundry tub. Top of tub must be at least 71.1 cm (28 in) high and no higher than 121.9 cm (48 in) from floor.

If a longer drain hose is needed, Drain Hose Part No. 388423, and Hose Connection Kit Part No. 285442, are available from your authorized parts distributor.

Do Not store or operate washer/dryer below 0°C (32°F) (some water may remain in washer). Proper operation of dryer cycles requires temperatures above 7°C (45°F). See Use & Care Guide for "Winterizing" information.



Fire Hazard For your safety, the information in this manual must be followed to minimize the risk of fire or explosion or to prevent property damage, personal injury or loss of life.

Do Not use or store gasoline, paint, thinners and other flammable materials near washer/dryer. Fumes from such materials could result in fire or explosion.

Never install washer/dryer up against draperies or curtains or on carpet. To do so may result in a fire.

Keep any and all items from falling or collecting behind the washer/dryer. Failure to do so may result in a fire.





slip-joint pliers that open to 3.8 cm (1-1/2") minimum

Level floor: Maximum

slope under

washer/drver,

2.5 cm (1 in).


Support: Floor must be sturdy enough

to support washer/dryer weight with water and clothes of 170 kg (375 lb).

OBSERVE ALL GOVERNING CODES AND ORDINANCES

- 1. A four-wire, single-phase, 120/240-volt, 60-Hz, AC only electrical supply is required on a separate 30-ampere circuit, fused on both sides of the line. (Time-delay fuse or circuit breaker is recommended.)
- 2. This washer/dryer is equipped with a fourwire, 30-amp rated flexible-type power supply cord. It must be plugged into a mating 30-amp receptacle (NEMA-type 14-30R). See Figure 1.

Use 30-amp receptacle where local codes permit flexible-type supply cord (pigtail).





1/4" socket wrench or nut driver

Electrical requirements

Replace all access panels before operating washer/dryer.

Failure to follow these instructions may result in a fire.



Injury Hazard

More than one person is required to lift, tilt, or move this washer/dryer because of its weight and size.

Failure to follow these instructions may result in injury.

Panel A



Electrical Shock Hazard

Electrical ground is required.

Do Not ground to a gas pipe.

Improper connection of the equipmentgrounding conductor can result in a risk of electrical shock.

Check with a qualified electrician if you are not sure this washer/dryer is properly grounded.

Do Not change the power supply cord plug. If it will not fit the outlet, have a proper outlet installed by a qualified electrician.

Do Not have a fuse in the neutral or grounding circuit.

Do Not use an extension cord with this washer/dryer.

Failure to follow these instructions could result in death or electrical shock.

14-30R 4-wire receptacle Figure 1

Exhaust requirements

WARNING



Fire Hazard

Do Not use non-metal, flexible duct. Do Not use metal duct smaller than

10.2 cm (4 in) in diameter. Do Not use exhaust hoods with magnetic

latches. Check that exhaust system is not longer than specified. Exhaust systems longer than specified will:

- Accumulate lint.
- Shorten the life of the product.
- Reduce performance and result in longer drying times and increased energy usage.

Failure to follow specifications may result in a fire.

Do Not exhaust the dryer into a chimney, furnace, cold air duct, attic or crawl space, or any other duct used for venting.

Clean the exhaust system every year. Do Not install flexible duct under wall, ceiling or floor materials.

Accumulated lint could be fuel for a fire or cause moisture damage.

Exhausting your dryer indoors is Not recommended. The moisture and lint indoors may cause:

- Lint to gather inside and around the dryer and be a fuel for fire.
- Moisture damage to woodwork, furniture, paint, wallpaper, carpet, etc.
- Housecleaning problems and possible health problems.

Failure to follow these instructions could result in fire damage, injury or health problems.

If using an existing exhaust system, clean lint from entire length of exhaust system. Make sure exhaust hood is not plugged with lint.


The exhaust system should be inspected and cleaned yearly.

Replace any vinyl or metallized plastic foil exhaust duct with rigid metal or flexible metal duct.



Use duct tape to seal all joints. Do Not use screws to secure duct.

10.2 cm (4 in) rigid metal pipe is preferred. Plan installation to use the fewest number of elbows and turns.



Metal flexible duct must

be fully extended and supported when the dryer is in its final position. DO NOT KINK OR CRUSH THE DUCT. The metal flexible duct must be fully extended to allow adequate

NUMBER OF 90° TURNS	10.2 cm (4 in)	10.2 cm (4 in)	6.4 cm (2-1/2 in)	Maximum length of 10.2 cm (4 in) dia. duct
0	13.1 m (43 ft)	12.5 m (41 ft)	11.0 m (36 ft)	rigid metal duct
1	10.1 m (33 ft)	9.5 m (31 ft)	7.9 m (26 ft)	
2	7.0 m (23 ft)	6.4 m (21 ft)	4.9 m (16 ft)	
3	5.5 m (18 ft.)	5.5 m (18 ft.)	Not recommended	
0	9.1 m (30 ft)	8.8 m (29 ft)	7.3 m (24 ft)	flexible metal duct
1	7.3 m (24 ft)	7.0 m (23 ft)	5.5 m (18 ft)	
2	4.9 m (16 ft)	4.6 m (15 ft)	3.1 m (10 ft)	
3	3.1 m (10 ft.)	2.7 m (9 ft.)	Not recommended	

The maximum length using a 5.1 cm x 15.2 cm (2 in x 6 in) rectangular duct with 2 elbows and a 6.4 cm (2-1/2 in) exhaust hood is 2.4 m (8 ft).

For exhaust configurations other than those listed in chart, the back pressure MUST not exceed 0.5 cm (0.2 inches) water column at the back of the washer/dryer. The back pressure should be checked by a qualified technician.

For exhaust systems not covered by the exhaust length chart, see Service Manual, Part No. 603197, available from your authorized parts distributor.

Service check: The back pressure in any exhaust system used must not exceed 0.5 cm (0.2 inches) of water column measured with an incline manometer at the point that the exhaust duct connects to the dryer.


Exhausting the dryer outside is

recommended. Recessed installation that is not exhausted outside must use Exhaust Deflector Kit Part No. 694609, available from your authorized parts distributor. See `Recessed and closet installation instructions," Panel E, for unobstructed air opening requirements.

If the washer/dryer is installed in a confined area such as a bedroom, bathroom or closet, it must be exhausted to the outside

and provision must be made for enough air for combustion and ventilation. Check governing codes and ordinances. Also refer to the "Recessed and closet installation" instructions" on Panel E.

An exhaust hood should cap the exhaust duct to prevent exhausted air from returning into dryer. The outlet of the hood must be at least 30.5 cm (12 in) from the ground or any object that may be in the path of the exhaust.



outside

wall

skirting

10.2 cm (4 in) outlet hood is preferred.

However, a 6.4 cm (2-1/2 in) outlet may be used with short systems only. A 6.4 cm (2-1/2 in) outlet can result in longer drying times than other hood types. For permanent installation, a stationary exhaust system is required.

Exhausting the dryer through

the side of the washer/dryer requires the use of Side Exhaust Kit Part No. 279823. Follow kit instructions for proper exhaust installation.

7777

Now start...


With washer/dryer in laundry area.




More than one person is required to lift, tilt or move the washer/dryer because of its weight and size.

Failure to follow this instruction may result in injury.

Truck only from the rear to prevent product damage.





Remove parts from plastic package. Check that all parts were included.

Insert a rear-leveling leg into the hole in the rear corner on the bottom of the washer/dryer. Push leg in until it snaps into place. Do the same same thing with the other leveling leg in the other rear corner.

Push up one leg; check to see that the other leg goes down. Check the other leg the same way. (If legs do not adjust, repeat Step 4.)










Mobile home installation


exhaust air flow

exhaust air to flow.


Allow as much room as possible when using elbows or making turns. Bend duct gradually to avoid kinking. Remove excess flexible duct to avoid sagging and kinking that may result in reduced air flow.



Maximum length of the exhaust system depends upon the type of duct used, number of elbows and the type of exhaust hood. The maximum length for both rigid and flexible duct is shown in the chart.




front legs in hand, check the ridges for a diamond marking. That's how far the leg is supposed to go into the hole. Start to screw the legs into the holes in the front corners by hand.




Use slip-joint pliers to finish turning the front legs until you reach the diamond mark.


Panel B



IMPORTANT: THIS PROCEDURE MUST BE FOLLOWED TO ASSURE PROPER INSTALLATION.


clamp





To prevent the drain hose from coming off or leaking, it must be installed per the following instructions:

- 1. Wet the inside end of the drain hose with tap water. DO NOT USE ANY OTHER LUBRICANT.
- 2. Squeeze ears of small clamp with pliers to open clamp and place clamp over end of drain hose.
- 3. While holding clamp open, work end of drain hose onto drain connector until drain hose is within 0.64 cm (1/4 in) of ribbed stop.
- 4. Position clamp over the drain hose area marked "clamp." Release clamp. Clamp should be 0.64 cm (1/4 in) from end of drain hose.



• Use caulking compound to seal exterior wall opening around exhaust hood.



through both faucets Trive If the water inlet faucets and drain standpipe are recessed, tightly wrap the plastic beaded strap

in water lines that might clog hoses. Mark which is the hot water faucet.

hoses, run water

21 Attach bottom hose (inlet marked "H") to hot water faucet. Attach top hose (inlet marked "C") to cold water faucet. Tighten the couplings to the faucets by hand. Use pliers to make the final two-thirds turn.

Move washer/dryer to its permanent position. Remove cardboard/hardboard from under washer/dryer.



around the drain hose and faucet body. (**Do Not** wrap strap around the faucet handles or stems.) Thread beaded end of strap through keyhole end. Pull until strap is tight. Slide strap into narrow end of keyhole to lock strap in place. See Figure C.

keyhole to lock strap in place. See Figures A-B.

Secure the drain hose to the laundry tub or standpipe with the plastic strap. Failure to properly secure drain hose could result in water damage.


If drain hose cannot be strapped into place, hose must be cut exactly to length so "hook" end is held tightly over edge of laundry tub or standpipe.

If a longer drain hose is needed, drain hose, Part No. 388423 and hose connection kit, Part No. 285442 are available from your authorized parts distributor. If drain hose must be shortened, use hose connection kit, Part No. 285442.

Note: If washer/dryer is moved to adjust drain hose, the washer/dryer must be leveled again. Repeat Step 22. Place cardboard under the washer/dryer and carefully move washer/dryer to avoid damaging floor covering.



Check the Installation Instructions to see that you have completed each step. Complete any missed steps before you continue.



Panel D



removed all the shipping pieces, including the round shipping piece. Dispose of all materials in proper manner.

If you do not remove the round shipping piece, your washer/dryer may "walk" away from its location.



30 Check that you have all your tools.

31 Turn on water faucets and check for leaks. Tighten couplings if there is leaking. **DO NOT OVERTIGHTEN.** This could cause damage to faucets.


32 Replace the access panel. Be sure to tighten screws at each end of the access panel.

33 Plug power supply cord into grounded outlet.

34 Read the <u>Use and Care Guide</u> to fully understand your new washer/dryer. Now start the washer and allow it to complete the regular cycle.



Recessed and closet installation instructions



To prevent large amounts of lint and moisture from accumulating and to maintain drying efficiency, and to prevent exposure to possible health hazards, this appliance should be exhausted outdoors.

THIS WASHER/DRYER MAY BE INSTALLED IN A RECESSED AREA OR CLOSET.

The installation spacing is in centimeters and inches and is the minimum allowable. Additional spacing should be considered for ease of installation, servicing and compliance with local codes and ordinances.

If closet door is installed, the minimum unobstructed air openings in top and bottom are required. Louvered doors with equivalent air openings are acceptable. <u>Closet installation must be exhausted.</u> Other installations must use the minimum dimensions indicated.

– 0 cm (0")

0 cm (0")

VL>I i

dryer

washer

front view


30.5 cm (12") **Recessed installation**


7.6 cm (3") —»

side view

Product dimensions


(Shown with legs extended 1 inch from bottom of washer/dryer.)





Note: If recessed installation is exhausted, all spacing can be 0 cm (0 in). Additional clearance for wall, door and floor molding may be required.

Minimum installation spacing



with a damp cloth to remove any dust. Start dryer and allow it to complete a heat cycle to make sure the dryer is working properly.


36 Finally, save all literature and keep with washer/dryer.

You have just finished installing your new washer/dryer. To get the most efficient use from your new washer/dryer, read your <u>Use & Care Guide.</u>

Congratulations!

Keep Installation Instructions nearby where you can refer to them. They'll make reinstalling your washer/dryer in another home as easy as the first installation. front view

Unobstructed air openings are minimum for closet door. Louvered door with equivalent air openings is acceptable.



Closet installation must be exhausted outdoors.

Recessed, non-exhausted installation must use only the rear exhaust position and Exhaust Deflector Kit No. 4500 is required.

Panel E

If washer/dryer does not operate...

- Check that the circuit breaker is not tripped or the house fuse blown.
- Check that power supply cord is plugged into wall receptacle.
- Check that washer lid or dryer door is closed.
- Check that the round shipping piece has been removed.
- Check that controls are set in a running or "ON" position.
- Check that dryer "START" button has been firmly pushed.

When moving the washer/dryer...

- Disconnect the power supply cord. Tape power supply cord securely to washer/dryer.
- Tape the dryer drum to the front panel. Tape the lint screen in place. Tape the dryer door closed.
- Wedge a blanket between the tub ring and cabinet top to restrict tub movement.
- Turn front leveling legs all the way in.

If you need assistance...

Check your Use and Care Guide for a tollfree number to call, or call the dealer from whom you purchased this appliance. The dealer is listed in the Yellow Pages of your phone directory under "Appliances — Household — Major — Service and Repair."

When you call, you will need the washer/ dryer model number and serial number. Both numbers can be found on the model/serial rating plate located behind the dryer door on the dryer door wall.