
SHARP

LC-32SB24U LC-37SB24U

LIQUID CRYSTAL **TELEVISION**





PERATION MANU
















IMPORTANT: Please read this operation manual before starting operating the equipment.

Supplied Accessories

Make sure the following accessories are provided with the product.



CTORES

· Always use the AC cord supplied with the TV.

To avoid scratching the frame or screen, please use a soft, lint free cloth for cleaning. Approved cleaning cloths are available directly from Sharp in single (00Z-LCD-CLOTH) or triple (00Z-LCD-CLOTH-3) packs. Call 1-800-BE-SHARP for ordering, or VISIT www.sharpusa.com/SharpDirect.

IMPORTANT:

To aid reporting in case of loss or theft, please record the TV's model and serial numbers in the space provided. The numbers are located at the rear of the TV.

| Model | No.: |
|----------|------|
| 14100001 | 140. |

Serial No.:

IMPORTANT INFORMATION

WARNING: TO REDUCE THE BISK OF FIRE OR FLECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.



RISK OF ELECTRIC SHOCK DO NOT OPEN



CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK. DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The lightning flash with arrow-head symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within a triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

CAUTION: TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT.

CAUTION:

DO NOT PLACE THIS PRODUCT ON AN UNSTABLE CART, STAND, TRIPOD. BRACKET, OR TABLE. THE PRODUCT MAY FALL CAUSING SERIOUS PERSONAL INJURY AND SERIOUS DAMAGE TO THE PRODUCT, USE ONLY WITH A CART, STAND, TRIPOD, BRACKET, OR TABLE RECOMMENDED BY THE MANUFACTURER OR SOLD WITH THE PRODUCT, FOLLOW THE MANUFACTURER'S INSTRUCTIONS WHEN INSTALLING THE PRODUCT AND USE MOUNTING ACCESSORIES RECOMMENDED BY THE MANUFACTURER. A PRODUCT AND CART COMBINATION SHOULD BE MOVED WITH CARE. QUICK STOPS, EXCESSIVE FORCE, AND UNEVEN SURFACES MAY CAUSE THE PRODUCT AND CART COMBINATION TO OVERTURN.



WARNING: FCC Regulations state that any unauthorized changes or modifications to this equipment not expressly approved by the manufacturer could void the user's authority to operate this equipment.

CAUTION: This product satisfies FCC regulations when shielded cables and connectors are used to connect the unit to other equipment. To prevent electromagnetic interference with electric appliances such as radios and televisions, use shielded cables and connectors for connections.

IMPORTANT INFORMATION

DECLARATION OF CONFORMITY:

SHARP LIQUID CRYSTAL TELEVISION, MODEL LC-32SB24U/LC-37SB24U

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RESPONSIBLE PARTY:

SHARP ELECTRONICS CORPORATION

Sharp Plaza, Mahwah, New Jersey 07430-2135

TEL: 1-800-BE-SHARP

For Business Customers: URL http://www.sharpusa.com

INFORMATION:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

"Note to CATV system installer. This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Electrical Code that provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of cable entry as practical."

This product utilizes tin-lead solder, and fluorescent lamp containing a small amount of mercury. Disposal of these materials may be regulated due to environmental considerations. For disposal or recycling information, please contact your local authorities, the Electronic Industries Alliance: www.eiae.org, the lamp recycling organization: www.lamprecycle.org or Sharp at 1-800-BE-SHARP (For U.S.A. only)

Trademarks

- Manufactured under license from Dolby Laboratories. "Dolby" and the double-D symbol are trademarks of Dolby Laboratories.
- "HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC."
- Products that have earned the ENERGY STAR® are designed to protect the environment through superior energy efficiency.

DEAR SHARP CUSTOMER

Thank you for your purchase of the Sharp Liquid Crystal Television. To ensure safety and many years of trouble-free operation of your product, please read the Important Safety Instructions carefully before using this product.

IMPORTANT SAFETY INSTRUCTIONS

Electricity is used to perform many useful functions, but it can also cause personal injuries and property damage if improperly handled. This product has been engineered and manufactured with the highest priority on safety. However, improper use can result in electric shock and/or fire. In order to prevent potential danger, please observe the following instructions when installing, operating and cleaning the product. To ensure your safety and prolong the service life of your Liquid Crystal Television, please read the following precautions carefully before using the product.

- 1) Read these instructions.
- 2) Keep these instructions.
- 3) Heed all warnings.
- 4) Follow all instructions.
- Do not use this apparatus near water.
- Clean only with dry cloth.
- 7) Do not block any ventilation openings. Install in accordance with the manufacturer's instructions,
- 8) Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9) Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- 10) Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11) Only use attachments/accessories specified by the manufacturer.
- 12) Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- 13) Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.


Additional Safety Information

- 15) Power Sources—This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your product dealer or local power company. For products intended to operate from battery power, or other sources, refer to the operating instructions.
- 16) Overloading—Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- 17) Object and Liquid Entry— Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
- 18) Damage Requiring Service—Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
 - a) When the AC cord or plug is damaged,
 - b) If liquid has been spilled, or objects have fallen into the product,
 - c) If the product has been exposed to rain or water,
 - d) If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions as an improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation,
 - e) If the product has been dropped or damaged in any way, and
 - f) When the product exhibits a distinct change in performance this indicates a need for service.
- 19) Replacement Parts—When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards.
- 20) Safety Check—Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.
- 21) Wall or ceiling mounting —When mounting the product on a wall or ceiling, be sure to install the product according to the method recommended by the manufacturer.

IMPORTANT SAFETY INSTRUCTIONS

 Outdoor Antenna Grounding — If an outside antenna is connected to the television equipment, be sure the antenna system is grounded so as to provide some protection against voltage surges and built-up static charges.

Article 810 of the National Electrical Code, ANSI/NFPA 70, provides information with regard to proper grounding of the mast and supporting structure, grounding of the lead-in wite to an antenna discharge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding electrodes, and requirements for the grounding electrode.



- Turn off the main power and unplug the AC cord from the wall outlet before handling.
- Use a soft cloth and gently wipe the surface of the display panel. Using a hard cloth may scratch the panel surface.
- Use a soft damp cloth to gently wipe the panel when it is really dirty.
 (It may scratch the panel surface when wiped strongly.)
- If the panel is dusty, use an anti-static brush, which is commercially available, to clean it.
- To protect the panel, do not use a dirty cloth, liquid cleaners or chemical cloth to clean it, such materials may damage the panel surface.
- . To clean the outer cabinet, use the same method. Do not use liquid or aerosol cleaners.
- Water and Moisture Do not use this product near water for example, near a bath tub, wash bowl, kitchen sink, or laundry tub; in a wet basement; or near a swimming pool; and the like.
- Stand Do not place the product on an unstable carl, stand, tripod or table. Placing the product on an unstable base
 can cause the product to fall, resulting in serious personal injuries as well as damage to the product. Use only a cart,
 stand, tripod, bracket or table recommended by the manufacturer or sold with the product. When mounting the product
 on a wall, be sure to follow the manufacturer's instructions. Use only the mounting hardware recommended by the
 manufacturer.
- Selecting the location Select a place with no direct sunlight and good ventilation.
- Ventilation The vents and other openings in the cabinet are designed for ventilation. Do not cover or block these vents
 and openings since insufficient ventilation can cause overheating and/or shorten the life of the product. Do not place
 the product on a bed, sofa, rug or other similar surface, since they can block ventilation openings. This product is not
 designed for built-in installation; do not place the product in an enclosed place such as a bookcase or rack, unless proper
 ventilation is provided or the manufacturer's instructions are followed.
- The Liquid Crystal panel used in this product is made of glass. Therefore, it can break when the product is dropped or applied with impact. Be careful not to be injured by broken glass pieces in case the panel breaks.
- Heat The product should be situated away from heat sources such as radiators, heat registers, stoves, or other
 products (including amplifiers) that produce heat.
- The Liquid Crystal panel is a very high technology product with 1,049,088 pixels, giving you fine picture details.
 Occasionally, a few non-active pixels may appear on the screen as a fixed point of blue, green or red. Please note that this does not affect the performance of your product.
- Lightning For added protection for this television equipment during a lightning storm, or when it is left unattended and
 unused for long periods of time, unplug it from the wall outlet and disconnect the antenna. This will prevent damage to
 the equipment due to lightning and power-line surges.
- Power Lines An outside antenna system should not be located in the vicinity of overhead power lines or other electric light or power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- . To prevent fire, never place any type of candle or flames on the top or near the TV set.
- To prevent fire or shock hazard, do not place the AC cord under the TV set or other heavy items.
- . Do not display a still picture for a long time, as this could cause an afterimage to remain.
- To prevent fire or shock hazard, do not expose this product to dripping or splashing.
 - No objects filled with liquids, such as vases, should be placed on the product.

Precautions when transporting the TV

. Be sure to always carry the TV by two people holding it with two hands - one hand on each side of the TV.





QUICK REFERENCE

Attaching/Detaching the Stand

- Before attaching (or detaching) the stand, unplug the AC cord from the AC INPUT terminal.
- Before performing work spread cushioning over the base area to lay the TV on. This will prevent it from being damaged.


197111111

- · Attach the stand in the correct direction.
- Do not remove the stand from the TV unless using an optional wall mount bracket to mount it.
- Be sure to follow the instructions. Incorrect installation of the stand may result in the TV falling over.
- 1 Confirm that there are 9 screws and a hex key supplied with the stand unit.






2 Attach the supporting post for the stand unit onto the base using the box for the stand unit as shown below.



- 3 ① Insert the stand into the openings on the bottom of the TV.
 - ② Insert and tighten the 4 screws into the 4 holes on the rear of the TV.



. To detach the stand, perform the steps in reverse order.


Setting the TV on the Wall

or take a

- This TV should be mounted on the wall only with the AN-37AG5 (SHARP) wall mount bracket. The use of other wall mount brackets may result in an unstable installation and may cause serious injuries.
- Installing the TV requires special skill that should only be performed by qualified service personnel. Customers should not attempt to do the work themselves. SHARP bears no responsibility for improper mounting or mounting that results in accident or injury.

Using an optional bracket to mount the TV

- You can ask a qualified service professional about using an optional AN-37AG5 bracket to mount the TV to the wall.
- Carefully read the instructions that come with the bracket before beginning work.



LC-37SB24U


- The center of the display: 1/4 inch (6.0 mm) above the "A" position.
- Refer to the operation manual of AN-37AG5 for details.

1011

- Detach the cable clamp on the rear of the TV when using the optional mount bracket.
- Due to the terminal configuration on this TV, when you
 wall-mount this model, make sure there is enough space
 between the wall and the TV for the cables.
- To use this TV mounted on a wall, first remove the adhesive tape at the 4 locations on the rear of the TV, and then use the screws supplied with the wall mount bracket to secure the bracket to the rear of the TV.

QUICK INSTALLATION TIPS


- 1 Attach your antenna to the back of the television. (See page 8.)
- 2 Connect the AC plug for the television into the AC



 Place the TV close to the AC outlet, and keep the power plug within reach.

113713

 TO PREVENT RISK OF ELECTRIC SHOCK, DO NOT TOUCH UN-INSULATED PARTS OF ANY CABLES WITH THE AC CORD CONNECTED. ${f 3}$ Bundle the cords properly with the cable clamp .




4 How to turn on the television for the first time.

A) Press **POWER** on the television.




 B) The POWER indicator on the front of the television lights GREEN.



- . Speakers cannot be detached from the TV.
- TV angle cannot be adjusted.

Using the Remote Control Unit

Use the remote control unit by pointing it towards the remote control sensor on the TV. Objects between the remote control unit and the remote control sensor may prevent proper operation.



- Cautions regarding the remote control unit
- Do not expose the remote control unit to shock. In addition, do not expose the remote control unit to liquids, and do not place in an area with high humidity.
- Do not install or place the remote control unit under direct sunlight. The heat may cause deformation of the remote control unit.
- The remote control unit may not work properly if the remote control sensor on the TV is under direct sunlight or strong lighting, in such cases, change the angle of the lighting or the TV, or operate the remote control unit closer to the remote control sensor.

IMPORTANT:

The POWER indicator on the television should light GREEN indicating you have power to the television. If the POWER indicator on the television still does not light up, press **POWER** on the remote control to turn the power on.

IMPORTANT:

IF THE UNIT DOES NOT POWER ON - UNPLUG THE TELEVISION FROM THE OUTLET AND REPEAT THE INSTALLATION STEPS.

IF YOU STILL ENCOUNTER NO POWER, PLEASE CONTACT US AT 1-800-BE-SHARP.

Preparation

Antennas

To enjoy a clearer picture, use an outdoor antenna. The following is a brief explanation of the types of connections that are used for a coaxial cable. If your outdoor antenna uses a 75-ohm coaxial cable with an F-type connector, plug it into the antenna terminal at the rear of the TV set.

 A 75-ohm system is generally a round cable with F-type connector that can easily be attached to a terminal without tools (Commercially available).

2.A 300-ohm system is a flat "twin-lead" cable that can be attached to a 75-ohm terminal through a 300/75-ohm adapter (Commercially available).



NOTICE F-type connector should be finger-tightened only.

When connecting the RF cable to the TV set, do not tighten F-type connector with tools.

If tools are used, it may cause damage to your TV set. (The breaking of internal circuit, etc.)

F-type connector 75-ohm coaxial cable

Connecting Antenna Cable


• Connect the antenna cable to the TV using one of the methods in the illustration as shown (1), (2), (3) or (4)). Home Antenna

 Cable without a CATV converter

② VHF/UHF antenna

③ Combination VHF/ UHF antenna

4 Separate VHF/UHF antenna



Installing Batteries in the Remote Control Unit

If the remote control fails to operate TV functions, replace the batteries in the remote control unit,

Open the battery cover.

2 Insert two "AA" size batteries (supplied with the product).



3 Close the battery cover.




 Place the batteries with their terminals corresponding to the (+) and (-) indications in the battery compartment.


Improper use of batteries can result in chemical leakage or explosion. Be sure to follow the instructions below.

- Do not mix batteries of different types. Different types of batteries have different characteristics.
- · Do not mix old and new batteries. Mixing old and new batteries can shorten the life of new batteries or cause chemical leakage
- · Remove batteries as soon as they are worn out. Chemicals that leak from batteries that come in contact with skin can cause a rash. If you find any chemical leakage, wipe thoroughly with a cloth.
- The batteries supplied with this product may have a shorter life expectancy due to storage conditions.
- . If you will not be using the remote control unit for an extended period of time, remove batteries from it.

Part Names




TV (Top/Rear)



(1013)

- . The illustrations in this operation manual are for explanation purposes and may vary slightly from the actual operations.
- The examples used throughout this manual are based on the LC-32SB24U model.

Remote Control Unit



- POWER: Switch the TV power on or enters standby. (See page 12.)
- 2 CC: Display captions from a closed-caption source. (See page 15.)
- AUDIO: Selects the MTS/SAP or the audio mode during multi-channel audio broadcasts. (See page 14.)
- 4 0-9: Set the channel. (See page 13.)
- 5 (DOT): (See page 13.)
- 6 FLASHBACK: Return to the previous channel or external input mode. (See page 14.)
- 7 VIEW MODE: Select the screen size. (See page 16.)
- 8 FREEZE: Set the still image. Press again to return to normal screen. (See page 13.)
- 9 ▲/▼/◄/►, ENTER: Select a desired item on the screen.
- 10 EXIT: Turn off the menu screen.
- 11 DISPLAY: Display the channel information.
- 12 SLEEP: Set the sleep timer. (See page 13.)
- 13 AV MODE: Select an audio or video setting. (When the input source is TV, INPUT 1, 2 or 3: STANDARD, MOVIE, GAME, USER, DYNAMIC (Fixed), DYNAMIC. When the input source is INPUT 4, 5 or 6: STANDARD, MOVIE, GAME, PC, USER, DYNAMIC (Fixed), DYNAMIC) (See page 14.)
- 14 MUTE: Mute the sound. (See page 13.)
- 15 VOL +/-: Set the volume. (See page 13.)
- 16 CH \/\/: Select the channel. (See page 13.)
- 17 ENT: Jumps to a channel after selecting with the 0-9 buttons.
- 18 INPUT: Select a TV input source. (TV, INPUT 1, INPUT 2, INPUT 3, INPUT 4, INPUT 5, INPUT 6) (See page 13.)
- 19 PC: Quickly access to PC mode.
- 20 MENU: Display the menu screen.
- 21 RETURN: Return to the previous menu screen.
- 22 FAVORITE CH
 - A, B, C, D: Select 4 preset favorite channels in 4 different categories. (See page 25.)
 - While watching, you can toggle the selected channels by pressing A, B, C and D.

NOTE

When using the remote control unit, point it at the TV.

Connecting to External Equipment

You can connect many types of external equipment to your TV like a Blu-ray disc player, HD-DVD player, DVD player, VCR, Digital TV tuner, HDMI equipment, game console or camcorder. To view external source images, select the input source from INPUT on the remote control unit or on the TV. (See page 13.)

6.1111611

- . To protect equipment, always turn off the TV before connecting any external equipment.
- · Please read the relevant operation manual (Blu-ray disc player, etc.) carefully before making connections.

Connecting a Blu-ray disc player, HD-DVD player, DVD player, Digital TV STB (Air or Cable), VCR, game console or camcorder

| Terminal | on the TV | Cable | Terminal on external equipment |] |
|--------------------|-------------------------|--|--------------------------------|----|
| INPUT 1 or 2 | VIDEO AUDIO LO RO | AV cable (commercially available) | O 1. O OR VIDEO AUDIO | |
| INPUT 1 or 3 | COMPONENT AUDIO YOU LO | Component video cable (commercially available) | COMPONENT PR | |
| | PK | Audio cable (commercially available) | E AUDIO | |
| INPUT 2 | S-MDEO AUDIO | S-VIDEO cable (commercially available) Audio cable (commercially available) | L O O R | *- |
| INPUT 4 or 5 | Hami | HDMI-certified cable (commercially available) | НЭМІ | ** |
| DIGITAL AUDIOUTPUT | O DIGITAL AUDIO OUTPUT | Optical fiber cable (commercially available) | DIGITAL AUDIO INPUT | *: |

- *1 The S-VIDEO terminal takes priority over the video terminals, (INPUT 2 only)
- *2 When using an HDMI-DVI conversion cable, input the audio signal to AUDIO terminal of INPUT 5.
- *3 Depending on the connected equipment, audio will not output from the DIGITAL AUDIO OUTPUT terminal in HDMI connection. In this case, set the audio formats of the connected equipment to PCM, 32/44.1/48 kHz and 16 bits.

Connecting a PC


| Terminal on the TV | Cable | Terminal on PC |
|-----------------------------------|---|-------------------|
| INPUT 6 ANALOG RGE AUDIO PO N O | RGB cable (commercially available) Ø 3.5 mm stereo minijack cable (commercially available) | ANALOG RGB AUDIO |
| INPUT 4 or 5 | HDMI-certified cable (commercially available) | Homi |

177313

- . The HDMI terminals only support digital signal.
- Refer to page 30 for a list of PC signals compatible with the TV.

Watching TV

Turning On/Off the Power



Press **POWER** on the TV or on the remote control unit to turn the power on.

 POWER indicator (Green): The TV is on. (After a few seconds, a window appears with sound.)

CONT.

 The initial setup starts when the TV powers on for the first time. If the TV has been turned on before, the EZ Setup will not be invoked. See page 20 for performing EZ Setup from the Setup menu.

Press **POWER** on the TV or on the remote control unit again to turn the power off.

- . The TV enters standby and the image on the screen disappears.
- . The POWER indicator on the TV turns off.

11000

- If you are not going to use this TV for a long period of time, be sure to remove the AC cord from the AC outlet.
- . Weak electric power is still consumed even when the TV is turned off.

Initial Setup

When you turn on the TV for the first time, it will automatically memorize the broadcasting channels available in the region where you live. Perform the following steps before you press **POWER** on the remote control unit.


- 1. Insert the batteries into the remote control unit. (See page 8.)
- Connect the antenna cable to the TV. (See page 8.)
- 3. Plug in the AC cord to the AC outlet. (See page 7.)



Language (Language setting)

Select from among 3 languages: English, French and Spanish.


1 Press ▲/▼ to select the desired language listed on the screen, and then press ENTER.



TV Location

Select "Home" or "Store" for the location where you plan to install the ${\rm TV}$.

2 Press **◄/▶** to select "Home" or "Store". Press **ENTER** to enter the setting.



170000

- If you select "Home", AV MODE is set to "STANDARD".
- If you select "Store", AV MODE is set to "DYNAMIC (Fixed)".
 In case no remote control signal is received within 30 minutes, AV MODE will change to "DYNAMIC (Fixed)" automatically.
- For changing the TV Location after the setting, see "EZ Setup" on page 20.

Air/Cable (Antenna setting)

Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".

3 Press

√> to select "Air" or "Cable".


Press ENTER to enter the setting.

Example Linguinga Ty Accessor AstrCable Cid Namen Air Carlos

CH Search (Channel search)

Channel auto search makes the TV look for all channels viewable in the set area.

4 When "Air" is selected in Antenna setting: Press <a>√► to select "Start", and then press ENTER.



When "Cable" is selected in Antenna setting:


Press ▲/▼ to select "Analog & Digital Search Start" to search both analog and digital broadcasts, or to select "Analog Search Start" to search only analog broadcasts, and then press ENTER.



- The Channel search will start automatically.
- To exit the Channel search screen, select "Cancel", and then press ENTER.

 If no channel is found, confirm the type of connection made with your TV and try EZ Setup again.
 (See page 20.)

Direct Button Operation



Chancino Channels

You can change channels by pressing CH/√√ or 0-9, • (DOT).

Examples:

To select a 1 or 2-digit channel number (e. g., Channel 5):
Press 5 → ENT.

To select a 3-digit channel number (e. g., Channel 115):

Press 1 → 1 → 5 → ENT.

To select a 4-digit channel number (e. g., Channel 22.1):

Press 2 → 2 → • (DOT) → 1 → ENT.

- When selecting a 1-digit channel number, it is not necessary to press 0 before the number.
- When you enter 0-9 only, channel selection will be made if there is no operation within a few seconds.
- If you push "0" by itself, nothing will happen.
- . Complete the above steps within a few seconds.
- When you enter 0-9 and (DOT), channel selection will be made if there is no operation within a few seconds.

Chancing Volume

You can change the volume by pressing **VOL**+/- on the TV or on the remote control unit.

- . To increase the volume, press VOL + .
- To decrease the volume, press VOL .



Audio status

When "Output Select" is set to "Variable", the indicator on the screen changes as shown below.

60

(10)12

See page 25 for details on the Output Select function.

MUTE

Mutes the current sound output.

Press MUTE.

• "석화" will be displayed on the screen for 30 minutes, and the sound is silenced.

2000 Common

- Within 30 minutes of pressing MUTE, mute can be canceled by using one of the methods below.
 - Mute will be canceled if you press VOL +/ or MUTE.
- Mute will be canceled after 30 minutes have passed.
 However, the TV will not suddenly output a loud sound as the volume level is set to 0 automatically.

Sleep Timer

Allows you to set a time when the TV automatically switches to standby.

Press SLEEP.

- . The remaining time displays when the sleep timer has been set.
- Each time you press SLEEP, the remaining time switches as shown below.

Off
$$\rightarrow$$
 30 \rightarrow 60 \rightarrow 90 \rightarrow 120

- When set, the time automatically starts counting down.
- If you want to adjust the sleep timer, you can press SLEEP twice then change the time setting.
- Five minutes before the time expires, the remaining time displays every minute.

- Select "Off" by pressing SLEEP to cancel the sleep timer.
- The TV will enter standby when the remaining time reaches zero.
 When the sleep timer is set, its indicator on the TV lights red.

6 E E E E E E E E

Allows you to capture and freeze a moving image that you are watching.

Press FREEZE.

- A moving image is captured.
- Press FREEZE again to cancel the function.

- When this function is not available, "No displaying still image available." will display.
- The still image automatically goes out after 30 minutes.
- If you are using the freeze function and a broadcast activates the V-CHIP BLOCK, the freeze function will be canceled and a V-CHIP BLOCK message will appear.

Hotelphia Control

To view external source images, select the input source using INPUT on the remote control unit or on the TV.

- Press INPUT.
- A list of selectable sources appears.
- 2 Press INPUT again or press ▲/▼ to select the input source.
 - An image from the selected source automatically displays.
 - · Each time INPUT is pressed, the input source toggles.
 - If the corresponding input is not plugged in, you cannot change the input. Be sure to connect the equipment beforehand.

2

- See page 11 for external equipment connection.
- . Press PC to switch to an image from the PC.

AV MODE

AV MODE gives you 7 viewing options to choose from to best match the surrounding environment of the TV, which can vary due to factors like room brightness, type of program watched or the type of image input from external equipment.

Press AV MODE, Current AV MODE displays,

. Press AV MODE again before the mode displayed on the screen disappears. The mode changes as shown below:

Example:

When the input source is TV, INPUT 1, 2 or 3 terminals STANDARD → MOVIE → GAME → USER [TV]

DYNAMIC (DYNAMIC (Fixed)

Example:

When the input source is INPUT 4, 5 or 6 terminals STANDARD= →MOVIE ---- GAME -

DYNAMIC -

STANDARD: For a highly defined image in a normal liahtina.

[Enhanced Picture Contrast: on]

MOVIE: For a movie.

[Enhanced Picture Contrast: off]

GAME: Lowers image brightness for easier viewing. [Enhanced Picture Contrast: off]

PC: For PC.

[Enhanced Picture Contrast: off]

USER: Allows the user to customize settings as desired. You can set the mode for each input source. [Enhanced Picture Contrast: off]

DYNAMIC (Fixed): Changes the image and sound settings to the factory preset values. No adjustments are allowed.

[Enhanced Picture Contrast: on]

DYNAMIC: For a clear-cut image emphasizing high contrast, useful for sports viewing. [Enhanced Picture Contrast: on]

layya)

- You can select a different AV MODE Item for each input mode. (For example, select STANDARD for TV input and DYNAMIC for INPUT 1.1
- . When you play games, "GAME" is recommended for AV
- "Enhanced Picture Contrast" technology detects the source video characteristics and smoothly adjusts the screen brightness accordingly to realize deeper black levels.

MTS/SAP stereo mode

The TV has a feature that allows reception of sound other than the main audio for the program. This feature is called Multi-channel Television Sound (MTS). The TV with MTS can receive mono sound, stereo sound and Secondary Audio Programs (SAP), The SAP feature allows a TV station to broadcast other

information, which could be audio in another language or something completely different like weather information.

You can enjoy Hi-Fi stereo sound or SAP broadcasts where available.

- · Stereo broadcasts: View programs like live sporting events, shows and concerts in dynamic stereo sound
- · SAP broadcasts: Receive TV broadcasts in either MAIN or SAP sound.
 - MAIN sound: The normal program soundtrack (either in mono or stereo).

SAP sound: Listen to a second language, supplementary commentary or other information. (SAP is mono sound.)

If stereo sound is difficult to hear.

 Obtain a clearer sound by manually switching to fixed mono-sound mode.

You can change MTS as shown below to match the television broadcast signal.

Press AUDIO to toggle between audio modes.

Examples: when receiving MTS and SAP STEREO mode: STEREO -→ MONO

STEREO + SAP mode: ST(SAP) → SAP(ST) → MONO

MAIN + SAP mode: MAIN ⇒ SAP MONO mode: MONO

Digital broadcasting audio mode

The types of audio transmitted in a digital broadcast include SURROUND as well as MONO and STEREO. In addition, it is possible for multiple audio tracks to accompany a single video track,

Press AUDIO to togale between audio modes.

Example: when receiving Digital broadcasting STEREO (Audio1) - STEREO (Audio2) SURROUND (Audio3)

MTS only operates while in TV mode.

FLASHBACK

Press FLASHBACK to switch to the previously tuned channel

 Press FLASHBACK again to switch back to the currently tuned channel.

FLASHBACK will not work if no channel has been changed after the TV is turned on.

Closed Captions and Digital Closed Captions

Your TV is equipped with an internal Closed Caption decoder. It allows you to view conversations, narration and sound effects as subtitles on your TV. Closed Captions are available on some TV programs and on some VHS home video tapes at the discretion of the program provider.

Digital Closed Caption service is a new caption service available only on digital TV programs (also at the discretion of the service provider). It is a more flexible system than the original Closed Caption system, because it allows for a variety of caption sizes and font styles. When the Digital Closed Caption service is in use, it will be indicated by the appearance of a 3-letter abbreviation that also indicates the language of the Digital Closed Captions: ENG (English), SPA (Spanish), FRA (French) or other language codes.

Not all programs and VHS videotapes offer closed captions. Please look for the "[CC]" symbol to ensure that captions will be shown.

In the Closed Caption system, there can be more than one caption service provided. Each is identified by its own number. The "CC1" and "CC2" services display subtitles of TV programs superimposed over the program's picture.

In the Closed Caption system, the "Text1" or "Text2" services display text that is unrelated to the program being viewed (e.g., weather or news). These services are also superimposed over the program currently being viewed.

1 Press CC.

- This will present the Closed Caption information display.
- 2 Press CC while the Closed Caption information is still on the screen.
 - Press repeatedly until you select the desired closed caption service.



 Depending on the number of caption services in the signal being received, you will see information such as 1/2 or 1/4 displayed.

1/2 means "the first of two services".

Example:

If a program has three services (Digital CC(ENG), CC1 and Text1), the closed caption display will toggle in this sequence:



 The CC button keeps a record of the last service selected in its memory.

If the last closed caption mode (e.g., 1/3ENG) you selected is not available for the next program, or on another channel, the closed caption service that is available is automatically selected, and this service appears in parentheses, e.g. "1/3(CC1)". Closed Caption services that appear in parentheses will not be stored in the CC button's memory as your last selected service. Only services that you have selected with the CC button are stored.

Examples:

In a case where there are two closed caption services provided (for instance, Digital CC(ENG) and CC1), and Digital CC(ENG) is displayed as your current selection, if Digital CC(ENG) is not broadcast for the next program, the other closed caption service, CC1, will be displayed in parentheses.

A closed caption service appears in parentheses because the service you selected is not available and a different service is displayed on your screen. "1/1(CC1)" is displayed instead of "1/2/ENG".

NOTE:

- See page 25 for detailed closed caption settings.
- When the program contains no closed caption, "--" displays in the closed caption information.
- If the language code, e.g. "ENG", is not found on Digital TV programs, "--" will be shown.
- Four kinds of closed caption service (CC1, CC2, Text1, Text2) are potentially available, but a broadcast may contain none or only some of these services at the discretion of the program provider.

AVIDALENCO DE


You can select the screen size.

1 Press VIEW MODE.

- . The View Mode menu displays.
- . The menu lists the View Mode options selectable for the type of video signal currently being received.
- 2 Press VIEW MODE or ▲/▼ while the View Mode menu is displayed to select a desired item on the menu.
 - · You can sequentially select a View Mode that has its own aspect ratio.

For 4:3 programs

Example: Screen size images



For HD programs

Stretch: Suitable for viewing wide-screen 1.78:1 aspect ratio program, stretch mode will still show very thin black bands at the top and bottom of the screen.

Full Screen: Displays an image faithful to the input signal in full screen.

S.Stretch (Smart stretch): Suitable for stretching 4:3 programs to fill the screen.

Zoom: Suitable for viewing wide-screen 2.35:1 aspect-ratio programs in full screen.

(IDIA)


When using Full Screen, it is possible to see noise or bars around different outer portions of the screen. Please change view
mode to correct this.

For PC input mode

1021-0


- Connect the PC before making adjustments. (See page 11.)
- Selectable screen size may vary with input signal type.

Example: Screen size images



On-Screen Display Menu


On-Screen Display Menu Operation



Control Select GNEO Enter (SEUS) Black (MENU Exit The bar above is an operational guide for the remote control. The bar will change in accordance with each menu setting screen.

- Press
 to select the desired item.
- Press A/V to select the desired item.
- ③ Press
 It is a diust the item.

Example




- 1) Item displayed in yellow
 - This indicates the item currently selected.
 - . Press ENTER to go to the adjustment screen for this item.
- (2) Item in brackets
 - · This indicates the current setting for the item.
- Item displayed in white
- · This indicates that the Item can be selected.
- (4) Item displayed in gray
 - · This indicates that the item cannot be selected. There are various reasons why the items cannot be selected, but the main reason's are as follows:
 - Nothing is connected to the selected input terminal. -The function is not compatible with the current input signal.

- Menu options differ in the selected input modes, but the operating procedures are the same.
- The screens in the operation manual are for explanation. purposes (some are enlarged, others cropped) and may vary slightly from the actual screens.

Menu Operation Buttons

Using the remote control

Use the following buttons on the remote control to operate the menu.



MENU: Press to open or close the menu screen.

A/♥/◀/▶: Press to select a desired item on the screen or adjust a selected Item.

ENTER: Press to go to the next step or complete the setting.

RETURN: Press to return to the previous step.

Using the control panel of the main unit

You can also operate the menu with the control panel of the main unit.

Button operations on the control panel correspond to the ones on the remote control as shown below



VOL - / +: Cursor
✓ on the remote control.

CH\//∧: Cursor ▼/A on the remote control.


INPUT: ENTER on the remote control.

MENU: MENU on the remote control.

Picture Menu

Adjusts the picture to your preference with the following picture settings.

Example



- 1 Press MENU to display the MENU screen, and then press

 √► to select "Picture".
- 2 Press ▲/▼ to select a specific adjustment item.
 - Select "Advanced" and then press ÉNTER to set "C.M.S. -Hue", "C.M.S.-Saturation", 'Color Temp.", "Active Contrast", "Film Mode", "Digital Noise Reduction", "3D-Y/C", "Monochrome" or "Range of OPC".
- 3 Press ▲/▼(or ◄/►) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit.

| Selected item | -∢button | ▶button |
|---------------|-------------------|-------------------|
| Backlight | The screen dims | The screen |
| _ | | brightens |
| Contrast | For less contrast | For more contrast |
| Brightness | For less | For more |
| | brightness | brightness |
| Color | For less color | For more color |
| | intensity | intensity |
| Tint | Skin tones | Skin tones |
| | become reddish | become greenish |
| Sharpness | For less | For more |
| | sharpness | sharpness |

 For resetting all Picture adjustment items to the factory preset values, press ▲/▼ to select "Reset", press ENTER, press ◄/▶ to select "Yes", and then press ENTER.

OPC Setting

Automatically adjusts the brightness of the screen.

Off: The brightness is fixed at the value set in "Backlight".
On: Automatically adjusts.

On: Display: Displays the OPC effect on the screen while adjusting the brightness of the screen.

- When set to "On", the OPC senses the surrounding light and automatically adjusts the backlight brightness. Make sure nothing obstructs the OPC sensor, which could affect its ability to sense surrounding light.
- When set to "On: Display", OPC effect displays on the screen while the OPC adjusts the screen brightness.
- When set to "On" or "On: Display", the OPC indicator on the TV lights green.

Advanced Picture Setting

This TV provides various advanced functions for optimizing the picture quality.

C.M.S.

(Color Management System)

Color tone is managed using the six-color adjustment setting.

- C.M.S.-Hue: This is a standard to adjust the color either more reddish or more bluish in tone
- C.M.S.-Saturation: Increases or decreases the saturation of a selected color.

960000000

 For resetting all adjustment items to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.

Color Temp.

(Color Temperature)

For a better white balance, use color temperature correction.

High: White with bluish tone
Mid-High:

Middle: Mid-Low:

4

Low: White with reddish tone

Active Contrast

Automatically adjusts the image contrast according to the scene.

On: Automatically adjusts the image contrast.

Off: No adjustment.

Film Mode (3:2 pull-down)

Automatically detects a film-based source (originally encoded at 24 frames/second), analyzes it then recreates each still film frame for high-definition picture quality.

On: Detects, analyzes, converts film source.

Off: Normal viewing mode.

CTOXE

- "Film Mode" does not function when you set the "AV Mode" to "Game"
- "Film Mode" is not selectable when channel display shows an input resolution of 480P or 720P.

Digital Noise Reduction

Produces a clearer video image.

Off: No adjustment

High: For enhanced Digital Noise Reduction

Low: For moderate Digital Noise Reduction

3D-Y/C

Provides high quality images with minimal dot crawl and cross color noise.

Slow: For still images.

Standard: Normal adjustment.

Fast: For moving images.

Off (2D): For Game Mode.

i jest

 3D-Y/C is available for input signal from Composite Video and analog broadcasts (air and cable).

Monochrome

For viewing a video in monochrome.

On: For viewing in monochrome.

Off: Normal color.

Range of OPC

The brightness level range of the OPC sensor's automatic adjustments can be set according to your preferences.

The adjustment range of the OPC sensor can be set to a maximum of +16 and a minimum of -16.

Max .: -15 through +16

Min.: -16 through +15


Horid

- The range of OPC settings are active only when the OPC is set to "On".
- The maximum setting cannot be set to a smaller number than the minimum setting.
- The minimum setting cannot be set to a bigger number than the maximum setting.
- Depending on the brightness of the surrounding light, the OPC sensor might not operate if the adjustment range is small.

Audio Menu

You can adjust the sound quality to your preference with the following settings.

Example



- 1 Press MENU to display the MENU screen, and then press ◀/▶ to select "Audio".
- 2 Press ▲/▼ to select a specific adjustment item.
 - Select "Surround" or "Bass Enhancer" and then press ENTER to set each item.
- 3 Press ▲/▼ (or ◄/▶) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit.

| Selected item | ∢button | ▶ button |
|---------------|--|---|
| Treble | For weaker treble | For stronger treble |
| Bass | For weaker bass | For stronger bass |
| Balance | Decrease audio from the right speaker | Decrease audio from the left speaker |

1236

- Audio menu is grayed out when Output Select is set to "Variable".
- For resetting all Audio adjustment items to the factory preset values, press ▲/▼ to select "Reset", press ENTER, press ◄/▶ to select "Yes", and then press ENTER.

Surround

Surround function allows you to enjoy realistic "live" sound.

On: Surround function is on.

Off: Normal sound.

NOTE

- Audio menu is grayed out when Output Select is set to "Variable".
- For some discs, setup may be required on your DVD player.
 In this case, please refer to the operation manual of your DVD player.

Bass Enhancer

This function allows you to enjoy bass-enhanced sound. On: Bass Enhancer function is on.


Off: Normal sound.

0000000000

 Audio menu is grayed out when Output Select is set to "Variable".

Power Control Menu

Power control setting allows you to save energy.



- Press MENU to display the MENU screen, and then press \(\sigma \) to select "Power Control".
- 2 Press ▲/▼ to select a "No Signal Off" or "No Operation Off", and then press ENTER.
- ⚠ Press MENU to exit.

No Signal Off

When set to "Enable", the power will automatically shut down if there is no signal for 15 minutes.

170773

- Five minutes before the power shuts down, the remaining time displays every minute.
- . "Disable" is the factory preset value.
- When a TV program finishes, this function may not operate.

No Operation Off

When set to "Enable", the power will automatically shut down if there is no operation for 3 hours.

- Five minutes before the power shuts down, the remaining time displays every minute.
- . "Disable" is the factory preset value.

Setup Menu

Example



- Press MENU to display the MENU screen, and then press ◄/▶ to select "Setup".
- 2 Press ▲/▼ to select a specific adjustment item, and then press ENTER.
 - When you select "EZ Setup", "CH Setup", "Parental CTRL" and "Reset", you can enter the 4-digit secret number here. See page 22 for setting a secret number.
- 3 Press ▲/▼ (or ◄/►) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit.

EZ Setup

You can run EZ Setup again, even after setting up the preset channels.

- Language: Select from among 3 languages (English, French and Spanish).
- TV Location: Select "Home" or "Store" for the location where you plan to install the TV.
 - If you select "Home", AV MODE is set to "STANDARD".
 - If you select "Store", AV MODE is set to "DYNAMIC (Fixed)".
 In case no remote control signal is received within 30 minutes, AV MODE will change to "DYNAMIC (Fixed)" automatically.
- Air/Cable: Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".
- CH Search: Channel auto search makes the TV look for all channels viewable in the set area.

- See "Initial Setup" on page 12 for setting each item.
- If no channel is found, confirm the type of connection made with your TV and try EZ Setup again.
- If you select "Analog Search Start" and initiate the channel search, the CH Memory for Cable Digital will be deleted.

ela Sellin

If initial setup does not memorize all the channels in your region, follow the instructions below to manually memorize the channels.

- Air/Cable: Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".
- CH Search: Channel auto search makes the TV look for all channels viewable in the set area.
- CH Memory: You can select the channels to skip in each ANALOG (Air), ANALOG (Cable), DIGITAL (Air) and DIGITAL (Cable).
 - On: Skips channels, (Channel selection disabled using CH
 \(\subset \subset \cdot \).)
 - Off: Does not skip channels. (Channel selection enabled using $\mathbf{CH} \bigwedge / \bigvee$.)

- See "Initial Setup" on page 12 for setting each item.
- If no channel is found, confirm the type of connection made with your TV and try channel search again.
- If you select "Analog Search Start" and initiate the channel search, the CH Memory for Cable Digital will be deleted.

Antenna Selup - DIGITAL

In order to receive digital air broadcasts, you need a digital broadcast antenna. You can confirm the antenna configuration through the "Antenna Setup - DIGITAL" screen. If necessary, adjust the direction of the antenna to obtain the maximum signal strength.

- Signal Strength: The signal strength of DIGITAL channel is displayed. The signal information is based on the current channel.
- Channel Strength: Input the 2-digit channel number to check the signal strength of the selected channel. Make sure the signal is strong enough for each channel
 - · This function is available for DIGITAL (Air) only.

Intell Skip

This setting allows you to skip the HDMI or PC-IN Input ("Input 4 (HDMI)", "Input 5 (HDMI)" and "Input 6 (RGB)") on the Input Selection operation.

Yes: Skips the input.

No: Does not skip input.

Input Signal (for Analog PC Input Mode Only)

Some input signals may have to be registered manually to display properly. The pair of input signals (resolutions) in the list below is not distinguishable when received. In such a case, you have to set the correct signal manually. After setting once, it will display when the same sional (resolution) is input again.

1024 x 768

1360 x 768

16 2

 You can only select the "Input Signal" on the Setup menu when receiving one of the 2 input signals listed above.

Auto Syric

(for Analog PC Input Mode Only)

For automatically adjusting the PC image.

Yes: Auto Sync. starts and "Now adjusting the image." displays,

No: This function does not work.

- When Auto Sync. is successful, "Completed" displays. if not, Auto Sync. failed.
- Auto Sync. may fail even if "Completed" displays.
- Auto Sýnc. may fail if the computer image has low resolution, has unclear (black) edges, or is moved while executing Auto Sync.
- Be sure to connect the PC to the TV and switch it on before starting Auto Sync.

Fine Sync.

Ordinarily you can easily adjust the picture as necessary to change image position using Auto Sync. In some cases, however, manual adjustment is needed to optimize the image.

H-Pos.: Centers the image by moving it to the left or right.

V-Pos.: Centers the image by moving it up or down.

Clock: Adjust when the image flickers with vertical
strings

Phase: Adjust when characters have low contrast or when the image flickers.

Metro

- For resetting all Fine Sync. adjustment items to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.
- It is not necessary to adjust the "Clock" or "Phase" when a digital signal is being input, so it cannot be selected.
- The default cursor position may not be in the center, because the screen position variable ranges may be asymmetrical.
- The screen position variable ranges depend on the View Mode or the signal type. The ranges can be seen on the position-setting screen.

Impuritabel

Lets you set the input terminal displayed when using the INPUT SOURCE menu or channel display. Press ▲/▼/◄/▶ to select the new name for the input mode

1310315

You cannot change labels if the INPUT SOURCE is TV.

Lesiner.

For adjusting a picture's horizontal and vertical position.

H-Pos.: Centers the image by moving it to the left or right.

V-Pos.: Centers the image by moving it up or down.

Note

- For resetting adjustments to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.
- When connecting a PC to the HDMI terminal, the image position will be automatically adjusted. It cannot be manually adjusted.
- The screen position variable ranges depend on the View Mode or the signal type. The ranges can be seen on the position-setting screen.
- Adjustments are stored separately according to input source.

Language

You can also select a language from the Setup menu. Select from among 3 languages: English, French and Spanish.

Reset

If complex adjustments are made and the settings cannot be restored to normal, you can reset the settings to the factory preset values.

- 1 "Return to the factory preset values" displays on the screen.
 - If you have already set the Secret No., input the 4-digit secret number here. See page 22 for setting a secret number.
- 2 Select "Yes"
 - "Now, TV will restart automatically. OK?" displays on the screen.
- 3 Select "Yes".
 - "Now initializing..." displays on the screen and blinks. After the reset has been completed, the power shuts off and then comes back on. The screen will have returned to its original settings.

- The Channel Setup settings will not be changed.
- . The Language settings will not be changed.
- The Secret number settings will not be changed.
- . The TV Location Settings will not be changed.

Parental CTRL (Parental Control Setting)

Secret No.

Allows you to use a secret number to protect certain settings from being accidentally changed.

IMPORTANT:

Three conditions must be met to enable the V-Chip (see pages 22 to 24):

- Secret No. is registered.
- 2. V-Chip/V-Chip (DTV Only) settings have been made.
 - The "V-Chip (DTV Only)" will only be selectable when a new rating system can be downloaded via digital broadcasting in the U.S.
- 3. "Status" is set to "On".

MR New Secret No.

You can set and change the secret number by using 0-9. Input Secret No.: When you change the secret number, enter the old 4-digit secret number here. The cursor moves to "New Secret No.".

New Secret No.: When you set the new secret number, enter the new 4-digit secret number here. The cursor moves to "Reconfirm".

Reconfirm: Enter the same 4-digit number you set in "New Secret No.".

Secret No. Clear

You can clear your secret number.

Yes: Your secret number is cleared.

No: Your secret number is not cleared.

11077

- As a precautionary measure, make a note of your secret number and keep it in a familiar place.
- If the secret number is cleared, the Status setting automatically sets to "Off". "V-Chip" and "Status" will not be selectable from the menu.

Status

Used to enable or disable the parental control function. This function will not be selectable from the menu if you do not first configure your secret number.

On: Enables Parental CTRL

Off: Disables Parental CTRL.

V-Chip


V-CHIP is an electronic filtering device built into your TV. HIP is an electronic filtering device built into your over broadcasts accessed by their children. It allows parents to select programs judged suitable for child viewing while blocking ones judged not suitable. It does so automatically once you activate the V-CHIP feature in your TV. "V-Chip" and "Status" will not be selectable from the menu if you do not first configure your secret number.

- The U.S. has two rating systems for viewing content: TV Parental Guidelines and movie ratings.
- The TV Parental Guidelines work in conjunction with the V-CHIP to help parents screen out inappropriate television shows from their children.
- Movie ratings are used for original movies rated by the Motion Picture Association of America (MPAA) as watched on cable TV and not edited for television. The V-CHIP can also be set to block MPAA-rated movies.

(9)13

- The setting automatically enters "Block" for any ratings below your selection.
- If Status is not set to "On", the configuration settings will not work.

MPAA (Voluntary movie rating system)



Press A/V to adjust the Item to your desired position.
"a" indicates the Item is blocked. Press MENU to exit.

G: General audiences. All ages admitted.

PG: Parental guidance suggested. Some material may not be sultable for children.

PG-13: Parents strongly cautioned. Some material may be inappropriate for children under 13.

R: Restricted. Under 17 requires accompanying parent or adult guardian (age varies in some jurisdictions).

NC-17: No one 17 and under admitted.

X: X is an older rating that is unified with NC-17 but may be encoded in the data of older movies.

 Voluntary movie rating system only uses an age-based rating.

TV Parental Guidelines

Example



Press A/V to adjust the item to your desired position.
"a" indicates the item is blocked. Press MENU to exit.

Suggested age

TV-Y: All children.

TV-Y7: Directed to older children.

TV-G: General audience.

TV-PG: Parental Guidance suggested.

TV-14: Parents strongly cautioned.

TV-MA: Mature audience only.

Example



When setting an individual content-based rating item:

- Press
 or ENTER to access blocked content items from the currently selected age-based rating item.
- 2 Press / v to select an individual item, and then press ENTER to unblock it ("a" is removed). Repeat the same steps for the other items.
- 3 Press ✓ or RETURN to register after all individual content rating items are set.

Content

FV: Fantasy violence.

V: Violence.

S: Sexual situation.

L: Adult language.
D: Sexually suggestive dialog.


| n | | | | Conten | t | 12.0 |
|-----------|-------|-------------|-------------|-------------|-------------|-------------|
| Ratii | 1g | FV | ٧ | S | Ł | D |
| | TV-Y | \boxtimes | \boxtimes | \boxtimes | \boxtimes | \boxtimes |
| | TV-Y7 | × | \times | \boxtimes | \times | \boxtimes |
| Suggested | TV-G | | \boxtimes | \boxtimes | \boxtimes | \boxtimes |
| age | TV-PG | | × | × | × | × |
| | TV-14 | | × | × | × | × |
| | TV-MA | | × | × | × | |

- : The content rating can be set, but this rating is not normally broadcast by TV stations.
- x: Content rating can be set.

Canadian Rating Systems (Canadian English ratings and Canadian French ratings)

- The TV rating systems in Canada are based on the Canadian Radio-Television and Telecommunications Commission (CRTC) policy on violence in television programming.
- While violence is the most important content element to be rated, the structure developed takes into consideration other program content like language, nudity, sexuality and mature themes.
- When setting the V-CHIP on the Canadian system you can choose either the Canadian English ratings or the Canadian French ratings.

Canadian English Ratings



Press ▲/▼ to adjust the item to your desired position.
"a" indicates the item is blocked. Press **MENU** to exit.

- E: Exempt: Includes news, sports, documentaries and other information programming; talk shows, music videos, and variety programming.
- C: Children: Intended for younger children under the age of 8 years. Pays careful attention to themes that could threaten their sense of security and well-being.
- C8+: Children over 8 years old: Contains no portrayal of violence as the preferred, acceptable, or only way to resolve conflict; nor encourage children to imitate dangerous acts which they may see on the screen.
- G: General: Considered acceptable for all age groups. Appropriate viewing for the entire family, contains very little violence, physical, verbal or emotional.
- PG: Parental Guidance: Intended for a general audience, but may not be suitable for younger children (under the age of 8) because it could contain controversial themes or issues.
- 14+: Over 14 years: Could contain themes where violence is one of the dominant elements of the storyline, but it must be integral to the development of plot or character. Language usage could be profane and nudity present within the context of the theme.
- 18+: Adults: Intended for viewers 18 years and older and might contain depictions of violence, which while related to the development of plot, character or themes, are intended for adult viewing. Could contain graphic language and portrayals of sex and nudity.

Canadian French Ratings

Example Ty Guidales Can. Finesh Ratings Can. Finesh Ratings The Can

Press ▲/▼ to adjust the item to your desired position.
"a" indicates the item is blocked. Press **MENU** to exit.

E: Exempt programming.

G: General: All ages and children, contains minimal direct violence, but may be integrated into the plot in a humorous or unrealistic manner.

8ans+: General but inadvisable for young children: May be viewed by a wide public audience, but could contain scenes disturbing to children under 8 who cannot distinguish between imaginary and real situations. Recommended for viewing with parent.

13ans+: Over 13 years: Could contain scenes of frequent violent scenes and therefore recommended for viewing with parent.

16ans+: Over 16 years: Could contain frequent violent scenes and Intense violence.

18ans+: Over 18 years: Only for adult viewing. Could contain frequent violent scenes and extreme violence.

■ How to temporarily release the V-CHIP BLOCK

When the V-CHIP BLOCK is working and censors a broadcast, "V-CHIP HAS BEEN ACTIVATED." displays.

- 1 Press ENTER while the V-CHIP is working, and then the secret number setting menu displays.
- 2 Input the 4-digit secret number by using 0-9. At this time V-CHIP BLOCK temporarily releases.

Reactivating the temporarily released V-CHIP BLOCK

You can reactivate the temporarily released V-CHIP BLOCK as shown below.

- Select "Status" setting from the Parental CTRL menu to reactivate BLOCK. (See page 22.)
- Select "V-Chip" setting ("MPAA", "TV Guidelines", "Can. English Ratings" or "Can. French Ratings") from the Parental CTRL to reactivate BLOCK. (See pages 22 and 23.)
- · Switch off the TV power.

 Performing any of the three above will activate the V-CHIP BLOCK.

Option Menu

Example





- 1 Press MENU to display the MENU screen, and then press ◀/▶ to select "Option".
- 2 Press ▲/▼ to select a specific adjustment item and then press ENTER.
- 3 Press ▲/▼ (or ◄/►) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit. Skip this step for "Audio Only".

Audio Only

When listening to music from a music program, you can turn the screen off and enjoy audio only.

On: Audio is output without screen image.

Off: Both screen images and audio are output.

Maria

 The screen image will return to normal when a button (except those for audio adjustment, such as VOL, MUTE, SURROUND, AUDIO) is pressed.

Game Play Time

This function displays the elapsed game time so you do not lose track of the time. To display the elapsed time, select "GAME" for the AV MODE before starting the game.

On: The elapsed time is displayed every 30 minutes when you switch to GAME mode in external input mode.
Off: No adjustment.

Operation Look Out

This function locks the operation buttons on the TV and the remote control.

Off: No adjustment.

RC Control Lock: All buttons on the remote control are

Button Control Lock: All buttons on the TV, except **POWER**, are locked.

OF RE

- To unlock the buttons on the remote control, press MENU on the TV, and then select "Off" on the MENU screen.
- To unlock the buttons on the TV, press MENU on the remote control, and then select "Off" on the MENU screen.

Input Select

If the image does not come in clearly from the external equipment connected to INPUT 1, you may need to change the input signal type setting from the list below:

Auto/COMPONENT/VIDEO

- If the selected signal type is incorrect, images are not. displayed at all or are displayed without any color.
- · Refer to your external equipment operation manual for the signal type.
- . If you set INPUT 1 to Auto, the TV will automatically select the input signal.
- · Setting INPUT 1 signal selection to "Auto" when other equipment is connected will result in the following connection priority.

INPUT 1:

- ① COMPONENT VIDEO
- (2) VIDEO HDMI Setup

To watch an HDMI or PC-IN equipment image, select "INPUT4" or "INPUT5" from "INPUT SOURCE" menu using INPUT on the remote control unit or on the TV. Auto View:

> Enable: To use View Mode based on signal recognition, including an HDMI signal.

Disable: No function.

Audio Select:

Digital: For an audio signal via the HDMI terminal. Analog: For an audio signal via the R-AUDIO -L terminal.

- Refer to your external equipment operation manual for the signal type.
- "Audio Select" is only available for INPUT 5.
- · When connecting an HDMI-DVI conversion adapter/cable to the HDMI terminal, the image may not come in clearly.

Ontput Select

Allows you to select what controls the audio output. Fixed: Sound via speaker is adjusted with VOL+/- on

> the remote control unit or VOL - / + on the TV. Sound via the ALIDIO OLITPLIT terminal is not adjustable and outputs at a consistent level.

Variable: Sound via the AUDIO OUTPUT terminal is adjusted with VOL +/ - on the remote control unit or VOL -/+ on the TV.

Sound via speaker is muted.

Color System

Select the video signal system compatible with your equipment from the list below:

Auto/NTSC/PAL-M/PAL-N

- "Color System" can only be set for the INPUT 1 VIDEO and
- . If you have already set the Secret No., input the 4-digit secret number here. See page 22 for setting a secret number

Cention Setup

This function allows you to adjust the closed caption screen appearance to suit your preference. You can adjust 7 Items: "Caption Size", "Font Style", "Foreground Color", "Foreground Opacity", "Background Color", "Background Opacity" and "Character Edge".

Example:

Selectable items available for "Font Style".

Default: The font specified by broadcasting station or default font.

Type 0: Proportional font used in the MENU screen.

Type 1: Monospaced with serifs.

Type 2: Proportionally spaced with serifs.

Type 3: Monospaced without serifs.

Type 4: Proportionally spaced without serifs.

Type 5: Casual font type.

Type 6: Cursive font type.

Type 7: Small capitals.

- For resetting adjustments to the factory preset values. press ▲/♥ to select "Reset", and then press ENTER.
- The default value depends on the broadcasting station.

District Carding of the (Digital Caption Information)

This function allows viewing of digital closed caption information for the digital broadcast program being viewed.

- This list is not displayed for analog broadcasts or external input audio/video.
- This information is not included in CC1, CC2, Text1, or Text2, and is not displayed in a list.

Program Title Display

Select the CH display when changing channels for digital broadcasting.

Yes: "Program Info." displays.

No: "Program Info." does not display.

Favorile CH Favorite Channel Setting)

This function allows you to program 4 favorite channels, in 4 different categories. By setting the favorite channels in advance, you can select your favorite channels easily.

To register your favorite channel:

Select "Register" and then press ENTER. Press ▲/▼/◄/ > to select the position in the category, and then press ENTER to register.

To delete your favorite channel:

Select "1 Data Clear" and then press ENTER, Press ▲/♥/◄/➤ to select the channel you want to delete, and then press ENTER. Select "Yes" and then press ENTER. To delete all the favorite channels, select "All Data Clear".

110113

 Before setting the channel, select the channel you want to register as a favorite channel.

Digital Setup

This setting allows you to optimize the settings of Digital broadcasting.

Example



- 1 Press MENU to display the MENU screen, and then press ◄/▶ to select "Digital Setup".
- 2 Press ▲/▼ to select a specific adjustment item, and then press ENTER.
- 3 Press ▲/▼ (or ◄/▶) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit.

Audio Setup

You can output digital audio to an AV amplifier or similar device whose DIGITAL AUDIO INPUT terminal is connected to the DIGITAL AUDIO OUTPUT terminal on the TV. Please select an audio output format compatible with the audio format of the program you are watching and the equipment connected.

- PCM: The optical output terminal outputs audio signal in PCM form. If your digital audio system does not support Dolby Digital, select "PCM".
- Dolby Digital: The optical output terminal outputs audio signal in Dolby Digital form. It reproduces sound from surround program of digital.

Identification

The current version of the TV software is displayed.


Software Update

This function allows software updates by inserting a USB memory device with the update file into the SERVICE terminal on the TV.

To check for the availability of a software update, visit www.sharpusa.com. If you have any questions, please call 1-800-BE-SHARP (800-237-4277).

27.163.7(a).1

- Do not remove the USB memory device or unplug the AC cord while the software is being updated.
 - Be sure to properly follow the whole procedure described below, step by step. Otherwise, for example, the TV cannot read the data in the USB memory device and software updating will fail.
 - Insert the USB memory device with the update file into the SERVICE terminal on the TV.



- 2 Press MENU to display the MENU screen, and then press ◄/▶ to select "Digital Setup".
- 3 Press ▲/▼ to select "Software Update", and then press ENTER.
 - . If you have already set the Secret No., go to step 4.



4 Input the 4-digit secret number by using 0-9.



5 Press ENTER to start checking the data in the USB memory device.



6 During the data checking, "Checking" blinks.



The current version of the TV software and the version
of the update file on the USB memory device are
displayed. To update the TV software with the update
file. select "Yes", and then press ENTER.

Example



- If the USB memory device is not properly installed or the correct update file cannot be found on the USB memory device, an error message is displayed.
- Check the file on the USB memory device, and then reinsert the USB memory device correctly.



There is more than one software file in the USB memory device.
Confirm that only the software update file is in the USB memory device.

CK

- 7 Press ENTER to start updating.
 - The screen becomes dark for a while until the update screen can be displayed. Please wait for the update screen to appear. Do not unplug the AC cord.





Example Now updating Do not unplug AC cord. Update Version U00000002

27,131

- Do not remove the USB memory device or unplug the AC cord while the software is being updated.
- 8 When the software is successfully updated, a screen is displayed indicating that the update process is completed.

After this screen is displayed, the TV automatically turns off and then turns on again.



 If the update has failed, check the file in the USB memory device and try Software Update again.



9 After the screen shown below is displayed, press ENTER.



10 Remove the USB memory device.

Appendix

Troubleshooting

| Problem | Possible Solution |
|--|--|
| No power | Check if you pressed POWER on the remote control unit. (See page 12.) If the indicator on the TV does not light up, press POWER on the TV. Is the AC cord disconnected? (See page 7.) Has the power been turned on? (See page 12.) |
| Unit cannot be operated. | External influences such as lightning, static electricity, may cause improper operation. In this case, operate the unit after first turning off the power of the TV or unplugging the AC cord and replugging it in after 1 or 2 minutes. |
| Remote control unit does not operate. | Are batteries inserted with polarity (+, -) aligned? (See page 8.) Are batteries worn out? (Replace with new batteries.) Are you using it under strong or fluorescent lighting? Is a fluorescent light illuminated near the remote control sensor? |
| Picture is cut off/with sidebar screen. | Is the image position correct? (See page 21.) Are screen mode adjustments such as picture size made correctly? (See page 16.) |
| Strange color, light color, or color misalignment | Adjust the picture tone. (See pages 18 and 19.) Is the room too bright? The picture may look dark in a room that is too bright. Check the input signal setting. (See page 21.) |
| Power is suddenly turned off. | Is the sleep timer set? (See page 13.) Check the power control settings. (See page 20.) The unit's internal temperature has increased. Remove any objects blocking vent or clean. |
| No picture | Is connection to other components correct? (See page 11.) Is correct input signal source selected after connection? (See page 25.) Is the correct input selected? (See page 25.) Is picture adjustment correct? (See pages 18 and 19.) Is "On" selected in "Audio Only"? (See page 24.) Is a non-compatible signal being input? (See page 30.) |
| No sound | Is the volume too low? (See page 13.) Is "Variable" selected in "Output Select"? (See page 25.) Have you pressed MUTE on the remote control unit? (See page 13.) |
| The TV sometimes makes a cracking sound. | This is not a malfunction. This happens when the cabinet slightly expands and contracts according to change in temperature. This does not affect the TV's performance. |

Troubleshooting-Digital Broadcasting

The error message about reception of broadcast

| The example of an error message displayed on a screen | | Possible Solution | |
|---|------|---|--|
| Failed to receive broadcast. | E202 | Check the antenna cable. Check that the antenna is correctly setup. | |
| No broadcast now. | E203 | Check the broadcast time in the program guide. | |

Cautions regarding use in high and low temperature environments

- When the unit is used in a low temperature space (e.g. room, office), the picture may leave trails or appear slightly delayed.
 This is not a malfunction, and the unit will recover when the temperature returns to normal.
- Do not leave the unit in a hot or cold location. Also, do not leave the unit in a location exposed to direct sunlight or near a heater, as this may cause the cabinet to deform and the Liquid Crystal panel to malfunction.
 Storage temperature: -4°F to +140°F (-20°C to +60°C)

Specifications

| ltem | | *************************************** | Model: LC-32SB24U | Model: LC-37SB24U | | |
|------------------------|-----------------|---|---|---|---|--|
| LCD panel | | | 32" screen size class Advanced Super View & BLACK TFT LCD (Diagonal Measurement : 31 1/2") (Diagonal Measurement : 37") | | | |
| Resolution | | | | 1,049,088 pixels (1,366 × 768) | | |
| | TV-sta | ndarc | (CCIR) | American TV Standard ATSC/NTSC Syste | m | |
| | | | VHF/UHF | VHF 2-13ch, UHF 14-69ch | | |
| | | | CATV | 1-135ch (non-scrambled channel only) | | |
| TV Function | Receiv Chann | | Digital Terrestrial Broadcast (8VSB) | 2-69ch | | |
| | | | Digital cable ¹ (64/256 QAM) | 1-135ch (non-scrambled channel only) | | |
| | Audio | multip | olex | BTSC System | | |
| Backlight | | | | 60,000 hours (at Backlight Standard positi | on) | |
| Audio out | | | | 10W × 2 | | |
| | | INPL | Л 1 | AV in, COMPONENT in | | |
| | | INPUT 2 | | AV in, S-VIDEO in | | |
| | | INPUT 3 INPUT 4 | | COMPONENT In | | |
| | | | | HDMI in with HDCP | | |
| Terminals | Rear | INPL | JT 5 | Audio in, HDMI in with HDCP | | |
| reminas | neai | INPL | JT 6 | 15-pin mini D-sub female connector, Audio in (Ø 3.5 mm jack) | | |
| | | ANT. | /CABLE | 75 Ω Unbalance, F Type $	imes$ 1 for Analog (VHF/UHF/CATV) and Digital (AIR/CA | | |
| | | DIGITAL AUDIO OUTPUT | | Optical Digital audio output × 1 (PCM/Dolby Digital) | | |
| | | OUT | PUT | Audio out | | |
| | | SER | VICE | Software update | | |
| OSD langua | age | | | English/French/Spanish | | |
| Power Requ | uiremer | rt | | AC 120 V, 60 Hz | | |
| Power Cons | sumptic | n | | 135 W (0.3 W Standby with AC 120V) | 165 W (0.3 W Standby with AC 120V) | |
| Weiaht | | TV + stand | | 29.8 lbs./13.5 kg | 35.3 lbs./16.0 kg | |
| vveignt | | TV o | nly | 25.4 lbs./11.5 kg | 30.9 lbs./14.0 kg | |
| Dimension ² | | TV + | stand | $30^{9}/_{16} \times 22^{41}/_{64} \times 9^{1}/_{16}$ inch | $35^{19}/_{32} \times 25^{9}/_{32} \times 9^{1}/_{16}$ inch | |
| $(W \times H \times$ | D) | TV o | nly | $30^{9}\!/_{16} 	imes 20^{19}\!/_{32} 	imes 3^{46}\!/_{64}$ inch | 35 ¹⁹ / ₃₂ × 23 ¹ / ₃₂ × 3 ³ / ₄ inch | |
| Operating temperature | | | ÷ 32°F to ÷ 104°F (0°C to ÷ 40°C) | | | |

¹ Emergency alert messages via Cable are unreceivable.

Optional Accessory

The listed optional accessory is available for the Liquid Crystal Television. Please purchase it at your nearest shop.

 Additional optional accessories may be available in the near future. When purchasing, please read the newest catalogue for compatibility and check the availability.

| Part name | Model number |
|--------------------|--------------|
| Wall mount bracket | AN-37AG5 |

The dimensional drawings are shown on the Spanish operation manual.

As part of policy of continuous improvement, SHARP reserves the right to make design and specification changes for product improvement without prior notice. The performance specification figures indicated are nominal values of production units.
 There may be some deviations from these values in individual units.

PC Compatibility Chart

It is necessary to set the PC correctly to display XGA and WXGA signal. Refer to page 21 to set PC input signals.

| PC | Resolution | | Horizontal Frequency | Vertical Frequency | VESA Standard | |
|---------|----------------|-----------|----------------------|--------------------|---------------|----|
| | | 720 x 400 | 31.5 kHz | 70 Hz | | k |
| | 1/04 | | 31.5 kHz | 60 Hz | 0 | |
| | VGA | 640 x 480 | 37.9 kHz | 72 Hz | 0 | l |
| | | | 37.5 kHz | 75 Hz | 0 | 1 |
| PC SVGA | 800 x 600 | 35.1 kHz | 56 Hz | 0 | k | |
| | | 37.9 kHz | 60 Hz | 0 | l | |
| | | 48.1 kHz | 72 Hz | 0 | l | |
| | | | 46.9 kHz | 75 Hz | 0 | ۸. |
| | | | 48.4 kHz | 60 Hz | 0 | l |
| XGA | XGA 1024 x 768 | 56.5 kHz | 70 Hz | 0 | l | |
| | | | 60.0 kHz | 75 Hz | 0 | l |
| WXGA | 1360 x 768 | 47.7 kHz | 60 Hz | 0 | l | |

^{*}These 3 formats are not supported by the analog RGB terminal.

DDC is a registered trademark of Video Electronics Standards Association.

Power Management is a registered trademark of Sun Microsystems, Inc.

VGA and XGA are registered trademarks of International Business Machines Corp.

Information on the Software License for This Product

Software composition

The software included in this product is comprised of various software components whose individual copyrights are held by SHARP or by third parties.

Software developed by SHARP and open source software

The copyrights for the software components and various relevant documents included with this product that were developed or written by SHARP are owned by SHARP and are protected by the Copyright Act, international treaties, and other relevant laws. This product also makes use of freely distributed software and software components whose copyrights are held by third parties. These include software components covered by a GNU General Public License (hereafter LGPL) or other license agreement.

Obtaining source code

Some of the open source software licensors require the distributor to provide the source code with the executable software components. GPL and LGPL include similar requirements. For information on obtaining the source code for the open source software and for obtaining the GPL, LGPL, and other license agreement information, visit the following website:

http://www.sharpusa.com/gpl

We are unable to answer any questions about the source code for the open source software. The source code for the software components whose copyrights are held by SHARP is not distributed.

Macknowledgements

The following open source software components are included in this product:

linux kemel/busybox/uClibc/zlib/libpng/libjpeg

CLEARING THE SECRET NUMBER

If you forget the secret number, clear the secret number using the following procedure.

- 1 Press MENU to display the MENU screen, and then press
 √> to select "Setup".
- 2 Press ▲/▼ to select "EZ Setup", "CH Setup", "Parental CTRL", "Reset", "Color System" or "Software Update", and the Secret number input screen displays.
- 3 Press and hold both CH and VOL + on the TV simultaneously until the message appears on the screen.

The secret number is

As a precautionary measure, make a note of your secret number above, cut it from this manual, and keep it in a safe place.

Calling for Service

For location of the nearest Sharp Authorized Service, or to obtain product literature, accessories, supplies, or customer assistance, please call 1-800-BE-SHARP.

LIMITED WARRANTY

CONSUMER LIMITED WARRANTY

SHARP ELECTRONICS CORPORATION warrants to the first consumer purchaser that this Sharp brand Liquid Crystal Display product (the "Product"), when shipped in its original container, will be free from defective workman his hand materials, and agrees that it will, at its option, either repair the defect or replace the defective Product or part thereof with a new or remanufactured equivalent at no charge to the purchaser for parts or labor for the period(s) set forth below.

This warranty does not apply to any appearance items of the Product or if the serial number or model number affixed to the Product has been removed, defaced, changed, altered or tampered with. This warranty does not cover installation or signal reception problems. This limited warranty will not apply if the Product has been or is being used in a commercial setting or application; this warranty is meant solely for the non-commercial, household use of the Product by consumers in their home or residence. If you intend to or already use this Product for commercial purposes or in a commercial setting, there are warranties available to cover your use of this Product, the terms of which may var, Please contact 1-888-Q-O-SHARP for further information.

In order to enforce your rights under this limited warranty, you should follow the steps set forth below. You must be able to provide proof of purchase to the servicer, which proof must include the date of purchase.

To the extent permitted by applicable state law, the warranties set forth are in lieu of, and exclusive of, all other warranties, express or implied. Specifically ALL OTHER WARRANTIES OTHER THAN THOSE SET FORTH ABOVE ARE EXCLUDED, ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR USE, AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. I. F. UNDER APPLICABLE STATE LAW, IMPLIED WARRANTIES MAY NOT VALIDLY BE DISCLAIMED OR EXCLUDED, THE DURATION OF SUCH IMPLIED WARRANTIES I LIMITED TO THE PERIODISD FROM THE DATE OF PURCHASE SET FORTH BELOW. THIS WARRANTLY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

The warranties given herein shall be the sole and exclusive warranties granted by Sharp and shall be the sole and exclusive remedy available to the purchaser and only for the time periods set forth herein. No other representations or promises made by anyone are permitted. Correction of defects, in the manner and for the period of time described herein, shall constitute complete fulfillment of all liabilities and responsibilities of Sharp to the purchaser with respect to the Product, and shall constitute full satisfaction of all claims, whether based on contract, negligence, strict liability or otherwise. Sharp does not warrant nor shall Sharp be liable, or in any way responsible, for Products which have been subject to abuse (including, but not limited to, improprotage), accident, misuse, negligence, lack of reasonable care, alteration, modification, tampering, misuse, improper operation or maintenance or any damages or defects in the Product which were caused by repairs or attempted repairs performed by anyone other than a Sharp authorized servicer. Nor shall Sharp

be liable or in any way responsible for any incidental or consequential economic or property damage. Some states do not allow limits on warranties or on remedies for breach in certain transactions; in such states, the limits herein may not apply.

THIS LIMITED WARRANTY IS VALID ONLY IN THE FIFTY (50) UNITED STATES, THE DISTRICT OF COLUMBIA AND PUERTO RICO.

Model Specific Section

Your Product Model Number & Description: LC-32SB248

LC-32SB24U/LC-37SB24U LCD Color Television

(Be sure to have this information available when you need service for your Product.)

Product.)

Warranty Period for this Product: One (1) year parts, 90 days labor from the date of purchase.

Additional Exclusions from Warranty Coverage (if any): In order for the Product to be serviced, the Product must be readily available to the servicer, free and clear of any complex or non-standard installation, mounting or other encumbrance which would unreasonably interfere with servicing the Product. The Servicer will remount the Product after service, provided that such remounting is not into a complex or non-standard installation. Any additional labor and materials required to remove and/or reinstall a Product above and beyond the foregoing are not covered by this warranty, may result in additional charges and are the responsibility of the consumer. Image Retention resulting from a fixed image being displayed for long periods of time is not covered by this Limited Warranty (see Operation Manual on how to prevent this).

Where to Obtain Service:

From a Sharp Authorized Servicer located in the United States. To find the location of the nearest Sharp Authorized Servicer, please call Sharp toll free at 1-800-DE-SHARP.

What to do to Obtain Service: LC-37SB24U

Contact your Sharp Authorized Servicer to obtain in home service for this product. The Servicer will come to your location and if necessary remove the unit for repair at the Servicer's facility and return the set to you once completed. Be sure to have Proof of Purchase available.

completed. Be sure to have Proof of Purchase available.

I.C.-92SB24U Ship prepaid or carry in your Product to a Sharp Authorize

Ship prepaid or carry in your Product to a Sharp Authorized Servicer. Be sure to have proof of purchase available. If you ship the Product, be sure it is insured and packaged securely. Please use two persons to carry the Product, transport it in its original packaging, and ensure that the Product is covered to avoid scratches and damage. Sharp shall not be responsible for lost, stolen or misdirected mail or for damage to the product incurred during

TO OBTAIN PRODUCT INFORMATION OR PURCHASE ACCESSORIES AND EXTENDED WARRANTIES, CALL 1-800-BE-SHARP OR VISIT www.sharpusa.com



SHARP ELECTRONICS CORPORATION

Sharp Plaza, Mahwah, New Jersey 07430-2135

SHARP CORPORATION

SHARP

LIMITED WARRANTY

Consumer Electronics Products

Congratulations on your purchase!

Sharp Electronics of Canada Ltd. (hereinafter called "Sharp") gives the following express warranty to the first consumer purchaser for this Sharp brand product, when shipped in its original container and sold or distributed in Canada by Sharp or by an Authorized Sharp Dealer.

Sharp warrants that this product is free, under normal use and maintenance, from any defects in material and workmanship. If any such defects should be found in this product within the applicable warranty period, Sharp shall, at its option, repair or replace the product as specified herein.

This warranty shall not apply to:

- (a) Any defects caused or repairs required as a result of abusive operation, negligence, accident, improper installation or inappropriate use as outlined in the owner's manual.
- (b) Any Sharp product tampered with, modified, adjusted or repaired by any party other than Sharp, Sharp's Authorized Service Centres or Sharp's Authorized Servicing Dealers.
- (c) Damage caused or repairs required as a result of the use with items not specified or approved by Sharp, including but not limited to head cleaning tapes and chemical cleaning agents.
- (d) Any replacement of accessories, glassware, consumable or peripheral items required through normal use of the product including but not limited to earphones, remote controls, AC adapters, batteries, temperature probe, stylus, trays, filters, belts, ribbons, cables and paper.
- (e) Any cosmetic damage to the surface or exterior that has been defaced or caused by normal wear and tear.
- (f) Any damage caused by external or environmental conditions, including but not limited to transmission line/power line voltage or liquid spillage.
- (g) Any product received without appropriate model, serial number and CSA/cUL markings.
- (h) Any products used for rental or commercial purposes.
- (i) Any installation, setup and/or programming charges.

Should this Sharp product fall to operate during the warranty period, warranty service may be obtained upon delivery of the Sharp product together with proof of purchase and a copy of this LIMITED WARRANTY statement to an Authorized Sharp Service Centre or an Authorized Sharp Servicing Dealer. In home warranty service may be provided at Sharp's discretion on any Sharp television with the screen size of 27" or larger and on any Sharp Over-the-Range Microwave Oven.

This warranty constitutes the entire express warranty granted by Sharp and no other dealer, service centre or their agent or employee is authorized to extend, enlarge or transfer this warranty on behalf of Sharp. To the extent the law permits, Sharp disclaims any and all liability for direct or indirect damages or losses or for any incidental, special or consequential damages or loss of profits resulting from a defect in material or workmanship relating to the product, including damages for the loss of time or use of this Sharp product or the loss of information. The purchaser will be responsible for any removal, reinstallation, transportation and incarace costs incurred. Correction of defects, in the manner and period of time described herein, constitute complete fulfillment of all obligations and responsibilities of Sharp to the purchaser with respect to the product and shall constitute full satisfaction of all claims, whether based on contract, negligence, strict liability or otherwise.

WARRANTY PERIODS:

Audio Product Camcorder DVD Product Projector LCD TV Microwave Oven

year
 year (lamp 90 days)
 year
 year
 year
 year
 year

1 vear

1 year

Parts & Labour (exceptions noted)

Microwave Syeri (iii Air Purifier 1 year Portable Air Conditioner 1 year

To obtain the name and address of the nearest Authorized Sharp Service Centre or Dealer, please contact: SHARP ELECTRONICS OF CANADA LTD, 335 Britannia Road East, Mississaura, Ontario L4Z 1W9

For more information on this Warranty, Sharp Extended Warranty Offers, Sharp Canada Products, Accessory Sales, Dealer or Service Locations, please call (905) 568-7140
Visit our Web site: www.sharp.ca

SHARP

SERVICE

Revision 12/16/05