




Workbench



Please indicate the following information from the service part drawing provided.

Model Number: _____

Model Description: _____

*Product you purchased may vary from picture shown.

Caution: Read and follow all Safety Rules and Operating Instructions before first use of this product. Retain this document for future reference.

Distributed by Sears Brands Management Corporation, Hoffman Estates, IL 60179



SAFETY WARNINGS AND CAUTIONS:

- Use appropriate safety equipment when using power and hand tools. Failure to do so may cause personal injury or product damage.
- Use adequate manpower when assembling and moving this unit. Failure to do so may cause personal injury or product damage.
- **DO NOT** stand on this product. You may fall which may cause personal injury.
- **DO NOT** mount this product on a truck bed or any other moving object. This may cause personal injury or product damage.
- Appropriately secure this product before moving it with a forklift.
- **DO NOT** alter this product in any manner. For example, do not weld external lockbars or attach electrical equipment. This may cause product damage or personal injury.
- Keep the product on level surfaces. The product may become unstable and tip if stored or moved on an un-level surface, which may cause personal injury or product damage.
- **DO NOT** step in the drawers. You may fall which may cause personal injury.
- Maximum combined weight limit not to exceed 500 pounds. If the limit is exceeded, the product could collapse and cause personal injury or product damage.

Tools Required:

- Socket wrench
- 1/2" Socket
- 1/2" Wrench
- Crosstip Screwdriver
- Square
- Tape measure

Hardware Included



Call 1-800-4MY-HOME (1-800-469-4663) for Service Parts.
 Refer to Service Parts Drawing for full listing of Service Parts.


ASSEMBLY

STEP (1):




BB(6)


- While unpacking unit, if you wish, you can leave the workbench top inside the original packaging to prevent the top from being scratched, and complete the assembly steps.
- Determine the front and back of the top before starting. The back of the top (A) has the 6 holes closest to the edge.
- Assemble (1) leg section (D or E) in each side of the top (A) using (3) screws (BB) in each. The back side of the legs have holes in them, the fronts do not have any holes.



STEP (2):




AA (8)




BB(12)

- Attach the front and back rails (B) to the legs using (8) bolts (AA).
- Finger tighten.
- Attach to the workbench top using (12) screws (BB).




STEP (3):




AA(12)

- Attach a angle brace (G) to each side of the legs using (3) bolts (AA) on each.
- Finger tighten.




STEP (4):



AA(4)

- Attach the last rail to the back of the legs using (4) bolts (AA).
- Finger tighten.




- Square the unit and wrench tighten all fasteners.

STEP (5):




- Assemble (2)(CC) in each of the leg assemblies (D & E). Some adjustment may be necessary after workbench is in desired location.
- Finger tighten.



STEP (6):


- Place the workbench in its upright position.
- Measure from the right leg 5".
- Attach the CRAFTSMAN nameplate (F) on the front rail in this location. Centering the nameplate horizontally on the rail.



OPERATION

Leveling Foot Adjustment

- Adjust leveling foot to desired position with 1/2 open end wrench as shown.
- Move the lock nut to the desired position. The weight of the unit will keep it in place.



MAINTENANCE

- Periodically the surfaces should be cleaned with a mild detergent and water.
- Periodically check the fasteners to be sure they have not loosened. If they have, re-tighten.
- Grease and oil can be removed with most standard cleaning fluids. For safety, use a nonflammable cleaning fluid.
- Auto wax will preserve the unit's luster finish. Apply the wax as to a car. The wax will also help protect the unit against scratches.