TOSHIBA Leading Innovation >>>

Integrated High Definition LED Television User's Guide:

32L4300U / 39L4300U / 50L4300U 50L7300U / 58L7300U / 65L7300U

If you need assistance:

Toshiba's Support Web site support.toshiba.com

For more information, see "Troubleshooting" on page 160 in this guide.

Owner's Record

The model number and serial number are on the back and side of your television.

Record these numbers, whenever you communicate with your Toshiba dealer about this Television.

Model name:

_		
Serial number:		

Register your Toshiba Television at register.toshiba.com

Note: To display a High Definition picture, the TV must be receiving a High Definition signal (such as an overthe-air High Definition TV broadcast, a High Definition digital cable program, or a High Definition digital satellite program). For details, contact your TV antenna installer, cable provider, or satellite provider

Chapter 7

Picture and Sound Controls

Selecting the picture size

You can view many program formats in several picture sizes— Native, 4:3, Full, TheaterWide 1, TheaterWide 2, TheaterWide 3, Normal, and Dot by Dot.

NOTE

- ❖ The picture size illustrations are examples only. The format of the image (in any of the picture sizes) depends on the format of the signal you are currently watching. Select the picture size that displays the current program in the way that looks best to you.
- Using these functions to change the picture size (i.e., changing the height/width ratio) for any purpose other than your private viewing may be prohibited under the Copyright Laws of the United States and other countries, and may subject you to civil and criminal liability.
- Some picture sizes may not be available depending on the format of the signal being received.
- ❖ If you select a TheaterWide[®] picture size, the top and bottom edges of the picture (including subtitles or captions) may be hidden. To view these edges, adjust the Picture Position or try viewing the program in 4:3 or Full, see "Scrolling the picture" on page 95.

You can save separate picture size preferences for each input on your TV.

To select the picture size using the Quick menu:

- 1 Press the **QUICK** button to open the Quick menu.
- 2 Select **Picture Size**, and then press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select the Picture Size, and then press the **OK** button.


To select the picture size using the remote control:

- Press the PIC SIZE button.
- While the Picture Size screen is open, repeatedly press the PIC SIZE button.

Native Mode™

This applies pixel-for-pixel image reproductions of Full HD content and eliminating overscanning; you see all of the original picture within the screen and eliminate scaling artifacts for a more accurate image.

These settings are for viewing in 480i ($HDMI^{\text{TM}}$), 480p ($HDMI^{\text{TM}}$), 720p, 1080i, and 1080p signal programs.




(Sample Illustration) Picture size - Native

- If receiving a 1080i, 1080p, 720p, 480i (HDMI[™]), or 480p (HDMI[™]) signal program, the video is scaled to display the entire picture within the borders of the screen (i.e. no overscanning).
- This is especially useful for external HD sources such as DVHS movies, video games, or computer graphics.
- None of the picture is hidden.

NOTE

- This mode is supported only for HDMI[™] (1080i, 1080p, 720p, 480i, and 480p), ColorStream[®] (1080i and 720p), and ANT/CABLE (digital) inputs (1080i, 1080p, and 720p).
- Depending on the input signal, the picture's border may be hidden, displayed in black, or noisy.

4:3




(Sample Illustration) Picture size - 4:3

Some program formats will display with sidebars and/or bars at the top and bottom.

Full


This setting is for viewing in the 16:9 (480i, 480p) source programs only.



(Sample Illustration) Picture size - Full 16:9

If receiving a squeezed 4:3 format program, the picture is stretched horizontally to fill the width of the screen but not stretched vertically.

This setting is for viewing in the 1080i, 1080p, and 720p program source.




(Sample Illustration) Picture size - Full

The edges of the picture may be hidden.

TheaterWide1

This setting is for viewing in 4:3 format programs.




(Sample Illustration) Picture size - TheaterWide1

The center of the picture remains close to its original proportions, but the left and right edges are stretched horizontally to fill the screen.

TheaterWide2

This setting is for viewing letter box programs.




(Sample Illustration) Picture size - TheaterWide2, letter box

The picture's top and bottom edges may be hidden*.

TheaterWide3

This setting is for viewing letter box programs with subtitles.




(Sample Illustration) Picture size - TheaterWide3, letter box with subtitles

The picture's top and bottom edges are hidden*.

Normal

This setting is for viewing SVGA, XGA, WXGA, and SXGA sources.




(Sample Illustration) Picture size - Normal

This size is a non-stretched display. Some input signal formats will display with sidebars and/or bars at the top and bottom.

Dot by Dot

This setting is for viewing SVGA, XGA, WXGA, and SXGA sources.



(Sample Illustration) Picture size - Dot by Dot

- "Dot by Dot" is a non-scaling display. Depending on the input signal format, the picture appears with sidebars and/or bars at the top and bottom, for example, SVGA input source.
- * To view the hidden areas (such as subtitles or captions), see "Scrolling the picture" on page 95.

Scrolling the picture

If the edges of the picture are hidden, you can adjust the image's position.

NOTE

- ❖ You can adjust the picture position when the picture size is set to TheaterWide2 or TheaterWide3.
- When viewing Cloud TV, MediaShare, or Internet content this feature is not available.
- Press the SETUP button.
- 2 Select Picture > Display Settings > Picture Position and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select **Vertical Position** and press the **OK** button.
- 4 Press the **◄/►** (arrow) buttons to make the appropriate adjustments. The adjustment range is from -5 to +10.

Using the Auto Aspect feature

When this feature is set to On, the TV will automatically select the picture size when one of the following input sources is received:

- ♦ 480i, 480p, 720p, 1080i digital signal from the ANT/CABLE input
- 480i, 480p, 720p, 1080i, 1080p, or VGA (60/72/75 Hz) signal from the HDMI[™] 1/2/3/4 input

NOTE The auto aspect ratio feature is not applicable to the PC input.

- 1 Press the **SETUP** button.
- 2 Select Picture > Display Settings > Auto Aspect and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On**.
- 4 Press the **EXIT** button.

Using the 4:3 Stretch

When 4:3 Stretch is activated, the TV displays 4:3 programs as a full-screen picture.

NOTE This feature is available when Auto Aspect is set to On.

- 1 Press the **SETUP** button.
- 2 Select Picture > Display Settings > 4:3 Stretch and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On**.
- 4 Press the **EXIT** button.

Adjusting the picture

Selecting the picture mode

You can select your desired picture settings from the modes described below.

Mode:	Description:
AutoView [®]	Automatically adjusts multiple picture settings including Brightness, Contrast, Gamma, and Sharpness based on ambient room light conditions and incoming picture content to create the best possible picture settings without any manual adjustment.
Dynamic	Maximizes Contrast, Color Saturation, Sharpness, Gray Scale and Brightness to create more vivid and dynamic images
Standard	Standard picture settings
Movie	Lower contrast for a darkened room
Game	Optimized for playing video games by displaying the images in their purest form (4:4:4) without the loss of color information. The result is superior image quality and shorter signal to screen time for a faster gaming experience.
PC	Optimized for viewing your personal computer

NOTE

- ◆ PC mode is available for HDMI[™] and PC inputs only (not displayed for other input sources).
- ❖ Game mode is not available in ANT/CABLE input.
- Press the SETUP button.
- 2 Select **Picture > Picture Mode** and press the **OK** button.
- 3 Press the \triangle/∇ (arrow) buttons to select a mode.
- 4 Press the **EXIT** button.

NOTE

The picture mode you select affects the current input only. You can select a different picture mode for each input.

Adjusting the picture quality

The adjustments you make to picture quality under a picture mode are saved to that picture mode.

Selection	Press (◀)	Press (>)
Backlight*	Darker	Lighter
Contrast	Lower	Higher
Brightness	Darker	Lighter
Color	Paler	Deeper
Tint	Reddish	Greenish
Sharpness	Softer	Sharper

^{*}Backlight: Adjusts the brightness of the entire screen. When in video mode and no signal is input, this selection is set to 0. (Settings are stored in memory.)

NOTE

Some settings cannot be adjusted when the picture mode is set to **AutoView**.

To adjust the picture quality:

- 1 Press the **SETUP** button.
- 2 Select **Picture** and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select the setting you would like to adjust (Backlight, Contrast, Brightness, Color, Tint, or Sharpness).
- 4 Press the ▶ (arrow) button.
- 5 Press the $\blacktriangleleft/\triangleright$ (arrow) buttons to adjust the setting.
- 6 Press the **EXIT** button.

NOTE

- Any picture settings that you adjust affect the current input only. You can adjust the picture quality separately for each input.
- Depending on a Sharpness value, the Edge Enhancer effect may be reduced.

To reset to the factory defaults:

- 1 Press the **SETUP** button.
- 2 Select Picture > Reset.
- 3 Press the **OK** button.A confirmation screen appears.
- 4 Press the **◄/▶** (arrow) buttons to select **Yes**, and then press the **OK** button.

Using the advanced picture settings features

NOTE

Some of the Advanced Picture Settings features will not be available for adjustment when the Picture Mode is set to AutoView.

Edge Enhancer

If the **Edge Enhancer** set to **On**, the clarity levels can be adjusted automatically.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Edge Enhancer and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On**.
- 4 Press the **EXIT** button.

NOTE

- If the picture mode is set to AutoView, Edge Enhancer is not available.
- This feature may not work properly depending on the content.
- Noise may appear on the image depending on the device connected to the TV (e.g. a device with a specific enhancer function).

Dynamic Contrast

Dynamic Contrast detects changes in picture quality that affect the appearance of your contrast settings and then automatically adjusts the video.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Dynamic Contrast and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select High, Middle, Low, or Off.
- 4 Press the **EXIT** button.

DynaLight®

The DynaLight® dynamic backlight control monitors the brightness of each video frame and automatically adjusts backlight intensity based on the content to create higher dynamic contrast, for deeper blacks and increased depth.

- Press the SETUP button.
- 2 Select Picture > Advanced Picture Settings > DynaLight and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.
- 4 Press the **EXIT** button.

ClearScan®

ClearScan® 120Hz technology utilizes advanced backlight control with image synchronization to double the television refresh rate for clearer fast motion video. This technology is ideal for watching action movies, sports and video games. (For L4300U series)

ClearScan® 240Hz uses both frame interpolation technology and advanced backlight control with image synchronization to quadruple the TV refresh rate for an even clearer fast motion video. (For L7300U series)

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > ClearScan and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select Cinema, Smooth, Standard, or Off.
- 4 Press the **EXIT** button.

NOTE If the picture mode is set to **Game** or **PC** mode, this feature is automatically not available.

Cinema Mode (L4300U Series)

This feature provides smoother motion and a crisper image.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Cinema Mode and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.
- 4 Press the EXIT button.

NOTE

If the picture mode is set to **Game** or **PC** mode, this feature is automatically set and is not available.

MPEG NR

The MPEG noise reduction feature allows you to reduce visible interference caused by MPEG compression.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Noise Reduction and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select MPEG NR and press OK.
- 4 Press the ▲/▼ (arrow) buttons to select Low, Middle, High, or Off.
- 5 Press the **EXIT** button.

NOTE

If the picture mode is set to **Game** or **PC**, this feature is not available.

UltraClear DNR

DNR is a Dynamic Noise Reduction technology that filters out video noise without decreasing picture sharpness for clean, crystal-clear images.

- Press the SETUP button.
- 2 Select Picture > Advanced Picture Settings > Noise Reduction and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select **DNR** and press the **OK** button
- 4 Press the ▲/▼ (arrow) buttons to select Low, Middle, High, Auto, or Off.
- 5 Press the **EXIT** button.

NOTE

The differences may not always be noticeable. For the best results, use lower settings, as picture quality may be greatly reduced if the setting is too high.

If the picture mode is set to **Game** or **PC**, this feature is not available.

Ambient Light Sensor

When the ambient light function of Ambient Light Sensor is set to **On**, the TV optimizes the backlighting levels to suit ambient light conditions.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Auto Brightness Sensor and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.
- 4 Press the **EXIT** button.

NOTE When the picture mode is set to **AutoView**®, this feature is automatically set to On.

ColorMaster™

The ColorMasterTM feature allows you to adjust standard colors.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > ColorMaster and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.
- 4 Press the **EXIT** button.

Base Color Adjustment

When ColorMasterTM is set to \mathbf{On} , the list of base colors appears.

You can select a base color to adjust.

- 1 Press the **SETUP** button.
- 2 Select Picture > Advanced Picture Settings > Base Color Adjustment.
- 3 Press the **OK** button. The Base Color Adjustment screen appears.
- 4 Press the ▲/▼ (arrow) buttons to select a color. Press ► (arrow) button.
- 5 Press the **◄/▶** (arrow) buttons to select **Hue**, **Saturation**, or **Brightness**.
- 6 Press the \triangle/∇ (arrow) buttons to adjust the setting.
- 7 Repeat Steps 4 through 6 to adjust other colors. To reset the adjustments to the factory defaults, select **Reset** on the screen, and then press the **OK** button. (A confirmation screen appears. Press ◀/ ▶ (arrow) buttons to select **Yes**, and then press the **OK** button.)

Color temperature

- Press the SETUP button.
- 2 Select Picture > Advanced Picture Settings > Color Temperature and press the OK button.
- Select Color Temperature and press the OK button. Press the ▲/
 ▼ (arrow) buttons to select Cool, Medium, or Warm.
- 4 Press the **OK** button.
- 5 Press the ▲/▼ (arrow) buttons to select the Red Level, Green Level, or Blue Level.
- 6 Press the ▶ (arrow) button.
- 7 Press the **◄/▶** (arrow) buttons to adjust the color level. The adjustment range is -10 (less of selected color) to +10 (more of selected color).
- 8 Press the **EXIT** button.

NOTE This feature is not available in Standard and Movie mode.

Resetting advanced picture settings to the factory default

- Press the SETUP button.
- 2 Select Picture > Advanced Picture Settings > Reset.
- 3 Press the **OK** button.A confirmation screen appears.
- 4 Select **Yes**, and then press the **OK** button.

Setting the expert picture settings

NOTE This feature is only available in Standard and Movie mode.

Test Pattern

When the test pattern is on screen, you can navigate the Picture submenus without removing the image. When you move to a non-Picture menu, or close the menus, regular video will be restored.

- Press the SETUP button.
- 2 Select Picture > Expert Picture Settings > Test Pattern and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On**.
- 4 Adjust picture settings.

RGB Filter

This feature individually enables or disables the red, green, and blue components of the picture to allow for more accurate adjustment of each color.

- 1 Press the **SETUP** button.
- 2 Select Picture > Expert Picture Settings > RGB Filter and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select Red, Green, or Blue to adjust.
- 4 Press the ► (arrow) button.
- 5 Press the ▲/▼ (arrow) buttons to select On, and then press the OK button.
- 6 Press the ▼ (arrow) button to select Color or Tint, press ◄/► (arrow) button to adjust.
- 7 Press the **EXIT** button.

NOTE

It is not possible to turn off all three colors simultaneously.

White Balance

Window Display

This feature displays the Window Pattern to adjust the white balance.

- 1 Press the **SETUP** button.
- 2 Select Picture > Expert Picture Settings > White Balance and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select **Window Display** and press the **OK** button.
- 4 Press the \triangle/∇ (arrow) buttons to select **On**.
- 5 Adjust the picture settings.

Setting Type

You can adjust the white balance setting.

2P White Balance:

- 1 Press the **SETUP** button.
- 2 Select Picture > Expert Picture Settings > White Balance > Setting Type and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **2P** and the press the **OK** button.

- 4 Press the ▲/▼ (arrow) buttons to select **2P White Balance** and press the **OK** button.
- 5 Press the ▲/▼ (arrow) buttons to select Red-Offset, Green-Offset, Blue-Offset, Red-Gain, Green-Gain, or Blue-Gain.
- 6 Press the ▶ (arrow) button.
- 7 Press the \triangleleft / \triangleright (arrow) buttons to adjust.

10P White Balance:

- 1 Press the **SETUP** button.
- 2 Select Picture > Expert Picture Settings > White Balance > Setting Type and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select 10P and the press the OK button.
- 4 Press the ▲/▼ (arrow) buttons to select 10P White Balance and press the OK button.
- 5 Press the ▲/▼ (arrow) buttons to select IRE, Red, Green, or Blue.
- 6 Press the ▶ (arrow) button.
- 7 Press the \triangleleft / \triangleright (arrow) buttons to adjust.

Adjusting the audio

Muting the sound

Press the **MUTE** button to partially reduce (1/2 Mute) or turn off (Mute) the sound. Each time you press the **MUTE** button, the mute mode changes in the following order: 1/2 Mute, Mute, Volume, 1/2 Mute, etc.

NOTE

If you modify items in the **Sound** menu while Mute is active, Mute is cancelled.

Selecting stereo/SAP broadcasts

The MTS (multi-channel TV sound) feature is only available for analog signals on the ANT/CABLE input. When the TV receives a stereo or SAP (second audio program) broadcast, the icon STEREO or SAP appears on screen when the **INFO** button is pressed.

To listen in stereo sound:

- 1 Press the **SETUP** button.
- 2 Select Sound > MTS and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **Stereo**.
- 4 Press the **EXIT** button.

NOTE

- You can typically leave the TV in Stereo mode because it outputs the type of sound being broadcast (stereo or monaural).
- If the sound is noisy, select Mono.
- If there is no sound in SAP mode, select Stereo.

Adjusting the audio balance

You can adjust the audio balance.

- 1 Press the **SETUP** button.
- 2 Select Sound > Balance and press the **OK** button.
- 3 Press the $\triangleleft/\triangleright$ (arrow) buttons to adjust the balance.
- 4 Press the **EXIT** button.

Adjusting the range

You can adjust bass and treble.

- 1 Press the **SETUP** button.
- 2 Select Sound > Bass or Treble.
- 3 Press the **OK** button.
- 4 Press the **◄/►** (arrow) buttons to adjust the range.
- 5 Press the **EXIT** button.

TV Speakers On/Off

This feature allows you to turn the TV speakers off when connecting the audio system.

- Press the SETUP button.
- 2 Select Sound > TV Speakers and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.

To turn on the built-in speakers:

1 Choose **On** in step 3 above.

Setting the Primary Audio Language

You can set the Primary Audio Language of the digital broadcast.

- 1 Press the **SETUP** button.
- 2 Select Sound > Primary Audio Language and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select English, Français, or Español.
- 4 Press the **EXIT** button.

Selecting the optical audio output format

You can select the optical audio output format when you connect a Dolby[®] Digital decoder or other digital audio systems to the TV's DIGITAL AUDIO OUT terminal.

Audio Format

- 1 Press the **SETUP** button.
- 2 Select Sound > Digital Audio Output > Audio Format and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **Auto** or **PCM**.
- 4 Press the **EXIT** button.

Audio Delay

- Press the SETUP button.
- 2 Select Sound > Digital Audio Output > Audio Delay and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **Auto** or **Manual**.

Auto: This mode automatically adjusts the audio timing to meet the video timing.

The time lag might be large between the image and sound depending on the connected equipment (amplifier etc.). In that case, select Manual.

Manual: You can manually adjust the audio signal timing to meet the video signal timing.

4 Press the **EXIT** button.

Delay Adjustment

- 1 Press the **SETUP** button.
- 2 Select Sound > Digital Audio Output > Delay Adjustment and press the OK button.
- 3 Press the $\blacktriangleleft/\triangleright$ (arrow) buttons to adjust the audio signal timing (0 250ms) to meet the video signal timing.
- 4 Press the **EXIT** button.

NOTE

- This feature is grayed out when Audio Delay is in Auto.
- A time lag will occur when the video signal or audio signal is changed. Adjust the timing accordingly.
- When adjusting the timing, turn down the volume of the AV equipment used as far as possible.

Depending on the equipment, noise etc. may occur when the signal is changed.

- Depending on the connected equipment (amplifier, etc.), adjustment may not be possible.
- ♦ When the optical audio output setting (Auto ← PCM) is changed, it may be necessary to adjust the timing again.
- Do not use other than for audio output from the AV amplifier, etc. (Malfunction may occur)

Using the Dolby® Digital Dynamic Range Control feature

You can further compress Dolby[®] Digital and Dolby[®] Digital Plus dynamic range so you can switch from digital to analog broadcasts at the same dynamic range.

- 1 Press the **SETUP** button.
- 2 Select Sound > Dynamic Range Control and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On**.

NOTE

This feature is available when Dolby[®] Digital or Dolby[®] Digital Plus is input to the TV in the following situations:

- ❖ When tuned to a digital RF channel
- ♦ When an HDMI[™] input is used

This feature is automatically set to Off when Dynamic Volume (Audyssey Dynamic Volume[®]) is set to Day or Night.

This feature will also affect Digital Audio Output when the optical audio output format is set to PCM.

Audyssey Premium Television™

These televisions use a suite of technologies for better sound including:

- Audyssey EQ®—provides clear, accurate and natural sound right out of the box. This technology ensures you enjoy your audio experience as much as your video.
- ❖ Audyssey ABXTM—technology uses sophisticated driver analysis and low frequency monitoring to extend the range and bass of small speakers. This enables the system to produce lower frequencies than would be possible with a traditional system of the same size.
- ❖ Audyssey Dynamic Volume®—automatically adjusts volume to

provide a consistent sound level between television programs, commercials, and between the loud and soft passages of movies.

- ❖ Audyssey Volume Extension®—doubles the volume capability in small speakers while blocking distortion so your TV gets loud and still sounds great.
- ❖ Day/Night Modes—automatically keeps the volume of the TV at the perfect level for day or night.
- ❖ Wall/Table Modes—automatically keeps the volume at the perfect level for television mounted on a wall or located on a table-top.

Using Audyssey EQ® for Wall Mounted or Table-top TVs

This feature automatically keeps the volume at the perfect level for television mounted on a wall or located on a table-top.

- Press the SETUP button.
- 2 Select Sound > Audyssey Premium Television > TV Mounting and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **Wall** or **Table**.

Using Audyssey Dynamic Volume ®

This feature provides a consistent sound volume between television programs, commercials, and between the loud and soft passages of movies.

- 1 Press the **SETUP** button.
- 2 Select Sound > Audyssey Premium Television > Dynamic Volume and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **Night**, **Day**, or **Off**.

NOTE

- If Dynamic Range Control is set to On, this feature is automatically set to Off
- This feature does not affect the audio signal output from the DIGITAL AUDIO OUT terminal.

Audyssey ABX™

Audyssey ABX^{TM} technology uses sophisticated driver analysis and low frequency monitoring to extend the range and bass of small speakers.

To turn on Audyssey ABXTM:

- 1 Press the **SETUP** button.
- 2 Select Sound > Audyssey Premium Television > Audyssey ABX

Picture and Sound Controls Adjusting the audio

and press the **OK** button.

3 Press the \triangle/∇ (arrow) buttons to select **Off**, **Low**, or **High**.

Audyssey EQ[®] and Audyssey Volume Extension[®] are default settings that are set to **On**.

Using the surround sound feature

Surround settings help to create a thrilling surround sound experience with deep, rich bass from stereo sound sources. Your TV's audio will sound fuller, richer, and wider.

Press the SETUP button. Select Sound > Surround, and then select On or Off

Chapter 8

Advanced features

Using your home network

- This TV can share videos, music, and photos across your home network and other connected products through the MediaShare feature. In order to do this, you will have to configure the network settings on your TV, see "MediaShare (Videos, Music, and Photos)" on page 141.
- If you want to use your home network with an Internet connection, you will have to configure the network settings on your TV. If necessary, change the network settings, see "Setting up the Network" on page 113.

If you use Internet services, see the following note before use.

Third party Internet services are not provided by Toshiba, may change or be discontinued at any time, and may be subject to third party restrictions. Toshiba makes no warranties, representations, or assurances about the content, availability, or functionality of third party content or services. Third party internet services may require the creation of a separate account through a computer with internet access, and payment of one-time and/or recurring charges.

Certain features currently not available in Canada/Mexico.

When using a Wireless network connection

Wireless LAN and your Health:

Wireless LAN products, like other radio devices, emit radio frequency electromagnetic energy. However, the level of energy emitted by Wireless LAN devices is much less than the electromagnetic energy emitted by wireless devices like mobile phones.

Because Wireless LAN products operate within the guidelines found in radio frequency safety standards and recommendations, Toshiba believes Wireless LAN is safe for use by consumers. These standards and recommendations reflect the consensus of the scientific community and result from deliberations of panels and committees of scientists who continually review and interpret the extensive research literature.

In some situations or environments, the use of Wireless LAN may be restricted by the proprietor of the building or responsible representatives of the organization. Such restrictions may apply in environments where the risk of interference to other devices or services is perceived or identified as harmful.

If you are uncertain of the policy that applies to the use of wireless devices in a specific organization or environment, you are encouraged to ask for authorization to use the Wireless LAN device prior to turning on the equipment.

Using the TV in a wireless LAN environment:

- ❖ It is recommended to use IEEE 802.11a or IEEE 802.11n on 5 GHz for audio and SD video streaming.
- ❖ It is recommended to use IEEE 802.11n on 5 GHz for HD video streaming.
- ❖ It is recommended that the encoding rate of video content be 20 Mbps or less.
- It is not recommended to use 2.4 GHz for audio and video streaming.
- Content playback may be interrupted by surrounding interference.

Setting up the Network

You can select the Network Type.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Connection Type and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select Wired or Wireless.
- 4 Press the **OK** button.
 - If you select Wired, see "Advanced Network Setup" on page 118.

If you select Wireless, see the next section.

Wireless Setup

NOTE

Continued AP (Access Point) connection is not guaranteed. Connection may be lost while watching TV.

There are three methods for wireless setup:

- ♦ Easy Setup (WPS)
 - If AP supports WPS, this can be used.
 - WPS is a standard designed to simplify the connection of wireless LAN equipment and the setup of network security features.
- Assisted Setup (setup using the AP's notification information) Network Name, Authentication, and Encryption are decided based on information from the AP. You need to manually set the Security Key.
- Manual Setup
 Requires manually entering all settings.

NOTE

- ❖ In order to secure your home network, it is strongly recommended that you use a wireless access point with encryption.
- When Encryption is set to "None", data transmitted over a wireless LAN is not securely protected. Unauthorized users may access your data and network without appropriate security measures. Selecting an encryption setting from your Toshiba TV and using a secure network for wireless LAN transmissions may help avoid unauthorized access to your important data and/or TV. Toshiba disclaims any and all responsibility or liability resulting from any wireless transmissions over the Internet through your Toshiba TV.

Easy Setup using PBC (Push button configuration)

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Wireless Setup and press the OK button
- 3 Press the ▲/▼ (arrow) buttons to select **Easy Setup** and press the **OK** button.
- 4 Press the \triangle/∇ (arrow) buttons to select **PBC**.
- 5 Press the ▼ (arrow) button to select Start Scan, and then press the OK button.
- 6 Following the on-screen instructions, push the appropriate button on your AP.
- When a screen reporting that "the setup has succeeded" appears, press the **OK** button.

To cancel searching for the AP:

❖ Press the BACK button while searching for the AP. A message appears. Press the ◀/▶ (arrow) buttons to select Yes, and then press the OK button.

Easy Setup using PIN (Personal Identification Number)

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Wireless Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select Easy Setup and press the OK button.
- **4** Press the \blacktriangle / \blacktriangledown (arrow) buttons to select **PIN**.
- 5 Press the ▼ (arrow) button to select Start Scan, and then press the OK button.
 - The Scan screen appears.
- 6 Enter the PIN displayed on this screen into your computer or AP.
- 7 Press the ▲/▼ (arrow) buttons to select the desired AP, and then press the **OK** button.

NOTE Check the MAC address on the label or in the manual of the AP and select an AP.

8 When a screen reporting that "the setup succeeded" appears, press the **OK** button.

To cancel searching for the AP:

Press the BACK button while searching for the AP. A message appears. Press the ◀/▶ (arrow) buttons to select Yes, and then press the OK button.

Assisted Setup

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Wireless Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select **Assisted Setup** and press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select the desired AP, and then press the **OK** button.

NOTE Check the MAC address on the label or in the manual of the AP and select an AP.

- 5 Select Security Key, and then press the **OK** button. The Software Keyboard appears.
- 6 Input the Security Key using the Software Keyboard. For more information, see "Using the software keyboard" on page 121.
- 7 To save your settings, press the **GREEN** button.

NOTE The Security Key must adhere to the following conditions:

- ❖ TKIP/AES: 8-63 ASCII or 64 Hex characters
- ❖ WEP: 5 or 13 ASCII or 10 or 26 Hex characters
- 8 Select **Done**, and then press the **OK** button.

NOTE Settings are not saved if the **BACK** button is pressed before Done is selected.

Manual Setup

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Wireless Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select Manual Setup, and then press the OK button.

- 4 Press the ▲/▼ (arrow) buttons to select **Network Name**, and then press the **OK** button.
 - The Software Keyboard window appears.
- 5 Input the Network Name using the Software Keyboard. For more information, see "Using the software keyboard" on page 121.
- 6 To save your settings, press the **GREEN** button.
- 7 Press the ▲/▼ (arrow) buttons to select **Authentication** and press the **OK** button.
 - Press the ▲/▼ (arrow) buttons to select **Open System, Shared Key**, **WPA-PSK**, or **WPA2-PSK**.
- 8 Press the ▲/▼ (arrow) buttons to select **Encryption** and press the **OK** button.
 - Press the \triangle/∇ (arrow) buttons to select **None**, **WEP**, **TKIP**, or **AES**.

NOTE

Certain encryption types are only compatible with specific authentication types.

- When Authentication is Open System and Shared Key, only WEP or None are compatible.
- When Authentication is WPA-PSK or WPA2-PSK, only TKIP or AES are compatible.

When incompatible Authentication/Encryption pairings are attempted, a warning message will be displayed, and no connection attempt will be made until the incompatibility is resolved.

- 9 Press the \triangle/∇ (arrow) buttons to select **Security Key**, and then press the **OK** button.
 - The Software Keyboard window appears.
- 10 Input the Security Key using the Software Keyboard. For more information, see "Using the software keyboard" on page 121.
- 11 To save your settings, press the **GREEN** button.

NOTE

This item is grayed out when Encryption is set to None.

- 12 Select Done, and then press the OK button.
 When Encryption is set to None, a message appears.
- 13 Press the ◀/▶ (arrow) buttons to select Yes, and then press the OK button.

NOTE

Settings are not saved if the **BACK** button is pressed before Done is selected.

Wireless Information

The settings configured in Wireless Setup can be confirmed.

- 1 Press the **QUICK** button.
- 2 Select Wireless Information, and then press the OK button.
- 3 Press the RED button to check the availability of surrounding APs. A Wireless Information screen appears when a connection is successfully made.

Item:	Description:
Status	The message, "Connected" appears when the TV is connected to
	the AP
	The message, "Disconnected" appears when the TV is disconnected
***************************************	from the AP
Signal	Connection signal strength with the AP (STRONG/MEDIUM/WEAK)
Speed	The link speed with the AP
Mode	Working mode (11a, 11b, 11g, 11n)
Channel	The channel in use (1-165)
Network name	SSID set
Authentication	Authentication set
Encryption	Encryption set
Security key	Security Key set
AP MAC address	The AP's MAC address appears when the TV is connected to the AP
TV MAC address	The TV's MAC address
DHCP	The message, "Enabled" appears when you use DHCP.
	The message, "Disabled" appears when you do not use DHCP.
IP address	The TV's IP address
Subnet Mask	Value of the Subnet Mask
Default Gateway	Default GATEWAY's address
DNS	DNS's address

NOTE

Even if an AP for IEEE 802.11n is used when Encryption is set to WEP or TKIP, the Speed value might be low. We recommend that the Encryption setting are changed to AES (Under manual setup).

Advanced Network Setup

NOTE

When manually setting the IP Address, set Auto Setup to Off.

IP Address Setup

NOTE

The settings in Auto Setup are linked to those selected in the DNS Setup menu. If Auto Setup is set to On, then Auto Setup in the DNS Setup menu will also be set to On.

Auto Setup:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Advanced Network Setup and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select **IP Address Setup**, and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select Auto Setup and press the OK button.
- 5 Press the \triangle/∇ (arrow) buttons to select **On**.

NOTE

Other items are grayed out when Auto Setup is set to On.

Manual Setup:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Advanced Network Setup and press the OK button.
- 3 Press the △/▼ (arrow) buttons to select **IP Address Setup**, and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select Auto Setup and press the OK button.
- 5 Press the \triangle/∇ (arrow) buttons to select **Off**.
- 6 Press the \triangle/∇ (arrow) buttons to select IP Address.
- 7 Press the **◄/▶** (arrow) buttons to select the **IP Address** field and use the 0-9 buttons to enter in a digit. Press the **▶** (arrow) button to select the subsequent fields. To save the setting, press the **OK** button.

NOTE

IP address field numbers must be between 0 and 255. If you input an incompatible number and press the OK button, the field number will be reset to the previous value.

- 8 Press the ▲/▼ (arrow) buttons to highlight **Subnet Mask**, and edit in the same way as IP Address.
- 9 Press the ▲/▼ (arrow) buttons to highlight **Default Gateway**, and edit in the same way as IP Address.

NOTE

If you manually set the IP address, you must not use the same IP address with any other device. The IP address you use should be a private address. If you do not know the correct values to use, contact your network administrator or internet service provider.

DNS Setup

NOTE

- When the DHCP function of the router connected to this TV is Off, set Auto Setup to Off, and manually set the DNS address(es). Your Internet Service Provider should have provided these to you.
- The settings in Auto Setup are linked to those selected in the IP Address Setup menu. If Auto Setup is set to On, then Auto Setup in the IP Address Setup menu will also be set to On.

Auto setup:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Advanced Network Setup and press the **OK** button.
- 3 Press the **△**/**▼** (arrow) buttons to select **DNS Setup**, and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select Auto Setup and press the OK button.
- 5 Press the \triangle/∇ (arrow) buttons to select **On**.

NOTE Other items are grayed out when Auto Setup is set to On.

Manual setup:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Advanced Network Setup and press the OK button.

- 3 Press the ▲/▼ (arrow) buttons to select **DNS Setup**, and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select Auto Setup and press the OK button.
- 5 Press the \triangle/∇ (arrow) buttons to select **Off**.
- 6 Press the \triangle/∇ (arrow) buttons to select **Primary DNS Address**.
- 7 Press the **◄**/**▶** (arrow) buttons to select the field you want to change, and then use the number buttons to input the Primary DNS Address. To save the setting, press the **OK** button.

NOTE

DNS address field numbers must be between 0 and 255. If you input an incompatible number and press the OK button, the field number will be reset to the previous value.

8 Press the ▲/▼ (arrow) buttons to select Secondary DNS Address, and edit in the same way as Primary DNS Address.

MAC Address

You can view the fixed MAC address for the TV.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Advanced Network Setup and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select MAC Address, and then press the OK button.

Network Connection Test

This function checks Internet connectivity.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Setup > Network Connection Test, and then press the OK button.

A message appears to indicate whether the connection was successful or not.

NOTE

Favorable Network Connection Test results do not guarantee an Internet Connection. Depending on the situation, some Internet features may not be available.

To cancel Network Connection Test, press the **EXIT** button while searching for the Internet connection.


Using the software keyboard

You can enter text using the Software Keyboard.

The Software Keyboard window will appear when you press the **OK** button on a field that accepts character input.

NOTE

When using the SmartTV features, software keyboard availability depends on the Internet service being accessed.



(Sample Illustration) Software keyboard

yewwedendandandandanda	Item:	Description:
1	Text entry field	Press the OK button on this field, caret moving.
2	Symbol	To switch Symbol character.
3	Open	Display the Multi Line Input field. If it does not work, the button will be grayed out.
4	Done	Saves whatever text was entered, exits the software keyboard and enters that text into the appropriate text field on the previous screen.
5	Delete	Deletes one character to the left of the cursor
6	Number pad	Inputs numbers. In keypad, these keys are used to select a character for entry.
7	Line Break	To enter the Line Break.
8	Switch Language	Display the Switch Keyboard Language Popup.
9	Shift	To shift.

Enter text using the software keyboard

- 1 Highlight the desired character on the on-screen software keyboard.
- 2 Press the **OK** button.
- 3 Repeat Step 1 and 2 until you have entered all desired text.
- 4 Select **Done** or press the **GREEN** button to save your settings and return to the previous screen.

NOTE

If the ${\bf BACK}$ button is pressed, changes are not saved and the software keyboard window is closed.

Input operation on the remote control:

Item:	Description:
OK	Inputs the selected character
0-9	These keys are used to select a character for entry.
▲/▼/∢/▶	Moves the character highlight
RED	Deletes one character to the left of the cursor
GREEN	Done
YELLOW	To display the help
BLUE	Shortcut key for Shift
BACK	Closes the Software Keyboard window without saving changes

Performing a Software Upgrade

TOSHIBA may offer upgrades for the TV's software in the future.

The TV's software is upgraded via the Network.

NOTE

An Internet connection is required.

Before downloading software:

1 Configure your TV to connect to the Internet.

NOTE

- ❖ You will not be able to use the TV set while performing the upgrade.
- ❖ Do not turn off the TV during the upgrade.
- ❖ By upgrading, the factory default values may be changed.
- 2 Press the **SETUP** button.
- 3 Select Get Help > Software Upgrade.
- 4 Press the **OK** button. The Network Upgrade screen appears.
- 5 Press the **OK** button.

NOTE

If the network is not available, a warning message appears.

6 After a successful download, the TV software upgrade will start automatically.

Viewing the Software Licenses

The Licenses for the software used in this TV are available for viewing.

- 1 Press the **SETUP** button.
- 2 Select Get Help > Software Licenses.
- 3 Press the **OK** button.
 A screen appears displaying all the licensing information required for the television's software.

Using Intel® WiDi

Intel® Wireless Display (Intel® WiDi) is supported on this TV. Toshiba has also included peer-to-peer wireless technologies to allow direct wireless connection between the TV and Intel® WiDi equipped PC or mobile device. If your PC or mobile device has Intel® WiDi, the Toshiba Cloud TVs allow you to display the small screen content on the big screen quickly and easily.

- 1 Press the QUICK button to open the Quick Menu.
- 2 Press the ▲/▼ (arrow) buttons to select Intel® WiDi and then press the OK button.

A prompt will appear on the screen when **Connection Type** is set to **Wireless**. Select **Yes**.

3 Launch the Intel[®] WiDi software on your device and select "scan for available adaptors".

Intel[®] WiDi device name and ID list will then be displayed on the device screen.

Select the TV which you wish to connect to.

"Connecting" will be shown on the TV.

4 Connecting your PC to the TV the first time

When selecting the Toshiba TV for the first time, a 4-digit or 8-digit code will appear on your TV screen. This code needs to be inputted into your computer to authenticate the connection.

If authentication has already taken place

"Please Wait" will appear on screen.

5 After the Intel® WiDi connection is complete, the TV screen will mirror the content shown on the device screen.

NOTE

- ❖ When connecting Intel® WiDi, device must have power turned on.
- ♦ When the TV Network Settings are set to Wireless and Intel® WiDi software is starting up, other TV applications cannot be used.
- Intel® WiDi device name of the TV can be changed from the Intel® WiDi software.

To exit Intel® WiDi:

Exit Intel® Wireless Display by pushing the disconnect button on Intel® WiDi software on the device or by pressing the **EXIT** button on the TV remote control.

NOTE

If the device has been inactive for some time, the Intel[®] WiDi connection will be disconnected automatically.

Changing the Intel® WiDi Device Name

The TV's Intel® WiDi device name can be changed.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > Intel® WiDi Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select Intel* WiDi Device Name and press the OK button.
- 4 Select the Intel® WiDi Device Name and press the OK button. The Software Keyboard window will appear.
- 5 Input the Intel[®] WiDi device name by using the software keyboard. Press the **GREEN** button.
- 6 Select **Done** and press the **OK** button to save your setting.

Device List

Device List displays a list of MAC addresses for previously connected device that have been connected before. The maximum number that can be stored is 20.

If the list run out of space, the least-recently-used MAC address will be deleted and the new MAC address added automatically.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > Intel® WiDi Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select **Device List** and press the **OK** button.

Device List will appear.

The registered device can be deleted one by one by pressing **Red** button in the List.

When doing so the following text can be seen "**Do you want to unregister this device? Yes/No**" (default cursor is "No").

Using the Cloud TV Service

Toshiba's universal portal for internet content and services. (services are dependent on country).

NOTE

You need to connect to the Internet before using this feature, see "Setting up the Network" on page 113.

- Press the ☆ button.
 The menu screen of the Cloud TV service is displayed.
- 2 Press the $\triangle/\nabla/\triangle/\triangle$ (arrow) buttons to select a Cloud TV service, and press the **OK** button.

Using the Cloud TV Service features

NOTE

- You need to connect to the Internet before using this feature, see "Setting up the Network" on page 113.
- Certain services may not be currently available in your area.
- User registration or login may be required to use some services.
- Third party Internet services are not provided by Toshiba, may change or be discontinued at any time and may be subject to Internet service provider restrictions. Toshiba makes no warranties, representations, or assurances about the content, availability or functionality of thirdparty content or services. Use of third party Internet services may require the creation of a separate account through a computer with Internet access and/or payment of one-time and/or recurring charges and membership. Not all third party services may be available on or compatible with this product. In order to experience the full suggested capabilities of this product, fully-compatible devices may be required.

NOTE

- If the display of the date and time is wrong, try to turn off the TV, and turn it on again.
- The menu items for features like the Apps may change in the upgrade process.

eMANUAL

The eMANUAL provides on-screen, context-sensitive, instructions that describe the TV features.

To access the eManual, press the **eMANUAL** button on the remote control and select "**eManual**". Or you can access the eManual through the icon on the Cloud TV Portal pages.

Featured apps

With easier content discovery, Cloud TV puts you closer than ever to the things you love—like Netflix* and Hulu Plus*, along with video on demand, broadcast programming, the Web, even music, photos and videos on your home network.

NOTE

Apps will vary by country and availability may change in the future with respect to current apps.

Netflix®

Watching movies with Netflix®

- 1 Press the NETFLIX button on the remote control and select the Netflix[®] icon.
- **2** Follow the on-screen instructions.

After having activated Netflix® player and prepared an Instant Queue, movies and TV episodes in your Instant Queue will appear on the TV screen. Select the desired content using the remote control.

NOTE

- The resolution of video content streamed from Netflix® varies depending on the communication speed and bit-rate and is controlled by Netflix®.
- Future upgrades can change the screens and messages displayed in the Netflix® feature.
- Netflix® is supported in the U.S. and Canada, and may not be available in other countries or regions.

To close Netflix®, press the **EXIT** button.

To confirm the Netflix ESN (Electronic Serial Number):

- 1 Press the **SETUP** button.
- 2 Select Network > Smart Apps Setup > Netflix Setup and press the OK button.

Using the Cloud TV Service features

3 Press the ▲/▼ (arrow) buttons to select ESN, and then press the OK button.

The Netflix ESN screen appears.

To deactivate your device:

- 1 Press the **SETUP** button.
- 2 Select Network > Smart Apps Setup > Netflix Setup and press the OK button.
- 3 Press the △/▼ (arrow) buttons to select **Deactivation**, and then press the **OK** button.
- 4 Press the ◀/► (arrow) buttons to select Yes, and then press the OK button.

VUDU™ HD Movies and VUDU™ Apps

VUDU™ HD Movies and VUDU™ Apps offer on-demand service that offers high definition movies on the Web.

- 1 Press the △ button.
- 2 Press the **◄/▶** (arrow) buttons to select **VUDU**, and then press the **OK** button.

NOTE

- ◆ Use of VUDU™ requires a working broadband Internet connection (1 to 2 Mbps for SD video, 2.25 to 4.5 Mbps for HD video, and 4.5 to 9 Mbps for HDX video).
- The message "Buffering..." will display if the speed of your Internet connection can not keep up with the speed of the streaming content from VUDU™.

To close **VUDU**, press the **EXIT** button.

To deactivate your device:

- 1 Press the **SETUP** button.
- 2 Select Network > Smart Apps Setup > VUDU Deactivation.
- 3 Press the **OK** button.
- 4 Press the **◄/▶** (arrow) buttons to select **Yes**, and then press the **OK** button.

NOTE

If the VUDU™ icons are not shown in the Cloud TV, you may need to update the TV firmware. You can access VUDU™ through the web browser.

Internet

Open/Web Browser

The open/web browser with HTML5 video and audio codecs which allow you to explore the web the way you want. Search for, bookmark, and browse your favorite sites to enjoy the content you want, with simple, intuitive navigation.

The web browser on this device:

- ♦ does not support platform-dependent technologies such as ActiveX[®].
- only supports preinstalled plug-ins.
- may not support media formats other than the following: JPEG / PNG / GIF.
- uses a single built-in font. Some text may not be displayed as intended.
- does not support downloading of files or fonts.
- ❖ is a TV browser. It may work differently than PC browsers.
- does not support parental control or locks in the content, and it is the responsibility of the user to monitor browser usage by minors.

NOTE Some pages may not be displayed correctly or may display differently on different devices.

Using the web browser

- 1 Connect to the network
- 2 Press the \(\bigota \) button on the remote control to access the web browser page.
- 3 Use the $\triangle/\nabla/\triangle/\triangleright$ (arrow) buttons to select to the URL Address Bar and press the **OK** button.
- 4 Enter the desired URL address by using the software keyboard, see "Using the software keyboard" on page 121.
 Press the GREEN button when finished.
- 5 You can now browse websites on your TV using the ▲/▼/◄/► (arrow) buttons on the remote control.

NOTE

- ♦ When you press the GREEN button while browsing web content, you can use the ▲/▼/◄/► (arrow) buttons on the remote control in mouse control mode.
- You can use the Wireless QWERTY keyboard in addition to the software keyboard. (L7300U series only)

Browsing favorite websites

- Connect to the network.
- 2 Press the button on the remote control to access the web browser page.
- 3 Use the $\triangle/\nabla/\triangle/\triangleright$ (arrow) buttons to select the Favorites **STAR** icon on the browser menu bar and press the **OK** button.

NOTE

By adding frequently visited websites to Favorites, you can browse them easily.

You can view the addresses of the websites you visited previously.

4 Select the item or folders to move to the desired URL address and press the **OK** button.

NOTE

You can press the **GREEN** button on the remote for thumbnail view of all your favorites.

5 You can now browse websites on your TV using the $\triangle/\nabla/\triangle$ (arrow) buttons on the remote control.

NOTE

When you press the **GREEN** button while browsing web content, you can use the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons on the remote control in mouse control mode.

Adding favorite websites

- 1 Connect to the network.
- 2 Press the \(\bigota \) button on the remote control to access the web browser page.
- 3 Follow "Using the web browser" on page 129 to display your desired website.
- 4 Press the Navigation buttons to scroll to Favorites **STAR** on the Browser Menu Bar and press the **OK** button.

NOTE

By adding frequently visited websites to Favorites, you can browse them easily.

You can view the addresses of the websites you visited previously.

5 Press the **OK** button to save the desired website to your favorites.

NOTE

The desired website is highlighted and displayed on the top row with the + (Add) icon.

The + (Add) icon will change to a page icon after the website has been saved to favorites.

6 Press the BACK button on the remote to return to browsing your website.

PIP (Picture-in-picture) function

When viewing the web browser page, currently airing programs or images from external inputs can be displayed in a PIP window (sub-screen).

- 1 Press the **RED** button while viewing the web browser page. The currently airing program or images from external inputs are displayed in a PIP window.
 - The position of the PIP window, and whether it is displayed or not can be set in the web browser Settings.

To stop displaying the PIP window:

Press the **RED** button when the PIP window is displayed.

NOTE

The **CH** \triangle/∇ buttons cannot be used when the PIP window is displayed.

Using Skype™

SkypeTM-ready Toshiba TVs bring your family and friends closer to your home. SkypeTM on your Toshiba TV allows you to share special moments no matter the distance.

Before using Skype™ - Preparation

- ❖ Connect the FREETALK HD Camera: TALK-7291 to the TV's USB terminal. Do not use a USB hub. For a Skype[™]-ready Toshiba TV compatible camera, please visit the following website: http:// shop.skype.com
- ❖ Arrange the HD camera on top of the TV, ensuring it's in the center.
- Connect to the network.

NOTE

- The HD camera is sold separately.
- ❖ Do not connect a camera other than the recommended HD camera.
- Using a wireless network may result in degraded call quality.
- Some of the features available on other versions of Skype™ are not available on the television.
- ♦ When using Skype™, some functions of the TV will not be available.
- ♣ The sound settings are switched to Skype[™] mode.
- If you cannot hear the person you're speaking with, check your TV volume.
- When Optical Digital output or Analog output is used and you are signed in, the ring tone may not sound.
- The volume level on Skype™ may differ from other features on your TV.
- ❖ When the Reset TV feature is used from the TV Menu, Skype™ information is reset to factory default settings.
- ❖ Screenshots used in this manual may differ from the TV Menu, Skype™ will be reset to its factory default settings.

AWARNING

No emergency calls with SkypeTM

SkypeTM cannot be used for emergency calls.

Getting started

- 1 Press the ♂ button on the remote control.
- 2 Select Skype and press the OK button. "Welcome to Skype" screen appears.



(Sample Image) Welcome Skype screen

3 Select Sign in or Create Account.

To create a new account:

If you do not already have a SkypeTM account, you can create a new one from your TV.

1 Select Create Account in the Welcome to Skype screen and press the OK button.



(Sample Image) Welcome Skype screen

- 2 Enter your Full Name, Skype Name, Password, Repeat password, and Email
 - ❖ If you want to receive SkypeTM news and special offers, check the selection box. SkypeTM will inform users about new products, features and special offers by email.
- 3 Select "I agree create an account" and press the OK button.
- 4 You'll now be signed into your new account.

NOTE

- Please ensure that you have entered your email address correctly. It is required in case you lose or forget your password.
- If you forget your password, visit skype.com to retrieve it.
- If a message appears informing you that the entered Skype™ name is already registered, please choose a different name.

To Sign into Skype™:

If you have a Skype[™] account, sign into Skype[™] in the Welcome to Skype screen.

- 1 Enter your Skype Name and Password.
- 2 Select **Sign** in and press the **OK** button.
 - ❖ If "Sign in when Skype starts" is checked, your account will sign in automatically when you launch Skype™ from the menu.
 - ❖ If "Start Skype when TV starts" is checked, your account will sign in automatically when you turn on the TV.


Basic Operation

Press the \triangle/∇ (arrow) buttons to select a tab (**Contacts/People**, **Recent**, **Dialer**, or **Settings**). Press the $\triangleright/\triangle/\nabla$ (arrow) buttons to select a contact from the list.

Your contact list will contain the following information:

Contact name / Current online status / Profile picture / Mood message

Your profile picture, status, Skype Name, mood message and available Skype Credit.




(Sample Image) SkypeTM contact list menu

Contacts/People

Press the \triangle/∇ (arrow) buttons to select **Contacts** tab. Press the $\triangleright/\triangle/\nabla$ (arrow) buttons to select a contact.

After pressing the \mathbf{OK} button on each contact, the following functions will be displayed:




(Sample Image) SkypeTM contact list - select menu


Video or Voice call

Press the $\triangle/\nabla/\triangle/\triangleright$ (arrow) buttons to select Video call or Voice call, your screen will now display your call as shown below.

Video call



Voice call



(Sample Image) SkypeTM video/voice call screen

Below is all icon pictures in conversation window.

- Start video
- Stop video
- Resume the call
- Unmute the webcam mic
- Mute the webcam mic
- Normal size video
- Full screen video
- Open dial pad
- End call (Hang up the call)


Group calls

Using your Toshiba TV, you can join Skype™ group voice and video calls. However, you can only send and receive audio while on these calls.

NOTE You must be invited on to a group call, you cannot initiate it from the TV.

Incoming call

Incoming calls on SkypeTM will be displayed on the bottom right hand corner of your TV screen. You'll also hear a ring tone which can be adjusted using the **Volume** buttons on your remote control.



(Sample Image) SkypeTM incoming call menu

You are given three options when an incoming call arrives:

- ❖ Video: Answer by video call.
- Voice: Answer by voice call.
- **❖ Decline :** Decline the incoming call.

NOTE

If other applications are active or recording, you'll only get an "Incoming call notification" until the application or recording has stopped.

Status

When pressing the **GREEN** button, the change status window is displayed as below. You can change your status by pressing the \triangle/∇ (arrow) buttons and then pressing the **OK** button. Exit by pressing the **BACK** button.



(Sample Image) SkypeTM status menu

Add Contact

You can add contacts to your contact list.

When you press the **Yellow** button on the remote control, the **Add Contact Type** menu window will appear on the screen.



(Sample Image) SkypeTM Add Contact Type menu

Two sub-functions are supported.

Press the \triangle/∇ (arrow) buttons to select **Skype Contact** or **Phone Number** and press the **OK** button.

❖ Skype Contact

Enter the Skype Name of the person you're looking for. The search result will show up after get response from SkypeTM server.

❖ Phone Number

You can also enter a phone number in the search window.

Contact Search Results



(Sample Image) SkypeTM contact search results screen

You can send a contact request to a person displayed in the search results. Press the \triangle/∇ (arrow) buttons to select a person and press the **OK** button.


Notification of authorization request



(Sample Image) SkypeTM notification of authorization request screen

When you receive a contact request, a pop-up menu will appear where you can choose to **Accept**, **Block** or **Decline** the request.

Press the \triangle/∇ (arrow) buttons to select and press the **OK** button.



(Sample Image) SkypeTM request form screen

Press the $\blacktriangleleft/\triangleright$ (arrow) button to select and press the **OK** button.



(Sample Image) SkypeTM request form screen

Recent @

You can see a list of past events in "Recent".

Press the \triangle/∇ (arrow) buttons to select the **Recent** tab. Press the $\triangleright/\triangle/\nabla$ (arrow) buttons to select an item and press the **OK** button.



(Sample Image) SkypeTM recent screen

Press the **◄/▶** (arrow) buttons to select **Video call** or **Voice call**.

Each call has an icon with it. The meaning of each icon is as follows:

Icons	Description
(E	Incoming call
V.	Outgoing call
6	Missed call
ş	Unread voice message
Œ	Voice Message

Dialer 👚

You can call mobiles and landlines from this screen.

Press the \triangle/∇ (arrow) buttons to select the **Dialer** tab. Press the $\triangleright/\triangle/\nabla$ (arrow) buttons to navigate this screen.



(Sample Image) SkypeTM dialer screen

Select the country or region first, and then enter the phone number with area code. You'll need a little SkypeTM Credit in your account to call mobiles or landlines using SkypeTM.

AWARNING

Emergency calls over Skype[™] are not supported.

Settings 🤝

Press the \triangle/∇ to select the **Settings** tab and press the **OK** button.

The Settings page will appear.



(Sample Image) SkypeTM options screen.

You can change the following settings:

- User Profile Add or change your personal information e.g. birth date, country/ region or phone number.
- Change Password You can change your password by entering your existing password and new password twice.
- ❖ General Settings Select whether Skype[™] should automatically start when turning on the TV.

♦ Audio Settings

Adjust the speaker / ringtone volume manually. The volume of your speakers will be different on SkypeTM compared to your normal TV volume level. The speaker volume range is 0 - 100% by 1 steps, and ringtone volume is 0 - 100% by 25 steps.

Privacy Settings Set who you allow calls from, whether it's Anyone or People in my Contact list only.

❖ Blocked Contacts If you do not want someone to reach you, simply block them by entering their Skype™ Name or phone number from this menu. Successfully blocked contacts are displayed in this window.

❖ Call Settings If you're not signed into Skype[™], you can forward incoming calls to another phone number, Skype[™] name or choose to accept voice messages. However you'll need to have Skype[™] Credit to turn this feature on.

♦ About Skype Displays information about Skype[™].

MediaShare (Videos, Music, and Photos)

MediaShare provides a simple graphic interface to quickly access and share videos, music, and image files across your home network and the other connected devices.

To access the MediaShare Service, press the **MEDIA SHARE** button on the remote or select the MediaShare tab from the Cloud TV Portal pages.

NOTE

- To use MediaShare please configure the network settings on your TV. For more information, see "Connecting to a home network" on page 43
- Do not insert/remove a USB device while in use.
- The SETUP button is not available while using the MediaShare feature.

MediaShare specifications

Devices:

- ◆ USB device: USB Mass Storage Class devices (MSC)
- Connected Media Server: Your computer (for example)

NOTE

- Connectivity is not guaranteed for all devices.
- Some functionality may be lost with a USB HUB connection.

Supported file system:

FAT16 and FAT32

NOTE

You must obtain any required permission from copyright owners to download or use copyrighted content. Toshiba cannot and does not grant such permission.

Basic operation

Using MediaShare with a USB device

When Auto Start is enabled, you will be asked if you want to start the MediaShare when a USB device is inserted. If Auto Start is disabled (or if you want to connect to a media server on the network), you must manually start the MediaShare from the Cloud TV Portal pages or press the **MEDIA SHARE** button on the remote control.

To change the Auto Start setting

- 1 Press the **SETUP** button.
- 2 Select Options > MediaShare Setup > USB Auto Start and press the OK button.
- 3 Press the \triangle/∇ (arrow) buttons to select **On** or **Off**.

Auto Start

- Insert a USB device into the USB terminal.
 A prompt appears.
- 2 Press the **◄/▶** (arrow) buttons to select **Yes**, and then press the **OK** button.
- 3 Press the \triangle/∇ (arrow) buttons to select Videos, Music, or Photos, and then press the **OK** button.
- 4 To change the device, press the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons to select the devices on the screen, and then press the **OK** button.

- 5 Press the ▲/▼ (arrow) buttons to select the device and then press the OK button
- 6 Press the ▲/▼ (arrow) buttons to select **OK** and then press the **OK** button.

NOTE If Auto Start is set to Off. you can start the MediaShare manually.

Manual Start

- 1 Insert a USB device into the USB terminal.
- 2 Press MEDIA SHARE.
- 3 To change the device, press the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons to select the devices on the screen, and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select the device and then press the OK button.
- 5 Press the ▲/▼ (arrow) buttons to select OK and then press the OK button

To select a file in the list of contents

1 Press the $\triangle/\nabla/\triangle$ (arrow) buttons to select a file or folder.

File:

Press the **OK** button to play or view.

Folder:

Press the **OK** button to move to the next layer, or press the **BACK** button to return to the previous layer.

Sort

- 1 Select the **Sort** and press the **OK** button.
- 2 Press the ▲/▼ (arrow) buttons to select the sorting (File Name, New or Old) rule and press the OK button.
- 3 Select **OK** and press the **OK** button.

NOTE

Sorting may take a little time.

To close the MediaShare

- 1 Press the **EXIT** button.
- 2 Press the ◀/► (arrow) buttons to select Yes and then press the OK button.

The TV will return to the last-viewed channel or video input.

Using MediaShare with a Media Server

You need to configure a home network before using this feature, see "Setting up the Network" on page 113.

- Press the MEDIA SHARE button.
- 2 To change the device press the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons to select the Device Name button on the screen, and then press the **OK** button
- 3 Press the ▲/▼ (arrow) buttons to select the device and then press the **OK** button.
- 4 Press the ▲/▼ (arrow) buttons to select OK and then press the OK button.

To select a file in the list of contents

1 Press the $\triangle/\nabla/\triangle/\triangle$ (arrow) buttons to select a file or folder.

File:

Press the **OK** button to play or view.

Folder:

Press the **OK** button to move to the next layer, or press the **BACK** to return to the previous layer.

Sort

- 1 Select the **Sort** and press the **OK** button.
- 2 Press the ▲/▼ (arrow) buttons to select the sorting (Title, New or Old) rule and press the OK button.
- 3 Select **OK** and press the **OK** button.

NOTE

- Sorting may take a little time.
- Depending on the Media server, this function may not be usable.

To close the MediaShare

- 1 Press the **EXIT** button.
- 2 Press the ◀/► (arrow) buttons to select Yes and then press the OK button.

The TV will return to the last-viewed channel or video input.

To display the device information

- 1 Press the QUICK button to open the Quick menu in list mode or Multi View mode.
- 2 Press the \triangle/∇ (arrow) buttons to select **Device Information**.

Viewing movie files

Basic Playback

- 1 Select a file, see "To select a file in the list of contents" on page 143.
- 2 Press the **OK** button or **PLAY** button to begin playback.

NOTE Depending on the file size, it may take some time to start playback.

3 Press the **STOP** button to stop playback.

The screen returns to the list.

If playback finishes before the **STOP** button is pressed, the screen returns to the list.

NOTE When the repeat mode is set to All, the next file will start playing automatically.

Resume Playback

You can resume playback from where it was last stopped.

Press the STOP button while playing the movie to memorize the stopped position.

If the same file is selected and played, playback will resume from the last stopped position.

NOTE

- If you play different content or exit MediaShare, the memorized stopped position will be deleted.
- ❖ This function may not be available depending on the content.

To pause playback

- Press the PAUSE button during playback.
- ❖ To resume normal playback, press the **PLAY** button.

The PAUSE button or operations during Pause may not be functional depending on content or media server.

To locate a specific file

- Press the Skip Reverse or Skip Forward button repeatedly to access the desired file.
 - ♦ (◄◄): Playback starts from the beginning of the current file or previous file.
 - \diamond (\triangleright): To locate subsequent files.

To play in fast reverse or fast forward directions

Press the ◀◀ or ▶▶ button during playback. Each time you press the ◀◀ or ▶▶ ▼ button, the playback speed will change.

NOTE

These features may not be operable depending on the content or media server.

To set the repeat mode

- 1 Press QUICK button.
- 2 Press the ▲/▼ (arrow) buttons to select **Repeat**. The current repeat setting appears.
- 3 Press the $\blacktriangleleft / \triangleright$ (arrow) buttons to select **Off**, **All**, or 1.
- 4 Press the **BACK** button.

 The setting is effective until the TV is turned off.

Mode:	Description:
Off	The content is played back only once
All	All contents in the same folder are repeatedly played back
1	The same content is repeatedly played back

To select a movie from Play List (except for Media Renderer function)

While playing a movie, you can select a different movie from the Play List.

- 1 Press the **QUICK** button to open the Quick Menu.
- 2 Press the ▲/▼ (arrow) buttons to select Play List and press the OK button.

The Movie List will appear.

3 Press the \triangle/∇ (arrow) buttons to select a file name.

To display the file status information

- Press the INFO button during playback.
 The information will be displayed at the bottom of the screen.
- 2 Press the **INFO** button again to hide the information.

NOTE

The information may not correctly display depending on the content or media server.

To register your TV to a DivX® account:

This TV allows you to play back files purchased or rented from $DivX^{\$}$ Video-On Demand (VOD) services. When you purchase or rent $DivX^{\$}$ VOD files on the internet, you will be asked to enter a registration code.

- 1 Press the **SETUP** button.
- 2 Select **Options** > **MediaShare Setup** > **DivX**[®] **VOD** and press the **OK** button.
- 3 Press the \triangle/∇ (arrow) buttons to select **DivX**[®] **VOD Registration**, and then press the **OK** button.
- 4 The **DivX*** **VOD** window will appear and you will see the registration code. For details on registration, please visit the DivX* website at http://vod.divx.com
- 5 Copy the activation file to a memory device and play it on the TV.

To unregister your device:

- 1 Press the **SETUP** button.
- 2 Select **Options** > **MediaShare Setup** > **DivX**[®] **VOD** and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select **DivX**® **VOD Deregistration**, and then press the **OK** button.
- 4 A confirmation message will appear. Select **Yes** and press the **OK** button.
- 5 The **DivX*** **VOD** window will appear and you will see the deregistration code. For details on registration, please visit the DivX* website at http://vod.divx.com

ABOUT DIVX VIDEO: DivX® is a digital video format created by DivX, LLC, a subsidiary of Rovi Corporation. This is an official DivX Certified® device that plays DivX video. Visit divx.com for more information and software tools to convert your files into DivX videos.

ABOUT DIVX VIDEO-ON-DEMAND: This DivX Certified® device must be registered in order to play purchased DivX Video-on-Demand (VOD) movies. To obtain your registration code, locate the DivX VOD section in your device setup menu. Go to vod.divx.com for more information on how to complete your registration.

DivX Certified® to play DivX® and DivX Plus® HD (H.264/MKV) video up to 1080p HD including premium content.

To playback DivX Plus® HD content:

- ❖ To play in fast reverse or fast forward directions, press the ◄◄ or ▶▶ button during playback. Each time you press the ◄◄ or ▶▶ button, the playback speed will change.
- ❖ If the content contains no chapter, this TV generates original chapter point in 10% increments for 10 chapters in total, that are accessible by using the Number buttons on the remote control.

During playback, press the \Longrightarrow button to skip to the beginning of the next chapter. When the \Longrightarrow button is pressed twice in succession, it will repeat two times of above. If the \Longrightarrow button is pressed at the last chapter, the confirmation message will appear. If **Yes** is selected, playback will skip to the beginning of the next content.

When the button is pressed twice in succession, it will skip to the beginning of the previous chapter. If the button is pressed twice continuously at the first chapter, playback of the current content will stop and the confirmation message will appear. If Yes is selected, playback will skip to the beginning of the previous content.

❖ Press the ▲ (arrow) button to skip to the beginning of the previous content.

Press the ▼ (arrow) button to skip to the beginning of the next content.

The Number button is used for direct jump.

For example: If you press the 3 button and then press the **OK** button, playback will jump to the beginning of 3rd chapter.

NOTE

- Depending on the content data will not be operated.
- ❖ The playback speed (◄◄/►►) may not change depending on the stream.

Using Multi Title and Alternative Timelines Multi Title

DivX Plus® HD files may contain up to 100 titles.

You can change the title (It contains same video file) by pressing the **RED** button.

When the **RED** button is pressed, it will display the title change window at the bottom on the screen (same as Subtitle or Audio change window).

The title is changed cyclically each time the **RED** button is pressed. Playback starts from the beginning of the title, which is selected by the \blacktriangle or \blacktriangledown (arrow) buttons.

❖ Pressing the **◄/▶** (arrow) buttons also changes the multi title.

NOTE

Depending on the content data will not be operated.

File specifications:

USB use:

- ❖ File format: MPEG2 PS, MPEG2 TS, MPEG-2 VOB, AVI, MOV, MP4, ASF, DivX, Xvid, MKV, RealMedia, Flash Video (FLV1), 3GPP, Motion JPEG
- Video: MPEG2, H.264, MPEG-4 part2, DivX, Xvid, VC-1 (WMV9), RealVideo 8,9,10, Sorenson H.263 (FLV1), JPEG
- ❖ Audio: MPEG1-Layer2/MPEG1-Layer3/Dolby® Digital (AC3)/ LPCM, AAC, WMA7/8/9, ADPCM
- **♦ Maximum number of files:** 1000 per folder
- ♦ Maximum video resolution: 640x480 (Motion JPEG), 1920 x 1080 (other)

Content on a connected Media Server:

- ❖ File format: MPEG2 PS, MPEG2 TS, MP4 (Low resolution)
- **❖ Video:** MPEG2 (PS), H.264
- Audio: LPCM/MPEG1-Layer2/ MPEG2-Layer2/ Dolby Digital (AC3)/AAC
- ❖ Maximum number of files: 1000 per folder
- **♦ Maximum video resolution:** 1920 x 1080

NOTE

It may not be possible to use certain playback features or display some files. In some cases certain files and servers may not support playback features, such as pause.

Playing music files

Basic Playback

1 Select a file, see "To select a file in the list of contents" on page 143. Press the **OK** button or the **PLAY** button to begin playback.

NOTE

Depending on the file size, it may take some time to start playback.

2 Press the **STOP** button to stop playback.

The screen returns to the list.

If playback finishes before the **STOP** button is pressed, the screen returns to the list.

To pause playback

- Press the PAUSE button during playback.
- 2 To resume normal playback, press the **PLAY** button.

NOTE

The **PAUSE** button or operations during Pause may not be functional depending on content or media server. Certain processes may take some time to complete.

To locate a specific file

- Press the Skip Reverse or the Skip Forward button repeatedly to access the desired file.
 - ♦ (◄): Playback starts from the beginning of the current file or previous file.
 - ❖ (►): To locate subsequent files.

To play in fast reverse or fast forward directions

❖ Press the ◄◄ or ▶► button during playback. Each time you press the ◄◄ or ▶► button, the playback speed will change.

NOTE

These features may not be operable depending on the content or media server.

To set the repeat mode

- 1 Press the **QUICK** button.
- 2 Press the ▲/▼ (arrow) buttons to select **Repeat**. The current repeat setting appears.
- 3 Press the $\blacktriangleleft/\triangleright$ (arrow) buttons to select **Off**, **All**, or **1**.
- 4 Press the **BACK** button.

 The setting is effective until the TV is turned off.

Mode:	Description:
Off	The content is played back only once
All	All contents in the same folder are repeatedly played back
1	The same content is repeatedly played back

To select a music from Play List (except for Media Renderer function)

While playing a music file, you can select a different music file from the Play List.

1 Press the **QUICK** button to open the Quick Menu.

2 Press the ▲/▼ (arrow) buttons to select Play List and press the OK button.

The Music List will appear.

3 Press the \triangle/∇ (arrow) buttons to select a file name.

To display the file status information:

- 1 Press the **INFO** button during playback. The information appears at the bottom of the screen.
- 2 Press the **INFO** button again to hide the information.

NOTE

The information may not correctly display depending on the content or media server.

File specifications:

USB use:

- ❖ File format: MP3, MP4 (AAC), WMA7/8/9, WAV (LPCM)
- ❖ Sampling frequency: 32 kHz, 44.1 kHz, 48 kHz
- ❖ Bit rate: From 32 to 320 kbps
- **❖ Maximum number of files:** 1000 per folder

Content on a connected Media Server:

- ❖ File format: MP3, MP4 (AAC), WMA9 std, LPCM
- **♦ Sampling frequency:** 32 kHz, 44.1 kHz, 48 kHz
- ❖ Bit rate: From 32 to 320 kbps
- **❖ Maximum number of files:** 1000 per folder

NOTE

It may not be possible to use certain playback features or display some files. In some cases certain files and servers may not support playback features, such as fast-forward.

Viewing photo files

Multi View mode

This view mode allows you to search for photos in a grid format.

These pictures are displayed using thumbnail data in each image file.

1 Press the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons to move the highlight by one window.

If all of the photos will not fit in one screen, when pressing the \triangle (arrow) button at the left thumbnail, the screen will scroll up one by one. Similarly, when pressing the \blacktriangledown (arrow) button at the bottom thumbnail, the screen will scroll down one by one.

Using the Cloud TV Service features

- When you select a folder, press the **OK** button to move to the next layer.
 - Press the **BACK** button to move back to the previous layer.
- 3 Press the **OK** button to view the selected photo in Single View mode.

NOTE

- ❖ Displaying thumbnail data may take time.
- ❖ In order to use the ▲/▼ (arrow) button to scroll the screen, there must be enough content to take up two screens.

Single View mode

In this view mode, only files located in the selected directory are displayed. When moving from Multi View mode to Single View mode, the currently selected photo appears.

- On Multi view mode, press the $\triangle/\nabla/\blacktriangleleft/\triangleright$ (arrow) buttons to select a file, and then press the **OK** button.
- 2 Press the $\blacktriangleleft / \triangleright$ (arrow) buttons to view the next or previous file.

NOTE

Single view mode is changed to Multi View mode when the **BACK** button is pressed.

Slide Show mode

This view allows you to watch a slide show of the photos. In this mode, only files located in the selected directory appear.

- 1 To switch to Slide Show mode, press the **OK** button while in Single View mode.
 - To return to Single View mode, press the \mathbf{OK} button again.
- 2 Press the $\blacktriangleleft / \triangleright$ (arrow) buttons to view the next or previous file.

Mode settings

- 1 Press the QUICK button to open the Quick menu while in Single View mode or Slide Show mode.
- 2 Press the ▲/▼ (arrow) buttons to select the item (Interval Time or Repeat).
- 3 Press the $\blacktriangleleft/\triangleright$ (arrow) buttons to adjust the setting.
- 4 Press the **BACK** button to return to Single View mode or Slide Show mode.

Mode:	Description:
Interval Time	Sets a time interval at which to view photos
Repeat	Displays photos in the same directory repeatedly (On/Off)

Rotate the image

While viewing the image in Single View mode or Slide Show mode, press the \triangle/∇ (arrow) buttons to rotate the image 90 degrees.

To zoom in/out photos (except for Media Renderer function)

During the Single View mode or Slideshow mode, the zoom function can be used. The Slideshow mode changes to the Single View mode.

RED button : Zoom in $x1 \rightarrow x2 \rightarrow x4 \rightarrow x8$ zoom **GREEN button :** Zoom out $x8 \rightarrow x4 \rightarrow x2 \rightarrow x1$ zoom

 $\triangle/\nabla/\triangle$ (arrow) buttons: Vertical or Horizontal scrolling

To set Background Music

- 1 Press the **QUICK** button to open the **Quick Menu** while in the Slide Show mode or Single View mode.
- 2 Select **Background Music** and press the **OK** button.
- 3 Press the ▲/▼ (arrow) buttons to select **On**. The music file in the same folder as the displayed photo will start playing.

NOTE

- Al the music files in the same folder as the photo will be played repeatedly.
- To stop music file playback, select **Off** in **Background Music**.

To select a photo from Play List (except for Media Renderer function)

While in the Single View mode or Slide Show mode, you can select a different photo from the Play List.

- 1 Press the QUICK button to open the Quick Menu from Single View mode or Slide Show mode.
- Press the ▲/▼ (arrow) buttons to select Play List and press the OK button.

The Photo List will appear.

3 Press the \triangle/∇ (arrow) buttons to select a file name.

Display file status information

- 1 Press the **INFO** button.

 The information appears at the bottom of the screen.
- 2 Press the **INFO** button again to hide the information.

NOTE

The information may not correctly display depending on the content or media server. Certain processes may take some time to complete.

File specifications:

USB use:

- **❖ Data compatibility:** JPEG Exif ver 2.2
- ❖ File format: JPEG, BMP
- **❖** Maximum viewable resolution:

15360 × 8640 (JPEG:Base-line), 1024 × 768 (JPEG:Progressive), 9600 × 6400 (BMP)

❖ Maximum number of files: 1000 per folder

Content on a connected Media Server:

- **❖ Data compatibility:** JPEG Exif ver 2.2
- **❖** File format: JPEG
- **♦ Maximum photo resolution:** 4096 × 4096
- **♦ Maximum number of files:** 1000 per folder

NOTE

It may not be possible to use certain function or display some files.

Search

To search for content,

- 1 Select the search.
- 2 Enter in keyword and the search will search for:
 - Media server

Videos; Title name

Music; Title name/Artist name/ Album name

Photos: Title name

USB

Videos/Music/Photos: File name

NOTE Folders are not subject to the search function.

- 3 The retrieval result is displayed.
- 4 Select one of the search results.
- 5 The selected content will play.

NOTE The search retrieval stops when content is being played.

❖ The results screen shows different categories of media; Videos, Music and Photos. Select the ▼ below a category and press the OK button to display results only for that category of media on the screen.



❖ To return to the previous display, select ▲ and press the **OK** button.

Network Device Setup

In order to set the access the External Control Setup, Media Renderer Setup, or Device Name Setup, you must use the Network Device Setup menu.

External Control Setup

- Press the SETUP button.
- 2 Select Network > Network Device Setup > External Control Setup and press the OK button.
- 3 Use the ▲/▼ (arrow) buttons to select and set **Enable Control** to **On** or **Off**.

To access the Home Control Profile:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > External Control Setup and press the OK button.
- 3 Use the ▲/▼ (arrow) buttons to select and set Enable Control to On or Off.
- 4 Use the ▲/▼ (arrow) buttons to select **Home Control Profile** and press the **OK** button.

The Home Control Profile window will appear.

- 5 Use the ▲/▼/◀/▶ (arrow) buttons to navigate to the User Name or Password field. Input the user name and password using the Software Keyboard or Wireless QWERTY keyboard (for L7300U series only).
- For more information, see "Using the software keyboard" on page 121

NOTE

Only the 0-9 and capital/lowercase A-Z characters may be used for the user name and password.

Setting up the Media Renderer feature

The TV can be configured as a Media Renderer. When operating as a Media Renderer, the TV displays content provided mobile devices or PCs. The selection of the media is done by the media controller.

The TV can play photo, movie, or audio files when operating as a Media Renderer.

- Press the SETUP button.
- 2 Select Network > Network Device Setup > Media Renderer and press the OK button.
- 3 Press the **△**/**▼** (arrow) buttons to select **On** or **Off**, and then press the **OK** button.

Device Name setup

The device name as a Media Renderer can be changed.

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > Device Name Setup and press the OK button.
- 3 Select the **Device Name** field. Press the **OK** button. The Software Keyboard screen appears.
- 4 Input the device name by using the Software Keyboard. To save your setting, press the **GREEN** button.
- 5 Select **Done**. Press the **OK** button.

NOTE

The maximum number of characters allowed for the device name is 15. Only 0-9, A - Z (upper case only), "-" can be used in the device name.

Chapter 9

Cloud TV Companion Apps

Using Apps on a Tablet or Smart phone

Toshiba provides apps for tablets and smart phones. The apps will vary by country and availability may change in the future with respect to current apps.

NOTE

Apps will vary by country and availability may change in the future on current apps.

These apps are available for compatible Toshiba equipment using compatible tablets and smart phones powered by AndroidTM or iOS. You can download these apps through the Google PlayTM or the iTunes Store. In order to use these apps, you must configure the settings through the Apps Control Profile.

NOTE

Third party Internet services are not provided by Toshiba, may change or be discontinued at any time, and may be subject to Internet service provider restrictions. Toshiba makes no warranties, representations, or assurances about the content, availability, or functionality of thirdparty content or services. Use of third-party Internet services may require the creation of a separate account through a computer with Internet access and/or payment of one-time and/or recurring charges and membership. Not all third-party services may be available on or compatible with this product. In order to experience the full suggested capabilities of this product, fully-compatible devices may be required.

- Apps can only be used when your TV and your tablet or smart phone are connected to the Internet.
- Starting and operation of this service may take several minutes.
- Software updates may be needed in order to use this service.
- In order to experience the full suggested capabilities of this product, fully-compatible devices may be required.
- Certain features may not be available in all countries.
- Companion Apps available through the Cloud may be changed or removed at any time. Not all operating system Apps may be compatible with the Cloud. Services depicted in this eManual and provided through the Cloud may not be available in your region and may not be available to you. Please check your individual device for app compatibility.
- As soon as the application is deployed, this feature can be used.

Apps Control Profile

To select the Apps Control Profile

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > External Control Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select and set Apps Control
 Profile and press the OK button.
 The Apps Control Profile window will appear.
- 4 Press the ▲/▼ (arrow) buttons to select **Device Registration Setup** and press the **OK** button.
 - The Device Registration Setup window will appear.
- 5 Use the \triangle/∇ (arrow) buttons to select the Companion Device ID.
- 6 Select the Cancel, All, or Delete buttons.

NOTE

- If the maximum number of registered devices (20) is exceeded, no additional devices can be registered. Delete unnecessary devices before registering a new device.
- When re-registering a device which has been deleted from the list, pairing must be carried out again.

To enable the New Device Detection:

- 1 Press the **SETUP** button.
- 2 Select Network > Network Device Setup > External Control Setup and press the OK button.
- 3 Press the ▲/▼ (arrow) buttons to select and set Apps Control Profile and press the OK button.
 The Apps Control Profile window will appear.
- 4 Press the **△**/**▼** (arrow) buttons to select **New Device Detection** and press the **OK** button.
- 5 Use the **◄/▶** (arrow) buttons to select **Enable** or **Disable**.
- 6 Press the **OK** button to submit.

Pairing

To use Apps, it is necessary to connect a compatible tablet or smart phone and this TV to your home network, and carry out pairing (using a 4 or 8 digit password to authenticate the device).

Refer to the Apps manual for more details about pairing.

NOTE

- Pairing with external devices cannot be carried out when the TV is connected to an unencrypted wireless LAN access point. Activate the encryption settings for the wireless LAN access point before carrying out Pairing.
- When the Enable Control is not set to ON in External Control Setup, Apps functions including Pairing cannot be used.

Chapter 10

Troubleshooting

General troubleshooting

Before calling a service technician, review this chapter or visit the Toshiba Support Web site at "support.toshiba.com" for possible causes/solutions for the problem you are experiencing.

Before you begin to troubleshoot any problem, first unplug the TV from the AC wall outlet, wait approximately one minute, and then plug the TV back into the AC wall outlet. If the problem still exists attempt to troubleshoot the problem.

Black box on screen.

The closed caption feature is set to one of the Text modes (**T1**, **T2**, **T3**, or **T4**). Set the closed caption feature to Off, see "Using closed captions" on page 72.

TV stops responding to controls.

If the TV stops responding to the buttons on the remote control or TV control panel and you cannot turn off the TV, unplug the TV from the AC wall outlet and plug it back in.

If you cause a static discharge when touching the TV and the TV fails to function, simply unplug the TV from the AC outlet and plug it back in. The TV should return to normal operation.

Other problems.

If your TV's problem is not addressed in this Troubleshooting chapter or the recommended solution has not worked, use the Reset Factory Defaults procedure, see "Resetting to Factory Defaults" on page 90.

TV will not turn on.

Check the AC wall outlet by trying another device in the AC wall outlet.

Ensure the power cord is plugged in properly, and then press the **POWER** button.

Replace the batteries in the remote control, see "Installing batteries" on page 47.

Try the control panel buttons on the TV.

Picture problems

General picture problems.

Check the antenna/cable connections, see "Connecting Your TV" on page 26.

Press the **INPUT** button on the remote control or on the TV and select a valid video input source, see "Selecting the video input to view" on page 71. If you have no picture after selecting a Input source, check the device connected to that input for proper operation. For device connection details, see "Connecting Your TV" on page 26.

Antenna reception may be poor. Use a highly directional outdoor antenna (if applicable).

The station may be having broadcast difficulties. Try another channel.

Adjust the picture quality, see "Using the advanced picture settings features" on page 99.

If Edge Enhancer does not achieve a sharper picture, change the Sharpness value to increase the sharpness level, see "Edge Enhancer" on page 99.

Video Input Selection problems.

If the Input Selection window does not appear when you press the **INPUT** button on the remote control or the TV control panel, press the **INPUT** button a second time. The TV displays the next video input source and the Input Selection screen.

Cannot view external signals.

If you cannot view signals from external devices connected to VIDEO 1, VIDEO 2, ColorStream HD, HDMI 1, HDMI 2, HDMI 3, HDMI 4 or PC, ensure that the Input Lock is set to Off, see "Locking video inputs" on page 80.

Poor display color or no color.

Check for proper hookup connections between your devices

The station may be having broadcast difficulties. Try another channel.

Adjust the Tint and/or Color, see "ColorMasterTM" on page 102.

Poor composite picture.

If the TV is connected to an external A/V device (e.g. DVD player, video game system, set-top box, etc.) try using a ColorStream or $HDMI^{\text{TM}}$ video connection instead.

Picture and sound are out of sync.

As with all products that contain a digital display, this may occur in rare instances, when viewing certain content (e.g. television broadcasts, video games, DVDs). The cause may include, without limitation, video processing within the TV, video processing in an attached gaming system, and video processing or different compression rates used by broadcasters in their programming.

Try the following:

- ❖ If the TV is connected to an A/V receiver that has a programmable audio delay feature, use this feature to help synchronize the sound to the picture.
- If the problem occurs only on certain TV channels, inform your local broadcast, cable, or satellite provider.
- ❖ The settings of PC/HDMI 2 Audio may be not correct. Check the connections, see "Connecting a computer" on page 40.
- Turn off and unplug the TV from the AC wall outlet for a few seconds and plug it back in.

Sound problems

Check the antenna/cable connections, see "Connecting a digital audio system" on page 35.

The station may be having broadcast difficulties. Try another channel.

The sound may be muted. Press the **VOL** (+ -) buttons or **MUTE** button.

If you connect a computer using either the PC IN terminal or an $HDMI^{TM}$ terminal, make sure that the Rear Shared Audio setting is properly set, see "Connecting a digital audio system" on page 35.

Remote control problems

Remove all obstructions between the remote control and the TV.

Replace the remote control's batteries, see "Installing batteries" on page 47.

Your TV's remote control may not operate certain features on your external device. Refer to the owner's manual for your other device to determine its available features. If your TV remote control does not operate a specific feature on another device, use the remote control that came with the device, see "Learning about the remote control" on page 50.

If the TV still does not act as expected, perform the Reset Factory Defaults procedure, see "Resetting to Factory Defaults" on page 90.

Channel tuning problems

Ensure that the remote control is set to the correct device mode, see "Learning about the remote control" on page 50.

The Auto Tuning feature may have erased the channel from memory. To add the channel to the channel memory, see "Manual Tuning" on page 67.

The Lock feature may have blocked the channel. To unblock the channel, see "Unlocking programs" on page 79.

If you cannot tune digital channels, check the antenna configuration, see "Initial setup" on page 52. If the problem persists, clear all channels from the channel list and reprogram channels into memory, see "Storing channels in memory (optional)" on page 66. For additional information, see "TV stops responding to controls." on page 160. If the problem persists, use the Reset Factory Defaults procedure, see "Resetting to Factory Defaults" on page 90.

Closed caption problems

If the program or video you have selected is not closed captioned, no captions appear on the screen.

If text is not available, a black rectangle may appear. If this happens, turn off the closed caption feature, see "Using closed captions" on page 72.

A closed caption signal may not display correctly under the following circumstances:

- The recording is dubbed
- The signal reception is weak
- ❖ The signal reception is nonstandard

For additional information, see "Using closed captions" on page 72.

Rating blocking (V-Chip) problems

Forgotten PIN code.

When the PIN code screen appears, press the **INFO** button 4 times within approximately 5 seconds. The old PIN code is cleared, see "Forgotten PIN code" on page 75.

The V-Chip feature is available for U.S. V-Chip systems only, see "Using parental controls" on page 76.

HDMI[™] CEC Control operation

 $\mathrm{HDMI}^{\mathrm{TM}}$ CEC Control feature is available for Toshiba $\mathrm{HDMI}^{\mathrm{TM}}$ CEC compatible devices.

HDMI[™] cables.

Ensure that $HDMI^{TM}$ cables with the (HDTT) Logo are used.

The HDMI[™] CEC operation is not working correctly.

When the connected $HDMI^{TM}$ CEC device does not work correctly after you have changed the device's settings, turn off the TV and unplug the power cord. After approximately one minute, plug the power cord in and turn on the TV. You may also try using a different $HDMI^{TM}$ cable.

Read the instruction manual of the connected HDMI[™] CEC device.

HDMI[™] problems

$\mathbf{HDMI}^{^{\mathrm{TM}}}$ cables.

Ensure that $HDMI^{\mathsf{TM}}$ cables with the ($\vdash\!\!\vdash$ Logo are used, see "Connecting an $HDMI^{\mathsf{TM}}$ or DVI device to the $HDMI^{\mathsf{TM}}$ input" on page 36.

Network problems

Cannot connect to the Internet.

Check the modem and its incoming cable/telephone connections, see "Connecting to a home network" on page 43.

Confirm your modem's operation.

Ensure that your IP address is set up correctly, see "IP Address Setup" on page 118.

No network connection.

If using a wired network connection, check to ensure that the LAN cables are connected properly, see "Connecting the TV to a home network with an Internet connection - wired" on page 44.

Ensure that the modem and router power cords are plugged in and the devices are operating properly.

Ensure that your IP address is set up correctly, see "IP Address Setup" on page 118.

Check to ensure proper operation of other network connected devices.

Network Setup fails (Auto).

Check to ensure that the LAN cables are connected properly, see "Connecting the TV to a home network with an Internet connection - wired" on page 44.

DHCP is not enabled on the router, or no router is present. Refer to your router's documentation for instructions on enabling DHCP. If your router does not support DHCP, you must manually set up the IP address.

Internet service is not available. Check your cable/DSL modem or contact your ISP for Internet service issues.

Network Setup fails (Manual).

Ensure that the TV IP address is not the same as any other device on the network.

Example: IP address 192.168.0.100 and IP address 192.168.0.101 are different addresses on the same network.

Make sure the TV IP address is on the same subnet as the networked

computer.

- ❖ Example of proper setup: The computer has the IP address 192.168.0.100 with the Subnet mask 255.255.255.0, the TV has the IP address 192.168.0.101 with the Subnet mask 255.255.255.0; both are on the same subnet.
- ❖ Example of improper setup: The computer has the IP address 192.168.1.100 with the Subnet mask 255.255.255.0, the TV has the IP address 192.168.0.101 with the Subnet mask 255.255.253.0; they are on different subnets

Unstable network connection.

When using a wired home network connection, unplug the LAN cables, and then reconnect them.

When using a wireless home network connection:

- * Reboot the router:
 - 1 Remove AC power from the router and the television for approximately one minute.
 - 2 Reconnect AC power to the router.
 - 3 Reconnect AC power to the television and turn it On.
 - 4 After approximately two minutes, check connection stability.
- Connect with LAN cables, if possible, and check connection stability.
- Repeat the wireless network setup procedure and check connection stability.

The media server name is not displayed.

The LAN cables, if used, are not connected properly, see "Connecting the TV to a home network with an Internet connection - wired" on page 44.

The WLAN, if used, is not configured properly.

The network setup on the Server is incorrect. Make sure both the media server and TV are using the same network type (DHCP/manual) and have compatible network settings.

Too many devices are connected. You cannot connect more than 32 sharing devices at one time.

The media server is not turned On.

The "server" is not a media server device.

Check the firewall and streaming settings on the media server.

Wireless network problems

Check that the router/AP (Access point) power is On.

After starting wireless network setup, confirm that the network is configured properly by performing the network connection test, see "Network Connection Test" on page 120.

Check the router/AP's connection status.

If the router/AP does not support PBC or WPS, Easy Setup (PBC) will not work even if the push-button is pressed, see "Wireless Setup" on page 113.

If the available router/AP list is not displayed in Easy Setup (PBC) or Assisted Setup, the power of the router/AP may be Off. Check that it is On, and then try restarting the scan for available routers/APs, see "Easy Setup using PBC (Push button configuration)" on page 114.

Refer to the router/AP's instruction manual.

MediaShare problems

Ensure that the devices (TV and Server) are connected correctly.

Incorrect functionality may occur when using a USB HUB connection.

Photo files that were processed and edited using the computer's application software may not be viewable.

When viewing content that supports two or more formats the TV may select one format automatically.

Copyright protected content stored on the media server may not be playable on the TV.

Content playback stability may be affected by heavy network traffic.

Content originally recorded on a computer may not play correctly.

Set the media sharing of the media server to the correct settings, according to the media server instruction manual.

Confirm that the contents of either the media server or the USB storage device are in formats that are supported by this TV, see "MediaShare specifications" on page 142.

Depending on the media server, access may be limited by the MAC address. Set the server according to the media server's instruction manual. This TV's MAC Address can be confirmed in the Network Setup portion of the User Menu, see "MAC Address" on page 120.

For Connected MediaShare

Depending on the media server, it may take time to display the list.

Media Renderer

Depending the state of this TV, Media Controller may not be able to control a Media Renderer playback.

If Media Renderer playback starts regardless of the user's intention, set Media Renderer to Off.

Light Indicator

The Power light on the front of the TV indicates the TV's status, as described below.

Power On/Standby light

Green:

❖ The TV is On and operating properly.

Red:

❖ The power is Off or in Standby.

If the problem persists after trying the solutions

In the U.S., visit TAIS Consumer Solutions on the web at "support.toshiba.com" or call 800-631-3811.

In Canada, locate the nearest Toshiba authorized service depot. or Visit www.toshiba.ca, click "Home Entertainment," and then click "Support."

Appendix A

Specifications

NOTE

- This model complies with the specifications listed below.
- Designs and specifications are subject to change without notice.
- This model may not be compatible with features and/or specifications that may be added in the future.

Television system

NTSC standard	
ATSC standard	8VSB
Digital Cable	64 QAM, 256 QAM; in-the-clear, unencrypted

Channel coverage

VHF	2 through 13
UHF	14 through 69
	Mid band (A-8 through A-1, A through I)
Cable TV	Super band (J through W)
Cable I v	Hyper band (AA through ZZ, AAA, BBB)
	Ultra band (65 through 94, 100 through 135)

Power source

120 V AC, 60 Hz

Power consumption

32L4300U	0.9 A (maximum current)
	0.3 W in Standby mode
39L4300U	1.2 A (maximum current)
	0.3 W in Standby mode
50L4300U	2.0 A (maximum current)
	0.3 W in Standby mode
50L7300U	1.9 A (maximum current)
	0.3 W in Standby mode
58L7300U	1.5 A (maximum current)
	0.3 W in Standby mode
65L7300U	1.8 A (maximum current)
	0.3 W in Standby mode

Audio power

32L4300U	7 W + 7 W
39L4300U	7 W + 7 W
50L4300U	7 W + 7 W
50L7300U	10W + 10W
58L7300U	10W + 10W
65L7300U	10W + 10W

Speaker type

32L4300U	Main 11.7cm x 4.0 cm (4 3/5 x 1 3/5 inch) x 2 pcs
39L4300U	Main 11.7cm x 4.0 cm (4 3/5 x 1 3/5 inch) x 2 pcs
50L4300U	Main 11.7cm x 4.0 cm (4 3/5 x 1 3/5 inch) x 2 pcs
50L7300U	Main 16.5 cm x 2.8 cm (6 1/2 x 1 1/10 inch) x 2 pcs
58L7300U	Main 16.5 cm x 2.8 cm (6 1/2 x 1 1/10 inch) x 2 pcs
65L7300U	Main 3.5 cm x 7.5 cm (2/5 x 2 19/20 inch) x 2 pcs

Video/audio terminals

Video/audio input

Video	1 V (p-p), 75 ohm, negative sync, NTSC.
Audio	200 mV (rms) (-20dBFS)

ColorStream® (component video) HD input

Video	Y: 1V (p-p), 75 ohm
	PR: 0.7V (p-p), 75 ohm
	PB: 0.7V (p-p), 75 ohm
	Suggested formats: 1080p (60Hz), 1080i (60Hz), 720p
	(60Hz), 480p, 480i
Audio	200 mV (rms) 22 k ohm or greater

$\textbf{HDMI}^{^{\text{\tiny{IM}}}} \textbf{ input}$

HDMI [™] compliant	
HDCP compliant	
Suggested formats	See table on page 176
HDMI [™] Audio	Dolby® Digital and 2-channel Linear-PCM; 32/44.1/48
	kHz sampling frequency; 16/20/24 bits per sample

Digital audio output

Optical type

PC input

15-Pin D-sub Analog RGB

Wireless connection

Standard	IEEE 802.11a/b/g/n/
Host Interface	USB 2.0 compatible
ieremiency Range	5.15-5.35 GHz, 5.47-5.725 GHz, 5.725-5.850 GHz, 2.400–2.473 GHz
Security	WEP 64/128, TKIP, AES, WPA/WPA2-PSK, WPS, None

Ethernet

IEEE 802.3.

USB

Universal Serial Bus Specification, Revison 1.1.

Universal Serial Bus Specification, Revison 2.0.

Dimensions with table stand

Width 28.9" (734 mm)
Height 19.8" (504 mm)
Depth 7.2" (182 mm)
Width 35.0" (889 mm)
Height 23.3" (591 mm)
Depth 8.0" (202 mm)
Width 44.8" (1139 mm)
Height 29.2" (742 mm)
Depth 9.5" (242 mm)
Width 44.5" (1131 mm)
Height 29.2" (741 mm)
Depth 9.2" (233 mm)
Width 51.4" (1306 mm)
Height 33.5" (851 mm)
Depth 13.1" (334 mm)
Width 57.9" (1470 mm)
Height 36.9" (938 mm)
Depth 14.1" (357 mm)

Weight (mass) with stand

32L4300U	15.0 lbs (6.8 kg)
39L4300U	19.2 lbs (8.7 kg)
50L4300U	38.4 lbs (17.4 kg)
50L7300U	42.5 lbs (19.3 kg)
58L7300U	61.1 lbs (27.7 kg)
65L7300U	79.8 lbs (36.2 kg)

Operating conditions

Temperature	32° - 95° F (0° - 35° C)
Humidity	20 - 80% (no moisture condensation)

Supplied accessories

- ♦ Universal remote control (2x AAA" batteries)
 - ❖ L7300U model number: CT-90428
 - ❖ L4300U model number: CT-90428
- Resource Guide
- Pedestal and hardware
- **❖** Warranty information
- ❖ Wireless QWERTY keyboard with touchpad (2x AA batteries) (Not available in Mexico.)
 - ❖ L7300U : supplied
 - ❖ L4300U : not supplied
- IR blaster cable

NOTE

The Wireless QWERTY keyboard supplied with L7300U series is a standard U.S. layout keyboard. The accented characters for French and Spanish may not be available in certain cases.

Acceptable signal formats for PC IN and HDMI[™] PC IN signal formats

NOTE

- The PC IN on this TV only accepts signal formats which are compliant with VESA-DMT as in the table below. Since some PCs input signals are different from the resolution and frequency described in the table below, the following problems may occur: incorrect display, false format detection, picture position failure, blur, or judder. In these cases, set the monitor output format on your computer to conform to any of the signals in the table below.
- ❖ The signals whose vertical frequency is 56 Hz, 70 Hz, 72 Hz, or 75 Hz are converted to a 60 Hz signal.
- When you connect a computer to this TV, it is recommended that you set the refresh rate of your computer to 60 Hz.
- ❖ The PC IN on this TV does not accept the Sync on Green, Composite Sync, and Interlace signals.

Format	Resolution	V. Frequency	H. Frequency	Pixel Clock Frequency	VESA Standard (DMT)
VGA	640 x 480	59.940/60 Hz	31.469/31.500 kHz	25.175/25.200 MHz	•
		72.809 Hz	37.861 kHz	31.500 MHz	•
		75.000 Hz	37.500 kHz	31.500 MHz	•
SVGA	800 x 600	56.250 Hz	35.156 kHz	36.000 MHz	•
		60.317 Hz	37.879 kHz	40.000 MHz	•
		72.188 Hz	48.077 kHz	50.000 MHz	•
		75.000 Hz	46.875 kHz	49.500 MHz	•
XGA	1024 x 768	60.004 Hz	48.363 kHz	65.000 MHz	•
		70.069 Hz	56.476 kHz	75.000 MHz	•
		75.029 Hz	60.023 kHz	78.750 MHz	•
WXGA	1280 x 768	59.995 Hz	47.396 kHz	68.250 MHz	•
		59.870 Hz	47.776 kHz	79.500 MHz	•
		74.893 Hz	60.289 kHz	102.250 MHz	•
	1360 x 768	60.015 Hz	47.712 kHz	85.500 MHz	•
SXGA	1280 x 1024	60.020 Hz	63.981 kHz	108.000 MHz	•
		75.025 Hz	79.976 kHz	135.000 MHz	•

HDMI[™] signal formats

NOTE

- The HDMI™ inputs on this TV only accept VGA, SVGA, XGA, WXGA, and SXGA signal formats which are compliant with VESA-DMT as in the table below. Since some computer, HDMI™, or DVI device input signals are different from the resolution and frequency described in the table below, the following problems may occur: incorrect display, false format detection, picture position failure, blur, or judder. In these cases, set the monitor output format on your computer, HDMI™, or DVI device to conform to any of the signals in the table below.
- ❖ The signals whose vertical frequency is 24 Hz, 56 Hz, 70 Hz, 72 Hz, or 75 Hz are converted to a 60 Hz signal.
- ♦ When you connect a computer to this TV, it is recommended that you set the refresh rate of your computer to 60 Hz.

Format	Resolution	V. Frequency	H. Frequency	Pixel Clock Frequency	VESA Standard (DMT)
VGA	640 x 480	59.940 Hz	31.469 kHz	25.175 MHz	•
		72.809 Hz	37.861 kHz	31.500 MHz	•
		75.000 Hz	37.500 kHz	31.500 MHz	•
SVGA	800 x 600	56.250 Hz	35.156 kHz	36.000 MHz	•
		60.317 Hz	37.879 kHz	40.000 MHz	•
		72.188 Hz	48.077 kHz	50.000 MHz	•
		75.000 Hz	46.875 kHz	49.500 MHz	•
XGA	1024 x 768	60.004 Hz	48.363 kHz	65.000 MHz	•
		70.069 Hz	56.476 kHz	75.000 MHz	•
		75.029 Hz	60.023 kHz	78.750 MHz	•
WXGA	1280 x 768	59.995 Hz	47.396 kHz	68.250 MHz	•
		59.870 Hz	47.776 kHz	79.500 MHz	•
		74.893 Hz	60.289 kHz	102.250 MHz	•
	1360 x 768	60.015 Hz	47.712 kHz	85.500 MHz	•
SXGA	1280 x 1024	60.020 Hz	63.981 kHz	108.000 MHz	•
		75.000 Hz	79.976 kHz	135.000 MHz	•
480i	720 x 480i	59.940/60 Hz	15.734/15.750 kHz	27.000/27.027 MHz	
480p	720 x 480p	59.940/60 Hz	31.469/31.500 kHz	27.000/27.027 MHz	
720p	1280 x 720p	59.940/60 Hz	44.955/45.000 kHz	74.176/74.250 MHz	
1080i	1920 x 1080i	59.940/60 Hz	33.716/33.750 kHz	74.176/74.250 MHz	
1080p	1920 х 1080р	23.976/24 Hz	26.973/27.000 kHz	74.176/74.250 MHz	
		29.970/30 Hz	33.720/33.750 kHz	74.176/74.250 MHz	***************************************
		59.940/60 Hz	67.433/67.500 kHz	148.352/148.500 MHz	***************************************

Operating the TV with combination buttons

You can directly operate the TV power, input, picture size, and picture mode by pressing a combination button while holding down a color button.

Button Color	Combination Button	Behavior/Mode
	INPUT	Power Off
	POWER	Power On
	1	Input 1
	2	Input 2
	3	Input 3
RED	4	Input 4
חבט	5	Input 5
	6	Input 6
	7	Input 7
	8	Input 8
	0	ANT/CABLE
	MUTE	Mute On
	1	Native (picture size)
	2	4:3 (picture size)
	3	TheaterWide 1 (picture size)
	4	TheaterWide 2 (picture size)
GREEN	5	TheaterWide 3 (picture size)
	6	Full (picture size)
	7	Normal (picture size)
	8	Dot by Dot (picture size)
	MUTE	1/2 Mute On
	1	AutoView (picture mode)
	2	Dynamic (picture mode)
	3	Standard (picture mode)
	4	Movie (picture mode)
YELLOW	5	- (picture mode)
	6	Store (picture mode)
	7	Game (picture mode)
	8	PC (picture mode)
	MUTE	Mute Off

Appendix B

Wireless QWERTY keyboard with touchpad

- How to enter French or Spanish characters using the Wireless QWERTY keyboard with touchpad, which is included with L7300 series
 - ❖ For L4300 series, the Wireless QWERTY keyboard with touchpad must be purchased separately.
 - ❖ For how to use the Wireless QWERTY keyboard with touchpad, refer to the User's Guide that comes with the keyboard.

Setting the keyboard layout

Before entering French or Spanish characters, configure the following setting on the TV:

- 1 Press the **SETUP** button.
- 2 Select Options > USB Keyboard Layout.
- 3 Press the **OK** button.
- 4 Press the \triangle/∇ (arrow) buttons to select U.S. International Layout and press the **OK** button.
 - For how to enter characters, refer to the table below:

NOTE

The input characters may be different from the table below depending on the situation you are entering characters.

Printing\Simultaneous Key	normal	Shift	Right Alt(Alt Gr)	Shift + Right Alt				
a and A	a or	A *1	á or Á *¹					
b and B		· B *1						
e and C	c or	· C *1	©	¢				
d and D	d or	· D *1	Ð	ð				
e and E		E *1	é or	É *1				
f and F		· F *1						
g and G		· G *1						
h and H		· H *1						
i and I	i 01	: I *1	í or	Í *1				
j and J		· J *1						
k and K		· K *1	œ or	Œ *1				
1 and L		L *1	ø or					
m and M		: M *1	ļ	l				
n and N		· N *1	ñ or					
o and O	0 01	· O *1	ó or	Ó *1				
p and P		r P *1	ö or					
q and Q	q or	· Q *1	ä or					
r and R	r or	R *1	Œ					
s and S		: S *1	В	§				
t and T	t or	T *1	þ or					
u and U	u or	· U *1	ú or	Ú *1				
v and V	V 01	V^{*1}						
w and W	W OI	· W *1	å or .	Å *1				
x and X		· X *1						
y and Y	у от	Y *1	ü or	Ü *1				
z and Z		Z^{*1}	æ or					
1 and !	1	!	i					
2 and @	2	(a)	2					
3 and #	3	#	3					
4 and \$	4	\$	П	£				
5 and %	5	%	€					
6 and ^	6		1/4					
7 and &	7	&	1/2					
8 and *	8	*	3/4					
9 and (9	(c					
0 and)	0)	,					
Spacebar	Space	Space						
- and _ (underscore)	-	_	¥					
		(underscore)						
= and +	=	+	×	÷				
[and {	[{	«	"				

Printing\Simultaneous Key	normal	Shift	Right Alt(Alt Gr)	Shift + Right Alt
] and }]	}	»	>>
\backslash and	\		¬	
; and :	;	:	9	0
' and "			,	••
Grave Accent(`) and				
Tilde(~)				
, and <	,	<	ç or	Ç *1
. and >		>		
/ and ?	/	?	ί	
Keypad /	/	/		
Keypad *	*	*		
Keypad -	-	-		
Keypad +	+	+		
Keypad 1	1			
Keypad 2	2			
Keypad 3	3			
Keypad 4	4			
Keypad 5	5			
Keypad 6	6			
Keypad 7	7			
Keypad 8	8			
Keypad 9	9			
Keypad 0	0			
Keypad.				

^{*1:} Character is Depends on CapsLock On/Off

International Key

To enter special characters, follow the table below:

Diacritic	press first	press se	cond															
***************************************	(Dead key)	Space	E	e	A	a	0	0	U	u	Y	y	I	i	Z	z	R	r
Acute	or '	1	É	é	Á	á	Ó	ó	Ú	ú	Ý	ý	Í	í	Ź	ź	Ŕ	ŕ
Grave	,	,	È	è	À	à	Ò	ò	Ù	ù	Ŷ	ỳ	Ì	ì				
Umlaut	Shift + ' (")		Ë	ë	Ä	ä	Ö	ö	Ü	ü	Ÿ	ÿ	Ϊ	ï				
Tilde	Shift + ` (~)	~	Ě	ẽ	Ã	ã	Õ	õ	Ũ	ũ	Ŷ	ŷ	Ĩ	ĩ				
Circumflex	Shift + 6 (^)	^	Ê	ê	Â	â	Ô	ô	Û	û	Ŷ	ŷ	Î	î	Ż	ż		
Breve	Alt Gr + Shift + 9	Ÿ	Ě	ě	Ă	ă	Ŏ	ŏ	Ŭ	ŭ			Ĭ	Ĭ				
Háček	Alt Gr + Shift + . (>)	v	Ě	ě	Ă	ă	Ŏ	ŏ	Ŭ	ŭ			Ĭ	ĭ	Ž	ž	Ř	ť
Double acute	Alt Gr + Shift + 2	"					ő	ő	Ű	ű								
Ogonek	Alt Gr + Shift + 8	c	Ę	ę	Ą	ą	Q	Q	Ų	ų			Į	į				
Macron	Alt Gr + Shift + 3	-	Ē	ē	Ā	ā	Ō	ō	Ū	ū	Ÿ	ÿ	Ī	ī				
Overdot	Alt Gr + .		È	ė	À	á	Ó	Ó			Ý	ý	İ	1	Ż	Ż	Ŕ	ŕ
Underdot	Alt Gr + Shift + -		Ė	ę	Ą	ą	Ó	ó	Ų	ų	Y	У	İ	į	Ż	Ž	Ŗ	ţ
Ring	Alt Gr + Shift + 0	0			Å	å			Ů	ů		ŷ						

Diacritic	press first	press se	cond																	
***************************************	(Dead key)	Space	M	m	N	n	P	р	W	w	S	s	G	g	K	k	L	l	C	c
Acute	or '	,	M	ḿ	Ń	ń	Ý	ģ	Ŵ	Ŵ	Ś	ś	Ğ	ģ	K	k	Ĺ	ĺ	Ć	ć
Grave	`	`			Ň	'n			Ŵ	ŵ										
Umlaut	Shift + ' (")								Ŵ	Ŵ										
Tilde	Shift + ` (~)	~			Ñ	ñ														
Circumflex	Shift + 6 (^)	^							Ŵ	ŵ	ŝ	ŝ	Ĝ	ĝ					Ĉ	ĉ
Breve	Alt Gr + Shift + 9	Ų											Ğ	ğ						
Háček	Alt Gr + Shift + . (>)	v			Ň	ň					Š	š	Ğ	ğ	K	Ř	Ľ	ľ	Č	č
Double acute	Alt Gr + Shift + 2	,,																		
Ogonek	Alt Gr + Shift + 8	ć																		
Macron	Alt Gr + Shift + 3	-																		
Overdot	Alt Gr + .		M	ṁ	Ň	'n	Þ	ġ	Ŵ	Ŵ	Ś	Ś	Ġ	ġ					Ć	ċ
Underdot	Alt Gr + Shift + -		М	m	Ņ	ņ			W	Ņ	Ş	ş			Ķ	ķ	Ļ	ļ		
Ring	Alt Gr + Shift + 0	0								ŵ										

Index

vumerics	Dolby Digital Dynamic Range
1/3 stretch	Control 108
using 96	muting sound 105
1	optical audio output format 107
Ambient Light Sensor 102 Base Color Adjustment 102 ClearScan® 100 Color temperature 103 ColorMaster™ 102 DNR 101 DynaLight® 100 Dynamic Contrast 99 Edge Enhancer 99 MPEG NR 101 resetting to factory default 103 using 99	Auto Aspect using 96 C cables 3.5mm to RCA Y-cable 28 analog RGB (15-pin) 28 coaxial (F-type) 26 component video (red/green/blue) 27 Dual-wand IR blaster cable 27 HDMI™ 27 LAN 29 optical audio 28
udio	overview of cables 26
adjusting balance 105 adjusting range 106 Audyssey Dynamic Volume®	standard A/V (red/white/yellow) 26 channel return 70
109	channels
bass/treble 106	auto tuning 66 labeling analog TV channels 68

labeling video inputs 69 locking specific channels 79 manual tuning 67 next programmed channel 70 skipping 67 skipping video inputs 68 specific channel 70 storing in memory 66	Internet connection) 45 TV's HDMI [™] 41 VCR 31 VCR and antenna 31 control other devices HDMI [™] -CEC Control 38 control panel lock 81
closed captions	controlling other devices TV remote 38
Analog CC mode 72 button 74	- ,
Digital CC settings 73	E
using 75	expert picture settings
computer	RGB Filter 104
adjusting image 85	setting 103 Test Pattern 103
setting the audio 86	White Balance 104
to the TV's HDMI [™] 41	External Control Setup 155
using with the TV 85	
connecting	F
a computer 40	Factory Defaults
audio system 35	reset 76 favorites
cable TV 29	adding 130
camcorder 29	browsing 130
computer to TV's PC IN 40 DVD player with ColorStream®	features 19
31	H
DVI device to HDMI [™] input	Π HDMI [™]
36	viewing signal information 84
HDMI [™] audio system 39	HDMI [™] CEC
HDMI [™] device to HDMI [™] input	adjusting amplifier's audio 83
36	controlling playback devices
IR devices 32	82
satellite receiver 29	input source selection 83
to a computer (no Internet	other functions 84
connection) 43	HDMI [™] CEC Control
to a home network 43	using 81
to a home network (no Internet	HDMI [™] settings feature
connection) 43	using 84
to a home network (wired	home network
Internet connection) 44	

to a home network (wireless

	1:
using 111	adjusting 95
	adjusting quality 98
icon	picture mode
safety 18	selecting 97
IR Blaster Out terminal	picture size
using 32	4/3 93
IR Blaster setup 58	Dot by Dot 95
М	Full 93
Media Renderer	Native 92
device name setup 156	Normal 95
setup 156	selecting 91
MediaShare (Media Player)	TheaterWide 1 94
basic operation 142	TheaterWide 2 94
playing music files 149	TheaterWide 3 94
specifications 142	pin code
=	changing 75
viewing movie files 145	deleting 75
viewing photo files 151	entering new pin code 75
N	forgotten 75
network	setting pin code 74
advanced setup 113	power failure 90
connection test 143	program ratings
DNS setup 119	displaying 79
quick setup 55	unlocking programs 79
setup 124	Q
wireless setup 118	quick setup
Network Device Setup 155	channel tuning 57
no signal power down	country 55
set 88	IR Blaster 58
0	network 55
overview	smart TV 56
installation 20	store / home mode 55
setup 20	time zone 55
use 20	R
_	• •
P	rating system 78
parental controls	downloading additional 76
blocking programs/movies by	\$
rating (V-Chip) 76	safety
using 76	icons 18
picture	scrolling the picture 95

shared inputs	time limit
configuring 69	set for games 80
SmartTV	timer
using 126	sleep timer 87
SmartTV TM	turn on TV 86
Netflix® 127	troubleshooting 160
VUDU™ 128	channel tuning problems 163
software keyboard	closed caption problems 164
using 121	contact Toshiba 168
software licenses	HDMI [™] 165
show 123	HDMI [™] CEC Control problems
software upgrade	164
performing 123	light indicator 168
specifications	light indicator functions 168
acceptable signal formats 175	MediaShare (Media Player)
audio power 170	problems 167
channel coverage 169	network problems 165
ColorStream® HD input 171	picture problems 161
Digital audio output 172	Rating blocking problems 164
ethernet 172	remote control problems 163
HDMI [™] input 171	sound problems 162
HDMI [™] signal formats 176	wireless network problems 167
mass (weight) 173	TV connections
operating conditions 173	front 21
PC IN signal formats 175	side 21
PC input 172	TV panel connections
	-
power consumption 170	back 23
power source 170	TV panel controls
remote, combination buttons	front 22
177	left side 22
speaker type 171	side 22
supplied accessories 173	TV remote
TV system 169	control other devices 47
USB 172	effective range 49
video/audio terminals 171	functionality 50
wireless connection 172	install batteries 47
support information	TV status information
show 90	show 89
T	V
	Video
	video input
	locking 80
	e e

186 Index

selecting 71

W

web browser 128
access web page 131
adding favorites 131
browsing favorites 130